

DAFTAR PUSTAKA

- Abrahamsson Thomas R. Gabriela Sinkiewicz, Ted Jakobsson, Mats Fredrikson.(2008). Probiotic Lactobacilli in breast milk and Infant stool in relation to oral Intake During the first year of life. *Journal of Pediatric Gastroenterology and Nutrition*. 49:349-354
- Arini, H., (2012). *Mengapa Seorang Ibu harus Menyusui*. Cetakan I. Jogjakarta: Flash Books.
- Amoros AB, Collado MC, and Mira A.(2016). Relationship between Milk Microbiota, Bacterial load, Macronutrients, and human cells during Lactation, *front Microbiol*. 7:492
- Bachrudin Z, Astuti, dan Dewi YS(2000). *Isolasi dan seleksi mikroba penghasil laktat dan aplikasinya pada fermentasi Limbah Industri Tahu*. Prosiding Seminar Nasional Industri Enzim dan Bioteknologi. Mikrobiologi Enzim dan Bioteknologi
- Ballard and Morrow, (2013) Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am*.60 (1) :49-74
- Belkaid, Y., and Tamoutounour, S. (2016). The influence of skin microorganisms on cutaneous immunity. *Nat. Rev. Immunol*. 16: 353–366.
- Biassucci, G., Benenati, B., Morelli, L., Bessi, E., Bochm,G(2008). Cesarean Delivery May affect the early Bioactivity of intestinal Bacteria. *The journal of Nutrition*.138: 1796-1800
- Buckle, K.A., R.A. Edward, G.H. Fleet and R.D Applemen. (1987). Ilmu Pangan. Diterjemahkan oleh Hari Purnomo & Adiono). Jakarta: UI-Press.
- Bransburg-Zabary, Alexander Virozub, Francis B Mimouni.(2015). Human milk warming temperatures using a simulation of currently available storage and warming methods. *Public Library of Science*. 11(2): 327-429
- Bjorkroth, J.A., Dicks, L.M.T., and endo, A(2014). “the genus Weisella,”in Lactid acid Bacteria, Biodiversity and Taxonomy, eds W.H.Holzappel and B.J.B wood (Chichester:Wiley Blackwell) . 12: 418-428
- Cabrera-rubio, R. Collado, M. C. Laitinen, K. Salminen, S. Isolauri, E. Mira, A.(2016). Impact of mode of delivery on the milk microbiota composition of healthy women. *J.Dev.Orig. Health Dis*.7 :54-60
- Cabrera-rubio, R. Collado, M. C. Laitinen, K. Salminen, S. Isolauri, E. Mira, A.(2012). The human milk microbiome changes over lactation & is shaped by maternal weight and mode of delivery. *The American Journal of clinical Nutrition*. 96:544-551
- Castello C, Castell M, Casillas R, Moretones MG, Rami C, rez-santana Lopez-Sabater MC, et al(2011) premature Delivery Influences the Immunological composition of colostrum and Traditional and Mature Human Milk. *The Journal of Nutrition*. 141, issue 6: 324-330

- Collins, M. D, Samelis, J. Metaxopoulos, J. and Wallbanks, S. (1993). Taxonomic studies on some Leuconostoc-like organisms from fermented sausages: description of a new genus Weissella for the Leuconostoc paramesenteroides group of. 75(6):595-603.
- Cunningham, F. G, Leveno, K. J, Bloom, S. L, Hauth, J. C, Rouse, D. J, Spong, C. Y. (2013). *Obstetri Williams (Edisi 23 Vol 2)*. Jakarta: EGC.
- Devirgiliis C, Zinno P, and Perozzi G.(2013). Update on antibiotic resistance in foodborn Lactobacillus and Lactococcus species. *Frontiersin Microbiology*.4:301
- Elliot Tom, Whorthinton, O,Gill, (2013).*Mikrobiologi Kedokteran &Infeksi*, EGC, Jakarta
- Fardiaz,S.1993. *Mikrobiologi Pangan*. Penuntun Praktek-praktek Laboratorium Pusat Antar Universitas Pangan dan Gizi
- Fernandez, L. Langa, S. Martin, V. Maldonado, A. Jimenez, E. Martin, R.Et al(2013).The human milk microbiota: Origin and potential roles in health and disease. *Pharmacological research*. 69(1):1-10.
- Fusco V, Quero GM, Cho GS, Kabisch J, Neve H, Bockelmann W, and. Franz CMAP, Meske D . (2015).The genus Weissella: Taxonomy, Ecology and Biotechnological Potential. *Frontiers Microbiology*. 6:15
- Gritz EC, Bhandari V. The human neonatal gut microbiome:a brief review. (2015) *Frontiers in Pediatrics*.;3:1-12
- Guarner et al, (2008). Prebiotics and Probiotics. *Clin Gastroenterol*.;46;6: 468-479
- Gregora, M. Nieke Westeric, Remco Kort, wilbert Sybesma(2018). Lactobacillus Rhamnosus Probiotic Food as Trial for empowerment. *J. Front Microbiol*. 9:1501
- Gomez-gallego, C. Garcia-mantrana, I. Salminen, S. Carmen, M. (2016). The Human Milk Microbiome and factoors Influencing its Composition and activity. *Seminar in fetal and neonatal Medicine*. Elsevier Ltd. 21(6):400-405.
- Hair M, Sharpe J. Fast facts about the human microbiome.(2015). *Center for ecogenetics & Environmental Health*. Washington. *J.CMAJ*.187(11): 825.
- Huurre A, Kalliomaki M, Rautava S, Rinne M, Salminen S.(2008). Isolauri E. Mode of delivery-effect on gut microbiota and humoral immunity. *Neonatology*. *Findland*. 93(4):236-40
- Hunt KM, Foster JA, Forney LJ, Schutte UM, Beck DL, Abdo Z, et al.(2016) Characterization of the university and temporal stability of bacterial communities in human milk. *Plos One* 2011;6:e 21313.
- Ibrahim, Arsyik. (2015). *Isolasi dan Identifikasi Bakteri Asam Laktat (BAL) dari Buah Mangga(mangifer indica L.)*. Jurnal Ilmiah Manuntung.
- Issacs CE.(2005). Human Milk inactives pathogen individually, additely and sinergistelly. *J Nutr* 51:1286-1288

- Iwase, T., Uehara, Y., Shinji, H., Tajima, A., Seo, H., Takada, K., et al. (2010). Staphylococcus epidermidis Esp inhibits Staphylococcus aureus biofilm formation and nasal colonization. *J. Nature* 465, 346–349
- Jawetz, Melnick & Adelberg. (2012). *Mikrobiologi Kedokteran Edisi 25*, Jakarta, EGC
- Jay, et al, (2000) *modern food microbiology*. University of Nevada Las Vegas
- Jeurink, P. et al. (2013) Human milk: A source of more life than we imagine. *J. Beneficial Microbes*, 4: 17–30.
- Jost T, Lacroix C, Braegger CP, and Chassard C. (2012) New insights in gut microbiota establishment in healthy breast fed neonates. *PLoS ONE* 7(8) :e44595
- Khodayar-Pardo P, Mira-Pascual L, Collado MC, Martinez-Costa C. (2014). Impact of lactation stage, gestational age and mode of delivery on breast milk microbiota. *J Perinatal*; 34:599-602
- Kusumo, PD. (2012). *Kolonisasi Mikrobiota Normal dan Pengaruhnya pada Perkembangan Sistem Imunitas Neonatal*. Fakultas Kedokteran Universitas Kristen Indonesia. 23:55-63
- Koes Irianto. (2006). *Mikrobiologi menguak Dunia Mikroorganisme jilid I*, Yrama Widya.
- Kong, H. H., Oh, J., Deming, C., Conlan, S., Grice, E. A., Beatson, M. A., et al. (2012). Temporal shifts in the skin microbiome associated with disease flares and treatment in children with atopic dermatitis. *Genome Res.* 22, 850–859.
- Lai, Y., Cogen, A. L., Radek, K. A., Park, H. J., MacLeod, D. T., Leichtle, A., et al. (2010). Activation of TLR2 by a small molecule produced by Staphylococcus epidermidis increases antimicrobial defense against bacterial skin infections. *J. Invest. Dermatol.* 130, 2211–2221
- Lara, F, Livares, Sierra Saleta (2007) Beneficial effects of probiotic bacteria isolated from breast milk. *British Journal of Nutrition*, 31:98-102
- Lawalata. (2010). *Bakteri Asam Laktat pada Bakasang dan Aktivitas Penghambatnya Terhadap Bakteri Patogen dan Pembusuk*. Prosiding Seminar Nasional Biologi UGM. Hal 1163-1166
- Mairy C Noverr, Gery B Huffnagle. (2004). Does the microbiota regulate immune responses outside the gut. *Trends in microbiology*. USA. 12 issue 12:342-421
- Makino H, Kushiro A, Ishikawa E, Muylaert D, Kubota H, Sakai T, et al. (2011). Transmission of intestinal Bifidobacterium longum subsp. longum strains from mother to infant determined by multilocus sequencing typing and amplified fragment length polymorphism. *Appl Environ Microbiol.* 234-241

- Martín R, Jiménez E, Olivares M, Marín M, Fernández L, Xaus J, et al.(2006). *Lactobacillus salivarius* CECT 5713, a potential probiotic strain isolated from infant feces and breast milk of a mother–child pair. *Int J Food Microbiol.* 112(1):35-43.
- Martin R, Jimenez E, Heilig H, et al. (2009). Isolation of bifidobacteria from breast milk and assessment of the bifidobacterial population By PCR-denaturing gradient gel electrophoresis and quantitative real-time PCR. *Appl Environ Microbio*;75: 965-969.
- Martín V, Maldonado A-Barragán, Moles L, Rodriguez M-Baños, Campo, Fernández R, Rodríguez JM, Jiménez E. (2014). Sharing of Bacterial Strains Between Breast Milk and Infant Feces. *Journal of Human Lactation* .28(1): 36 –44
- Mathur S and Singh R(2005).Antibiotic Resistance in food lactic acid bacteria a-review *International Journal of food microbiology* .105:281-295
- Medjaoui I, Bouabdellah Rahmani², Malika Talhi¹, et al. (2016). Isolation and Characterization of Lactic Acid Bacteria from Human Milk and Newborn Feces. *journal of pure and applied microbiology*, 10(4):2613-2620
- Mcguire, MK. Mcguire, MA.(2015). Human Milk: Mother Nature’s prototypical Probiotic Food? *J. Advances in Nutrition*. 112-123
- Mcguire, MK. Mcguire, MA.(2017). *Prebiootics and Probiotics in Human Milk, Origins and Function of milk Born Oligosaccharides and Bacteria*. London. Elsevier Inc.
- Medela.(2011). *Collection & Storage of Human Milk*. Innovating Practice Through Research & Evidence
- Mills D. (2017). Human Milk Oligosaccharides Functional Outcomes. *Nestle Nutrition Institute*. April
- Mikami, K. Kimura, M. Takahashi, H. (2012). Influence Maternal bifidobacteria on the development of gut Bifidobacteria in Infants. *Pharmaceuticals*.5:629-642
- Muslihatun, Nur Wafi. (2010). *Asuhan Neonatus Bayi Dan Balita*. Yogyakarta: Fitramaya
- Nakatsuji, T., Chen, T. H., Narala, S., Chun, K. A., Yun, T., Shafiq, F., et al. (2017). Antimicrobials from human skin commensal bacteria protect against *Staphylococcus aureus* and are deficient in atopic dermatitis. *Science Transl. Med.* 9, Issue 378, eaah4680
- Noviyanti, A .(2017). *hubungan total koloni bakteri asam laktat air susu ibu dan ph feses bayi berdasarkan stadium laktasi*. Masters thesis, Universitas Andalas.
- Paineau D, Carcano D, Leyer G, Darquy S, Alyanakian MA, Simoneau G, et al.(2008). Effects of seven potential probiotic strains on specific immune responses in healthy adults: a double-blind, randomized, controlled trial. *FEMS Immunol Med Microbiol.* 53(1):107-13.

- Pang and Hartmann,(2007). Initiation of Human Lactation: secretory differentiation and secretory activation, *J.mammary Gland Biol Neoplasia*.12(4) :211-221
- Petherick, A.(2010).Development: Mother's milk: A rich opportunity.*Nature*, 468:S5-S7
- Perez PF, Dore J, Leclerc M, Levenez F, Benyacoub J, Serrant P, et al.(2017) Bacterial Imprinting of the neonatal immune system : lessons from maternal cells? *Pediatrics*.119:e724-732.
- Rahmagiarti, C. Prayitno, L.Oswari, H. Abinawanto (2013). *Perkembangan kolonisasi Bifidobacterium pada usus bayi*. FMIPA UI.1-6
- Rescigno, M., Rotta, G., Valzasina, B. & Ricciardi-Castagnoli, P.(2001) Dendritic cells shuttle microbes across gut epithelial monolayers. *Immunobiology* 204, 572–581.
- Rodriquez, JM(2014). The Origin of Human milk Bacteria: Is There a Bacterial Entero mammary Pathway during late Pregnancy and Lactation??. *Advanced in Nutrition*.4:779-784
- Roesli U, (2001) *ASI Eksklusif*, Jakarta: Pustaka Pembangunan Swadaya Tempat Kerja. Jakarta: Direktorat Bina Kesehatan Kerja; 2008
- Rogers, K. L., Fey, P. D., and Rupp, M. E. (2009). Coagulase-negative staphylococcal infections. *Infect. Dis. Clin. North Am.* 23: 73–98.
- Salminen MK, Rautelin H, Tynkkynen S, poussa T, Saxelin M, Valtonen V, (2004); Lactobacillus bacteremia, clinical significance, and patient outcome, with special focus on probiotic L. Rhamnosus GG. *Clin. Infect. Dis*38(1):62-9
- Singhal A, Cole TJ, Lucas A(2001). Early Nutrition in preterm Infants and Later Blood Pressure: Two Cohort after Randomised Trials. *Lancet*; 357;413-419
- Sastroasmoro, IS. 2002. *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto
- Solis G, de Los Reyes –Gavilan C G, Fernandez N, Margolles A, and Gueimonde M. (2010). Establishment and Development of lactic acid bacteria and bifidobacterium. *J.Clinical Microbiology*.16.Issue 3:307-310
- Soto A. Martin, V. Jimenez, E. Mader, I. Rodriquez, JM. Fernandez, L(2014). Lactobacilli and Bifidobacteria in Human breast Milk. *JPGN*.59(1).pp.78-88ic Use During Pregnancy Alter The Comensal Vagina Microbiota. *Clinical Microbiology and Infection*.20:629-635
- Skabytska, Y., and Biedermann, T. (2016). Staphylococcus epidermidis sets things right again. *J. Invest. Dermatol.* 136: 559–560
- Smilowitz , JT, Lebrilla CB, Mills DA, German JB, Freeman SL.(2014). Breast milk oligosacharidess structure-function relationship in the neonate, *annu Rev.Nutr*.34:143-69

- Stockholm, J. Schjerring, S. Eskildsen, CE. Pedersen, L. Bischoff, L. Feisgaard, N et al(2014). Antibiotic
- Sumaryati, Purwati, (2013) .*Bioteknologi Probiotik*, Penerbit Andi Yogyakarta,
- Surono IS. (2004). *Probiotik: Susu fermentasi dan kesehatan*. Jakarta: PT Tri Cipta Karya.
- Syukur, S., Fachrial, E., Jamsari.(2016). Isolation, Antimicrobial Activity and Protein bacteriocin Characterization of Lactic Acid Bacteria Isolated from Dadih Solok, West Sumatera, Indonesia. *Research Journal of Pharmaceutical, Biological and Chemical Science*.5(6): 1096-1104
- Taghizadeh M, Safaei HG, Poursina F. (2017). Identification of *Lactobacillus plantarum* in Breast Milk. *Research in Molecular Medicine (RMM)*. 5, Issue no. 4,
- Quinto, E. J., Jimenez, P., Caro, I., Tejero, J., Mateo, J., Girbes, T. (2014). Probiotic Lactic Acid Bacteria: A Review. *Food and Nutrition Science*. 5: 1765–1775
- Vaidya, Y. Patel, R. Joshi, C.Kunjadia, A(2015). Exploring the microbiota of human milk using the culture-dependent method. *International Journal of Advanced Research*.3(5):462-471
- Volk, W.A, M.F.Wheeler.(1998). *Mikrobiologi Dasar I*. Erlangga. Jakarta
- White DG, Zhao, S., Simjee, S., Wagner, D.D., McDermontt, P.F.,2002. Antimicrobial resistance of foodborne Pathogens. *Microbes Infect*. 4: 405-412.
- Walker A(2010) breast Milk as The Gold Standard for Protective Nutrients. *The Journal of Pediatrics*. 156:No2 Suppl.1
- Walker, W.A.,& Iyengar,R.S(2015). Breast milk, microbiota, and intestinal immune homeostatis. *Pediatric Research*, 77(1):220-228
- Wen Li S, Chieh Hsu C, huei Chao S, Hua Yang Z, Jun Lin Y, Chiang Chen C, Mei Cao Y, et al.(2017). Bacterial Composition and Diversity in Breast Milk Samples from Mother Living in Taiwan and Mainland china. *Frontier in Microbiology*. 8:895-899
- Ulrich H.N.Durr,US Sudheendra, Ayyalusamy (2006).LL-37, the only human member of the cathelicidin family of antimicrobial peptides, *biochimica et biophysica.ACTA*.1408-1425
- Urbaniak C, Angelini M, Gloor GB, and Reid G.(2016). Human milk microbiota profiles in relation to birthing method, gestation and infant gender. *microbime*. art1; 4:1
- Wall R, Ross RP, Ryan CA, Hussey S, Murphy B, Fitzgerald GF, Stanton R. (2009). Role of gut microbiota in early infant development. *Clinical Medicine : Pediatrics*. Ireland. 3: 45–54.
- Widyastuti, Y., Sofarianawati, E., 1999. *Karakter Bakteri Asam Laktat Enterococcus sp. Yang diisolasi dari saluran pencernaan Ternak*. Jurnal Mikrobiologi Indonesia. 4: 50-53

Yang H,Wang W, Romani KA,Gu M(2018).a common antimicrobial additive increase colonic information. *Sci transl med*.4116-18

