

## DAFTAR PUSTAKA

1. American Diabetes Association (ADA). Diagnosis and Classification of Diabetes Mellitus 2014:81–90.
2. Chen L, Magliano DJ, Zimmet PZ. The worldwide epidemiology of type 2 diabetes mellitus - Present and future perspectives. *Nat Rev Endocrinol*
3. RI Kementerian Kesehatan. Situasi dan Analisis Diabetes. 2014;8.
4. RI Kementerian Kesehatan . HASIL UTAMA RISKESDAS 2018. 2018;
5. Abolfathi AA, Mohajeri D, Rezaie A, Nazeri M. Protective effects of green tea extract against hepatic tissue injury in streptozotocin-induced diabetic rats. *Evidence-based Complement Altern Med*. 2012;2012.
6. Sajjad F, Minhas LA. Effects of green tea (*Camellia Sinensis*) on liver function tests of mice on high fat diet. *Pakistan J Med Heal Sci*. 2014;8(3):550–3.
7. Cusi K. Role of obesity and lipotoxicity in the development of nonalcoholic steatohepatitis: Pathophysiology and clinical implications. *Gastroenterology*
8. Loomba R, Sanyal AJ. The global NAFLD epidemic. *Nat Rev Gastroenterol Hepatology*. 2013;10(11):686–90.
9. Farrell GC, Chitturi S, Lau GKK, Sollano JD. Guidelines for the assessment and management of non-alcoholic fatty liver disease in the Asia-Pacific region: Executive summary. *J Gastroenterol Hepatol*. 2007;22(6):775–7.
10. Amarapurkar DN, Hashimoto E, Lesmana LA, Sollano JD, Chen PJ, Goh KL. How common is non-alcoholic fatty liver disease in the Asia-Pacific region and are there local differences? *J Gastroenterol Hepatol*. 2007;22(6):788–93.
11. Gowda S, Desai PB, Hull V V, Math AAK, Sonal N. Published 22 November 2009 A review on laboratory liver function tests Abstract: *Liver*. 2009;(November):1–11.
12. Saxena T, Arya A, Rathore AJ, Rajak N, Naz S, Shah R. GGT and SGPT - A rising marker in diagnosis of non-alcoholic fatty liver disease. *Biomed Pharmacol J*. 2014;7(1):277–80.
13. Thapa and Walia. Liver function tests and their interpretation. *Gastroenterology*. 1958;34(4):675–82.
14. Haidari F, Shahi MM, Zarei M, Rafiei H, Omidian K. Effect of green tea extract on body weight, serum glucose and lipid profile in streptozotocin-induced diabetic rats: A dose response study. *Saudi Med J*. 2012;33(2):128–33.
15. Shivashankara AR, Rao S, George T, Abraham S, Colin MD, Palatty PL, et al.

Tea ( *Camellia sinensis* L . Kuntze ) as Hepatoprotective Agent : A Revisit. Dietary Interventions in Liver Disease: Foods, Nutrients, and Dietary Supplements. Elsevier; 2019. 183–192 p.

16. Parmar Namita RM and KJV. *Camellia Sinensis* (Green Tea): A Review. *Camellia Sin (Green Tea) A Rev.* 2012;
17. Bernatoniene J, Kopustinskiene DM. The Role of Catechins in Cellular Responses to Oxidative Stress. *Molecules.* 2018;23(4):1–11.
18. Cabrera C, Artacho R, Giménez R. Beneficial Effects of Green Tea—A Review. *J Am Coll Nutr.* 2006;25(2):79–99.
19. Cooper R, Morré DJ, Morré DM. Medicinal Benefits of Green Tea: Part II. Review of Anticancer Properties. *J Altern Complement Med [Internet].* 2005;11(4):639–52.
20. Vishnoi H, Bodla RB, Kant R. Green Tea (*Camellia sinensis*) and its antioxidant property: A review. *Int J Pharm Sci Res.* 2018;9(5):1723–36.
21. Sharangi AB. Medicinal and therapeutic potentialities of tea (*Camellia sinensis* L.) - A review. *Food Res Int.* 2009;42(5–6):529–35.
22. Sengottuvelu S, Duraisami S, Nandhakumar J, Duraisami R, Vasudevan M. Hepatoprotective activity of *Camellia sinensis* and its possible mechanism of action. *Iran J Pharmacol Ther.* 2008;7(1):9–14.
23. Szkudelski T. Mechanism of Alloxand and Streptozotocin Action in B Cells of The Rat Pancreas. University of Agriculture. Poland : 2001;
24. Rohilla A, Ali S. Alloxan Induced Diabetes : Mechanisms and Effects. *Int J Res Pharm Biomed Sci.* 2012;3(2):819–23.
25. Lenzen S. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia.* 2008;51(2):216–26.
26. Baynest HW. Classification, Pathophysiology, Diagnosis and Management of Diabetes Mellitus. *J Diabetes Metab.* 2015;06(05).
27. Re- P. Classification and diagnosis of diabetes. *Diabetes Care.* 2017;40(January):S11–24.
28. Richardson SA, Desai P, Serjeant GR. Growth, behaviour, and educational achievement of Jamaican children with sickle-cell trait. *Br Med J.* 1976;1(6022):1371–3.
29. Ozougwu O. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J Physiol Pathophysiol.* 2014;4(4):46–57.
30. Atkinson MA, Eisenbarth GS, Michels AW. Type 1 diabetes. *Lancet.* 2014;383(9911):69–82.

31. Wild S, Roglic G, Green A, Sicree R, King H. Estimates for the year 2000 and projections for 2030. *Diabetes Care*. 2004;27(5):1047–53.
32. Alonso-Magdalena P, Quesada I, Nadal A. Endocrine disruptors in the etiology of type 2 diabetes mellitus. *Nat Rev Endocrinol*. 2011;7(6):346–53.
33. Canivell S, Gomis R. Diagnosis and classification of autoimmune diabetes mellitus. *Autoimmun Rev*. 2014;13(4–5):403–7.
34. Nolan CJ, Damm P, Prentki M. Type 2 diabetes across generations: From pathophysiology to prevention and management. *Lancet*. 2011;378(9786):169–81.
35. PB. PERKENI. Indonesia, P. E. (2015). *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. PB. PERKENI. 2015.
36. Mohamed J, Nazratun Nafizah AH, Zariyantey AH, Budin SB. Mechanisms of diabetes-induced liver damage: The role of oxidative stress and inflammation. *Sultan Qaboos Univ Med J*. 2016;16(2):e132–41.
37. Fu Q, Li Q, Lin X, Qiao R, Yang R, Li X, et al. Antidiabetic Effects of Tea. :1–19.
38. Wang D, Ms QG, Mph TW, Ms FQ, Wang Y. Theanine : the unique amino acid in the tea plant as an oral hepatoprotective agent. 2017;26(130):384–91.
39. Lucchesi I AN, Tavares N, Ii DF, Langoni L, Iii C, Fernando S, et al. MODELS , BIOLOGICAL Diabetes mellitus triggers oxidative stress in the liver of alloxan-treated rats: a mechanism for diabetic chronic liver disease 1. 28(7):502–8.
40. N.a. *General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine* World Health Organization. World Health Organization. 2000;1:1–71. Available from:
41. Madiyono B, Moeslichan S, Sastroasmoro S BI dan PS. Perkiraan besar sampel. Dalam: *Dasar-dasar Metodologi Penelitian Klinis*. 4th Edition. Jakarta: Sagung Seto; 2011. 348–381 p.
42. Ibegbulem CO, Chikezie P. Research Article Hypoglycemic properties of ethanolic extracts of *Gongronema latifolium* , *Aloe perryi* , *Viscum album* and *Allium sativum* administered to alloxan-induced diabetic albino rats ( *Rattus norvegicus* ). 2013;(April 2015).
43. Optimization of Alloxon for Stable Diabetes Induction.Pdf. Vol. 6, *Asian Journal of Biochemistry* 2. 2007. p. 402–8.
44. Perva-uzunalic A, Otto F, Gru S. Food Chemistry Extraction of active ingredients from green tea ( *Camellia sinensis* ): Extraction efficiency of major catechins and caffeine. 2006;96:597–605.

45. Farmakope Indonesia Edisi V, Jakarta. DEPKES RI, Ditjen POM 2014.
46. Kalungia AC, Mataka M, Kaonga P. *Opuntia stricta* Cladode Extract Reduces Blood Glucose Levels in Alloxan-induced Diabetic Mice. 2018;(January).
47. Ragavan B, Krishnakumari S. Antidiabetic effect of *T. arjuna* bark extract in alloxan induced diabetic rats. *Indian J Clin Biochem.* 2006;21(2):123–8.
48. Al-Attar AM, Zari TA. Influences of crude extract of tea leaves, *Camellia sinensis*, on streptozotocin diabetic male albino mice. *Saudi J Biol Sci.* 2010;17(4):295–301.
49. Shittu S-T, Oyeyemi W, Lasisi T, Shittu S-S, Lawal T, Olujobi S. Aqueous leaf extract of *Ocimum gratissimum* improves hematological parameters in alloxan-induced diabetic rats via its antioxidant properties. *Int J Appl Basic Med Res.* 2016;6(2):96.
50. Ridwan E. *Etika Pemanfaatan Hewan Percobaan dalam Penelitian Kesehatan.* IDI; 2013. 112–116 p.
51. Maruthupandian A, Mohan V. Antidiabetic, Antihyperlipidaemic and Antioxidant Activity of *Oxalis corniculata* in Alloxan Induced Diabetic Mice. *Int J PharmTech Res.* 2011;3(7):1681–7.
52. El-Beshbishy HA. Hepatoprotective Effect of Green Tea (*Camellia sinensis*) Extract against Tamoxifen-induced Liver Injury in Rats. 2005;38(5):563–70.



