

## DAFTAR PUSTAKA

1. Ahmad IW, Rahmawati LD, Wardhana TH. Demographic Profile, Clinical and Analysis of Osteoarthritis Patients in Surabaya. *Biomol Heal Sci J*. 2018;1(1):34.
2. Wijaya S. Osteoarthritis Lutut. 2018;45(6):424–9.
3. Marlina, Jannah M, Khairunnisa A, Zalmi MA, Ali H, Rahmadian R, et al. Cross Sectional Evaluation of Interleukin-4 and Collagen Type-1 in Knee Osteoarthritis. *Res J Pharm Biol Chem Sci*. 2017;8(1).
4. Wojdasiewicz P, Poniatowski AA, Szukiewicz D. The Role of Inflammatory and Anti-Inflammatory Cytokines in the Pathogenesis of Osteoarthritis. 2014;2014.
5. Jevotovsky DS, Alfonso AR, Einhorn TA, Chiu ES. Osteoarthritis and stem cell therapy in humans: a systematic review. *Osteoarthr Cartil*. 2018;26(6):711–29.
6. Yan CH, Arciola CR, Soriano A, Scott Levin L, Bauer TW, Parvizi J. Team approach: The management of infection after total knee replacement. *JBJS Rev*. 2018;6(4):1–13.
7. Boroujeni ME, Gowda P, J J, J R, J S. The proliferation and differentiation capacity of bone marrow-derived human mesenchymal stem cells in early and late doubling. *Asian J Biochem*. 2012;7(1):27–36.
8. Volarevic V, Markovic BS, Gazdic M, Volarevic A, Jovicic N. Ethical and Safety Issues of Stem Cell-Based Therapy. 2018;15.
9. Futami I, Ishijima M, Kaneko H, Tsuji K, Ichikawa-Tomikawa N, Sadatsuki R, et al. Isolation and Characterization of Multipotential Mesenchymal Cells from the Mouse Synovium. *PLoS One*. 2012;7(9).
10. Maumus M, Manferdini C, Toupet K, Peyrafitte J, Ferreira R, Facchini A,

et al. Adipose mesenchymal stem cells protect chondrocytes from degeneration associated with osteoarthritis. *Stem Cell Res.* 2013;11(2):834–44.

11. Widowati W, Eka YNLW, Rizal, Novriansyah R, Bastian J, Rachmat O, et al. Sel Punca Mesenkimal: Sebagai Terapi Alternatif Penyakit Osteoarthritis. Beodiono A, editor. Jakarta: Penerbit Buku Kedokteran EGC; 2018.
12. Pratama I. Isolasi Dan Karakterisasi Sel Punca Mesenkimal Dari Jaringan Sinovium Pasien Osteoarthritis Derajat IV. 2018;
13. Sagaradze G, Grigorieva O, Nimiritsky P, Basalova N, Kalinina N, Akopyan Z, et al. Conditioned medium from human mesenchymal stromal cells: Towards the clinical translation. *Int J Mol Sci.* 2019;20(7):1–16.
14. Sanchooli T. Prospect of Mesenchymal Stem Cells Conditioned Medium in Tissue Regeneration. *J Tissue Eng Regen Med.* 2017;4(3).
15. Pawitan JA. Prospect of Stem Cell Conditioned Medium in. 2014;2014:7–9.
16. Schmidt MB, Chen EH, Lynch SE. A review of the effects of insulin-like growth factor and platelet derived growth factor on in vivo cartilage healing and repair. 2006;
17. Mullen LM, Best SM, Rushton N, Cameron RE. Bioactive IGF-1 release from collagen – GAG scaffold to enhance cartilage repair in vitro. 2015;
18. Zhang Z, Li L, Yang W, Cao Y, Shi Y, Li X, et al. The Effects of Different Doses Of IGF-1 on Cartilage and Subchondral Bone During The Repair of Full-Thickness Articular Cartilage Defects In Rabbits. *Osteoarthr Cartil.* 2017;25(2):309–20.
19. Palmer AJR, Agricola R, Price AJ, Vincent TL, Weinans H, Carr AJ. Seminar Osteoarthritis. 2015;386.
20. Berenbaum F. Osteoarthritis as an inflammatory disease ( osteoarthritis is

not osteoarthrosis !). 2013;21:16–21.

21. Vina ER, Kwoh CK. HHS Public Access. 2019;30(2):160–7.
22. Palazzo C, Nguyen C, Lefevre-Colau MM, Rannou F, Poiraudou S. Risk factors and burden of osteoarthritis. *Ann Phys Rehabil Med*. 2016;59(3):134–8.
23. Litwic A, Registrar S, Edwards M, Clinical M. Europe PMC Funders Group Epidemiology and Burden of Osteoarthritis. 2013;44(0):185–99.
24. Kohn MD, Sassoon AA, Fernando ND. Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis. *Clin Orthop Relat Res*. 2016;474(8):1886–93.
25. Ahmad MR. The Role of Non Steroid Antiinflammatory Drugs ( NSAID ) In Preventive Multimodal Analgesia. *Kongr Nas PERDATIN*. 2016;
26. Embryol RJM. Synovial inflammation in patients with different stages of knee osteoarthritis. 2015;56(1):169–73.
27. Halim D, Murti H, Sandra F, Boediono A, Djuwantono T, Setiawan B. *Stem Cell : Dasar Teori & Aplikasi Klinis*. Astikawati R, editor. Jakarta: PT Penerbit Erlangga; 2010.
28. Álvarez A, Cacabelos R, Sanpedro C, García-Fantini M, Aleixandre M. Serum TNF-alpha levels are increased and correlate negatively with free IGF-I in Alzheimer disease. *Neurobiol Aging*. 2007;28(4):533–6.
29. Huang S, Xu L, Sun Y, Wu T, Wang K, Li G. An improved protocol for isolation and culture of mesenchymal stem cells from mouse bone marrow. *J Orthop Transl*. 2015;3(1):26–33.
30. Amin HZ. *Terapi Stem cell untuk Infark Miokard Akut*.
31. Gazit Z, G P, D S, DC Z, D G. *Mesenchymal Stem Cell*. Elsevier Inc. 2019;(Principles of Regenerative Medicine).
32. Maldonado M, Nam J. The role of changes in extracellular matrix of

cartilage in the presence of inflammation on the pathology of osteoarthritis. *Biomed Res Int*. 2013;2013.

33. Vélez C, Clauzure M, Williamson D, Koncurat MA, Santa-Coloma TA, Barbeito C. IL-1 $\beta$ , IL-2 and IL-4 concentration during porcine gestation. *Theriogenology*. 2019;128:133–9.
34. Singh R, Ahmed S, Islam N, Goldberg VM, Haqqi TM. Epigallocatechin-3-gallate inhibits interleukin-1 $\beta$ -induced expression of nitric oxide synthase and production of nitric oxide in human chondrocytes: Suppression of nuclear factor  $\kappa$ B activation by degradation of the inhibitor of nuclear factor  $\kappa$ B. *Arthritis Rheum*. 2002;46(8):2079–86.
35. Mohamad MI, Khater MS. Evaluation of insulin like growth factor-1 (IGF-1) level and its impact on muscle and bone mineral density in frail elderly male. *Arch Gerontol Geriatr* [Internet]. 2015;60(1):124–7. Available from: <http://dx.doi.org/10.1016/j.archger.2014.08.011>
36. Fischer C, Doll J, Tanner M, Bruckner T, Zimmermann G, Helbig L, et al. Quantification of TGF- $\beta$ 1, PDGF and IGF-1 cytokine expression after fracture treatment vs . non-union therapy via masquetelet. *Injury* [Internet]. 2016;4–11. Available from: <http://dx.doi.org/10.1016/j.injury.2015.11.007>
37. Ma'at S. *Teknik Dasar Kultur Sel*. Airlangga University Press (AUP); 2011.
38. Andiana M, Rachmawati Y, Andayani SS. Kultur Sel Baby Hamster Kidney (Bhk) Menggunakan Media Dulbecco'S Modified Eagle Medium (Dmem). *BIOTROPIC J Trop Biol*. 2017;1(1).
39. ATCC. *Animal Cell Culture Guide*. Manassas: University Blvd; 2014.
40. Jayaraman P, Nathan P, Vasanthan P, Musa S. Stem cells conditioned medium: a new approach to skin wound healing management. 2013;37:1122–8.
41. Sato C, Yamamoto Y, Funayama E, Furukawa H, Oyama A, Murao N, et

- al. Conditioned Medium Obtained from. 2018;390–8.
42. Byung-soon P, Won-serk K, Joon-seok C, Hyung-ki K, Jong-hyun W, Fumio O. Hair growth stimulated by conditioned medium of adipose-derived stem cells is enhanced by hypoxia : evidence of increased growth factor secretion. 2010;31(1):27–34.
43. Bhang SH, Lee S, Shin JY, Lee TJ, Jang HK, Kim BS. Efficacious and clinically relevant conditioned medium of human adipose-derived stem cells for therapeutic angiogenesis. *Mol Ther* [Internet]. 2014;22(4):862–72. Available from: <http://dx.doi.org/10.1038/mt.2013.301>
44. Walter MNM, Wright KT, Fuller HR, Macneil S, Johnson WEB. Mesenchymal stem cell-conditioned medium accelerates skin wound healing : An in vitro study of fibroblast and keratinocyte scratch assays. *Exp Cell Res* [Internet]. 2010;316(7):1271–81. Available from: <http://dx.doi.org/10.1016/j.yexcr.2010.02.026>
45. Hasseini S, Villegar PV, Palomares MR, Martinez SO. *Enzyme-Linked Immuno Sorbent Assay (ELISA): From A to Z*. Switzerland: Springe; 2018.
46. Mikulskis A, Yeung D, Subramanyam M, Amaravadi L. Solution ELISA as a platform of choice for development of robust , drug tolerant immunogenicity assays in support of drug development. *J Immunol Methods* [Internet]. 2011;365(1–2):38–49. Available from: <http://dx.doi.org/10.1016/j.jim.2010.11.011>
47. Aydin S. A short history, principles, and types of ELISA, and our laboratory experience with peptide/protein analyses using ELISA. *Peptides* [Internet]. 2015;72:4–15. Available from: <http://dx.doi.org/10.1016/j.peptides.2015.04.012>
48. Engvall E. The ELISA, enzyme-linked immunosorbent assay. *Clin Chem*. 2010;56(2):319–20.
49. Suryadi Y, Manzila I, Machmud M. Tinjauan Potensi Pemanfaatan

Perangkat Diagnostik ELISA serta Variannya untuk Deteksi Patogen Tanaman. 2009;5(1):39–48.

50. Gonzalez A, Gaines M, Gallegos LY, Guevara R, Gomez FA. Thread-paper , and fabric enzyme-linked immunosorbent assays ( ELISA ). Methods [Internet]. 2018; Available from: <https://doi.org/10.1016/j.ymeth.2018.02.008>
51. Cesare PE Di, Dominik C, Jonathan RH, Steven S. CONNECTIVE TISSUE DISORDERS Pathogenesis of Osteoarthritis. Tenth Edit. Kelley and Firestein’s Textbook of Rheumatology, 2-Volume Set. Elsevier Inc.; 1685-1704.e8 p.
52. Arora M. Cell Culture Media: A Review. Mater Methods. 2013;3:1–29.
53. Watchrarat K, Korchunjit W, Buranasinsup S, Taylor J, Ritruetchai P, Wongtawan T. MEM  $\alpha$  Promotes Cell Proliferation and Expression of Bone Marrow Derived Equine Mesenchymal Stem Cell Gene Markers but Depresses Differentiation Gene Markers. J Equine Vet Sci [Internet]. 2017;50:8–14. Available from: <http://dx.doi.org/10.1016/j.jevs.2016.10.017>
54. Widowati W, Wijaya L, Murti H, Widyastuti H, Agustina D, Laksmitawati DR, et al. Conditioned medium from normoxia (WJMSCs-norCM) and hypoxia-treated WJMSCs (WJMSCs-hypoCM) in inhibiting cancer cell proliferation. Biomarkers Genomic Med. 2015 Mar;7(1):8–17.
55. Osugi M, Katagiri W, Ph D, Yoshimi R, Ph D. Conditioned Media from Mesenchymal Stem Cells Enhanced Bone Regeneration in Rat Calvarial Bone Defects. 2012;18.
56. Widowati W, Afifah E, Mozef T, Sandra F, Rizal R, Amalia A, et al. Effects of insulin-like growth factor-induced Wharton jelly mesenchymal stem cells toward chondrogenesis in an osteoarthritis model. Iran J Basic Med Sci. 2018 Jul;21(7):745–52.
57. Matter J. Method in Cell Biology. Stem Cell Cult. 1st ed. 2008;86.

58. González-Ramos M, Calleros L, López-Ongil S, Raoch V, Griera M, Rodríguez-Puyol M, et al. HSP70 increases extracellular matrix production by human vascular smooth muscle through TGF- $\beta$ 1 up-regulation. *Int J Biochem Cell Biol* [Internet]. 2013;45(2):232–42. Available from: <http://dx.doi.org/10.1016/j.biocel.2012.10.001>
59. Crowther JR. *ELISA: Theory and Practice*. Towota, New Jersey: Humana Press; 1995.
60. Bally BRW, Gribnau TCJ. Some Aspects of the Chromogen 3,3',5,5'-Tetramethylbenzidine as Hydrogen Donor in a Horseradish Peroxidase Assay. 1989;27:791–6.
61. Silva DN, Souza BSF, Azevedo CM, Vasconcelos JF, Jesus PG De, Feitoza MS, et al. IGF-1-Overexpressing Mesenchymal Stem / Stromal Cells Promote Immunomodulatory and Proregenerative Effects in Chronic Experimental Chagas Disease. 2018;2018.
62. Chen H, Min XH, Wang QY, Leung FW, Shi L, Zhou Y, et al. Pre-activation of mesenchymal stem cells with TNF- $\alpha$ , IL-1 $\beta$  2 and nitric oxide enhances its paracrine effects on radiation-induced intestinal injury. *Sci Rep*. 2015;5:1–14.
63. Li JUN, Zhu KAI, Wang Y, Zheng J, Guo C, Lai HAO, et al. Combination of IGF - 1 gene manipulation and 5 - AZA treatment promotes differentiation of mesenchymal stem cells into cardiomyocyte - like cells. 2015;815–20.
64. Lin TC, Yen JM, Gong KB, Hsu TT, Chen LR. IGF-I/IGFBP-I increases blastocyst formation and total blastocyst cell number in mouse embryo culture and facilitates the establishment of a stem-cell line. *BMC Cell Biol*. 2003;4.