

DAFTAR PUSTAKA

- APHA. (2017) *Standar Methods for The Examination of Water And Wastewater 23th Ed.* Washington D.C, American Water Works Association Water Pollution Control Federation.
- Abdurahman, M, Muhidin,S.A. dan Somantri, A. (2013). *Dasar-Dasar Metode Statistika Untuk Penelitian.* Bandung, Pustaka Setia.
- Adinda, T., Elystia, S. dan Edward, H.S. (2015). *Metode Multi Soil Layering dengan Variasi Hydraulic Loading Time Rate dan Material Organik pada Lapisan Anaerob.* Jurnal Fakultas Teknik, (2),1.
- Attanandana, T., Luanmanee, S., Saitthiti, B., Panichajakul, C. and Wakatsuki, T. (2000). *A Comparative Study of Zeolite with Other Material as The Component of the Multi Soil Layering System for Wastewater Treatment.* Paper submitted on Managing Water and Wastewater in The New Millenium, Johanesburg, 23-26.
- Baharudin, Muhamammad, T.A. dan Syahidah. (2005). *Pemanfaatan Serbuk Gergaji Kayu Jati (Tectona grandis L) yang Direndam dalam Air Dingin sebagai Media Tumbuh Jamur Tiram (Pleorotus comunicipae).* Jurnal Perrenial, 2(1),1-5.
- Badan Standarisasi Nasional. (2008). SNI 6989.59 : 2008 tentang *Metode Pengambilan Contoh Air Limbah .*
- Badan Standarisasi Nasional. (2009). SNI 7989.75 : 2009 tentang *Uji Sulfida Secara Iodometri.*
- Chen, X., Sato, K., Wakatsuki, T. and Masunaga, T. (2006). *Effect of Structural Difference On Wastewater Treatment Efficiency in Multi-Soil-Layering Systems: Relationship Between Soil Mixture Block Size and Removal Efficiency of Selected Contaminant.* Soil Science and Plant Nutrition,53, 206-214.
- Chun Ho, C. and Pei, H.W. (2015). *Efficiency of a Multi-Soil-Layering System on Wastewater Treatment Using Environment-Friendly Filter Materials.* International Journal of Environmental Research and Public Health, 12, 3362-3380.
- Darmawijaya, I. (1992). *Klasifikasi Tanah.* Yogyakarta, Gadjah Mada Universitas Press.
- Day, R.A dan Underwood, L.A. (2010). *Analisa Kimia Kuantitatif Edisi VI.* Jakarta, Erlangga.

- Departemen Kesehatan RI. (2010). *Pedoman Pelaksanaan Penyelenggaraan Hygiene Sanitasi Depot Air Minum*. Jakarta, Dirjen PPM dan PLP.
- Duda, Alfred M. (2006). *Policy, Legal and Institutional reform for Public Partnerships Needed to Sustain Large Marine Ecosystems of East Asia*. *Journal Ocean and Coastal Management*, 49, 461-469.
- Edwin, T., Indah, S. dan Helard, D. (2013). *Efisiensi dan Kapasitas Penyerapan Fly Ash Sebagai Penyisihan Minyak dan Lemak dari Limbah Cair Hotel Dengan Metode Multi Soil Layering (MSL)*. *Jurnal Teknik Lingkungan Unand*, 10(1), 38-45.
- Effendi, H. (2003). *Telaah Kualitas Air Bagi Pengelolaan Sumber Daya dan Lingkungan*. Yogyakarta, Kanisius.
- Elystia, S., Indah, S. dan Helard, D. (2012). *Efisiensi Metode Multi Soil Layering (MSL) dalam Penyisihan COD dari Limbah Cair Hotel*. *Jurnal Teknik Lingkungan Unand*, 9(2), 98-105.
- Elza, V. (2017). *Pengaruh Subletal Limbah Cair Industri Penyamakan Kulit Terhadap Rasio Konversi Pakan Dan Laju Pertambahan Ikan Nila (Oreochromis Niloticus)*. Tugas Akhir. Sarjana. Fakultas Teknik Universitas Andalas.
- Fahrudin. (2008). *Pengelolaan Limbah Pertambangan Secara Biologis*. Makassar, Celebes Media Perkasa.
- Goldman, C. R. dan Home, A. J. (1983). *Limnology*. New York, Mc Graw-Hill International Book Company.
- Greben, H.A, Tjatji, M. and Talma, S. (2009). *Biological Denitrification Using Saw Dust As The Energy Source*. *Water Institute of Southern Africa (WISA)*, 28(3), 1070-1077.
- Grupta, A. (2011). *Leather Processing and Tanning Technology*. India, Salasar Imaging Systems.
- Guan YD, Chen X, Zhang S, Luo AC. (2012) Performance Of *Multi-Soil-Layering System (MSL) Treating Leachate From Rural Un-Sanitary Landfills*. *Journal Science Environment*, 420, 183–190
- Guo, J., Yang, Y., Zhou, Y. and Chen, C. (2018). *Effects of Hydraulic Loading Rate on Nutrients Removal from Anaerobically Digested Swine Wastewater by Multi Soil Layering Treatment Bioreactor*. *International Journal of Environmental Research and Public Health*, 15(12), 1-10.

- Hadrah, Kasman, M. dan Septiani, T. (2019). *Analisis Penurunan Parameter Pencemar Limbah Cair Laundry dengan Multi Soil Layering (MSL)*. Jurnal Daur Lingkungan, 2(1), 36-41.
- Hardjowigeno, S. (2009). *Klasifikasi Tanah dan Pedogenesis*. Jakarta, Akademika Pressindo.
- Harinaldi. (2005). *Prinsip-Prinsip Statistik Untuk Teknik dan Sains*. Jakarta, Erlangga.
- Hariz, I.B., Ayni, F.A. and Monser, L. (2014). *Removal of Sulfur Compounds from Petroleum Refinery Wastewater Through Adsorption on Modified Activated Carbon*. Journal Water Science and Technology.
- Helard, D. dan Amelia, D. (2009). *Penyisihan Amonia, Nitrit dan Nitrat dari Limbah Cair Hotel dengan Metode Multi Soil Layering (MSL) (Studi Kasus: Limbah Hotel Pangeran Beach, Padang)*. Artikel Ilmiah Penelitian Dosen Muda. Jurusan Teknik Lingkungan Universitas Andalas.
- Herlambang, A. Dan Marsidi, R. (2003). *Proses Denitrifikasi dengan Sistem Biofilter untuk Pengolahan Air Limbah yang Mengandung Nitrat*. Jurnal Teknologi Lingkungan, 4(1), 46-55.
- Herman, W., Gusnidar dan Darmawan. (2017). *Pemanfaatan Tanah Vulkanik Dalam Sistem Multiple Soil Layering (MSL) Terhadap Pemurnian Air Irigasi Terpolusi*. Jurnal Bibiet 2(2), 49-59.
- Ihsan, T., Indah, S. dan Helard, D. (2013). *Penyisihan Kalium dari Limbah Cair Persawahan dengan Metode Multi Soil Layering (MSL)*. Jurnal Teknik Lingkungan Unand, 10(2), 133-141.
- Irmanto & Suyata. (2009). *Pengolahan Limbah Cair Industri Tahu Di Desa Kalisari Kecamatan Cilogok Dengan Metode Multi Soil Layering*. Molekul, 4(1), 21-32.
- Isaacs, SH dan Henze, M. (1995). *Controlled Carbon Source Addition to An Alternating Nitrification-Denitrification Wastewater Treatment Process Including Biological P removal*. Water Reserach, 29(1), 77-89.
- Jian, Y. and Matsumoto, S. (1995). *Change in Microstructure of Clogged Soil in Soil Wastewater Treatment Under Prolonged Submergence*. Soil Science and Plant Nutrition, 41(2), 207-213.
- Judoamidjojo, R.M. (1984). *Teknik Penyamakan Kulit Untuk Pedesaan*. Bandung, Angkasa.

- Kasman, Monik. (2004). *Studi Pengolahan Limbah Cair Industri Keripik Ubi Kayu (Manihot Utilissima) dengan Metode Multi Soil Layering (MSL)*. Tugas Akhir. Sarjana. Fakultas Teknik Universitas Andalas.
- Kasman, M., Herawati, P., dan Hikmah. (2014). *Pengolahan Leachate Dengan Menggunakan Multi Soil Layering (MSL)*. Jurnal Ilmiah, 14(3), 107-112.
- Kimble, J. M. (1999). *Andisols HandBook of Soil Science*. Washington D.C, CRC Press.
- Knowles P, Dotro G, Nivala J, Garcia J. (2011) *Clogging Insubsurface flow Treatment Wetlands: Occurrence And Contributing factors*. Journal Ecology Engineering 37, 99–112.
- Kusrijadi, A., Siringo-Ringo E., dan Sunarya Y. (2013). *Penggunaan Metode Elektrokoagulasi Pada Pengolahan Limbah Industri Penyamakan Kulit Menggunakan Aluminium Sebagai Sacrificial Electrode*. Jurnal Sains dan Teknologi Kimia, 4(2).
- Lamzouri, K., Mahi, M., Ouatar, S., Bartali, E., Masunaga, T., Latrach, L. and Mandi, L. (2016). *Application of Multi Soil Layering Technique for Wastewater Treatment in Moroccan Rural Areas: Study of The Operation Process for An Engineering Design*. Journal Mater Environment Science, 7(2), 579-585.
- Latrach, L., Masunaga, T., Ouazzani, N., Hejjaj, A., Mahi, M., and Mandi, L. (2015). *Removal of Bacterial Indicators and Pathogens from Domestic Wastewater By The Multi Soil Layering (MSL) System*. Journal Soil Science Plant Nutr., 61(2), 337-346.
- Luanmanee, S., Attanandana, T., Masunaga, T., Wakatsuki, T. (2002). *The Efficiency of A Multi-Soil-Layering System On Domestic Wastewater Treatment During The Ninth and Tenth Years of Operation*. Ecological Engineering, 18(2), 185-199.
- Luanmanee S., Boonsook P., Attanandana T., Saitthiti B., Panichajakul C., and Wakatsuki T. (2002). *Effect Of Intermittent Aeration Regulation Of A Multi-Soil-Layering System On Domestic Wastewater Treatment In Thailand*. Journal Ecological Engineering, 18, 415–428.
- Maesara, S.A. dan Kunaefi, T.D. (2011). *Penyisihan Besi Dan Zat Organik Menggunakan Karbon Aktif Dari Kulit Durian Sebagai Media Filtrasi*. Jurnal Teknik Lingkungan 17 (2), 167 – 177.
- Manurung, E. I. (2017). *Efektivitas Penggunaan Biofilter Bermedia Kerikil, Pasir, Ijuk, Arang dan Kiapu (Pistia stratiotes) Dalam Menurunkan Kadar TSS*

dan Amoniak pada Limbah Cair Sagu (*Metroxylon sp*). Tugas Akhir. Fakultas Perikanan dan Kelautan Universitas Riau.

Masunaga T. and Wakatsuki, T. (1999). *High Quality Water Remediation by The Multi Soil Layering Method; Proceedings of the 12th International Conference on Chemistry for Protection of the Environment*; 303–309.

Masunaga, T. Sato, K., Zennami, T, Fujii, S and Wakatsuki, T. (2001). *Direct Treatment of Polluted River Water By The Multi-Soil-Layering Method*. Faculty of Life and Environmental Science Shimane University.

Masunaga T, Sato K, Mori J, Shirahama M, Kudo H, Wakatsuki, T. (2007) *Characteristics Of Wastewater Treatment Using A Multi-Soil-Layering System In Relation To Wastewater Contaminationlevels And Hydraulic Loading Rates*. *Journal Soil Science Plant Nutrition*, 53, 215–223.

Meinhold J, Pedersen, H, Arnold, E.(1998). *Effect of Continuous Addition of An Organic Substrate to The Anoxic Phase on Biological Phosphate Removal*. *Water Sci Tech*. 38(1), 97–105

Metcalf and Eddy. (2004). *Wastewater Engineering: Treatment and Reuse, 4th Edition*. New York, Mc Graw-Hill.

Munir, M. (1995). *Tanah-Tanah Utama Indonesia*. Jakarta, Pustaka Jaya.

Pei, H.H., Jhan, J.W., Cheng, Y.M., and Chen, H.H. (2014). *Effects of Carbonization Parameters of Moso-Bamboo-Based Porous Charcoal on Capturing Carbon Dioxid*. *The Scientific Journal*. 20 (14), 1-8.

Peraturan Menteri Lingkungan Hidup Nomor 05 Tahun 2014. *Tentang Baku Mutu Air Limbah* .

Purnomo, E. (1992). *Pengetahuan Dasar Teknologi Penyamakan Kulit*. Yogyakarta, Akademi Teknologi Kulit Departemen Perindustrian.

Putri, A. (2004). *Efisiensi Penyisihan Parameter Pencemar Limbah Cair Industri Tahu dengan Metode Multi Soil Layering (MSL)*. Tugas Akhir. Fakultas Teknik Universitas Andalas.

Reynold, T.D. dan Richard, P.A. (1996). *Unit Operation and Processes in Environmental Engineering*. California, PWS Publishing Company.

Salmariza. (2001). *Minimalisasi Pencemaran Industri Sawit dengan Metode MSL*. Laporan Penelitian. Baristand Indag: Padang.

Salmariza. (2002). *Minimalisasi Pencemaran Industri Crumb Rubber dengan Metode MSL*. Laporan Penelitian. Baristand Indag: Padang.

- Salmariza. (2003). *Penelitian Efisiensi Kinerja Sistem MSL untuk Pengolahan Limbah Cair Industri Crumb Rubber*. Laporan Penelitian. Baristand Indag: Padang.
- Salmariza dan Sofyan.(2011). *Aplikasi Metoda MSL (Multi Soil Layering) untuk Mengolah Air Limbah Industri Edible Oil*. Jurnal Riset Industri V(3), 227-238.
- Sato, K., Masunaga, T., and Wakatsuki, T. (2005). *Characterization of Treatment Processes and Mechanisms of COD, Phosphorus and Nitrogen Removal in A Multi-Soil -Layering System*. Journal Soil Science and Plant Nutrition, 51(2), 213-221.
- Sato K., Masunaga T., Wakatsuki, T. (2005) *Water Movement Characteristics In A Multi-Soil-Layering System*. Journal Soil Science, 51, 75–82.
- Sembiring dan Sinaga. (2003). *Arang Aktif (Pengenalan dan Proses Pembuatannya)*. Tugas Akhir. Sarjana. Fakultas Teknik Universitas Sumatera Utara.
- Setiyono. (2004). *Pedoman Teknis Pengelolaan Limbah Industri Kecil*. Jakarta, Kementrian Lingkungan Hidup.
- Setiyono, Yudo.S. (2014). *Daur Ulang Air Limbah Industri Penyamakan Kulit (Studi Kasus di Lingkungan Industri Kulit, Magetan, Jawa Timur)*. Jakarta, BPPT Press.
- Setyawan, Handoko, P. (2002). *Pengaruh Perlakuan Asam, Hidrotermal dan Impregnasi Logam Kromium Pada Zeolit Alam dalam Preparasi Katalis*. Jurnal Ilmu Dasar, 3(2), 103-109.
- Shammas, N.K., dan Wang, L.K. (2011). *Fair, Geyer, and Okun's Water and Wastewater Engineering : Water Supply and Wastewater Removal*. NJ : Wiley, Hoboken.
- Sihombing, J. B. (2007). *Penggunaan Media Filtran Dalam Upaya Mengurangi Beban Cemar Limbah Cair Industri Kecil Tapioka*. Bogor, Central Library.
- Siswanto, B. (2011). *Dasar-Dasar Kimia Tanah Pertanian I*. Malang, Universitas Brawijaya.
- Slamet, J.S. (2002). *Kesehatan Lingkungan*. Yogyakarta, Gajah Mada University Press.
- Song, Y, Fang J., Huang, Y., and Nie, J. (2015). *Treatment of Turtle Aquaculture Effluent by An Improved Multi Soi -Layer System*. Journal of Zhejiang University, 16(2), 145-154.

- Sunarto. (2003). *Peranan Dekomposisi dalam Proses Produksi pada Ekosistem Laut*. Tugas Akhir Sarjana Fakultas Perikanan dan Ilmu Kelautan Institut Pertanian Bogor.
- Suprianofa, C. (2016). *Pembuatan Karbon Aktif dari Kulit Durian Sebagai Adsorben Zat Warna dari Limbah Cair Tenun Songket dengan Aktivator KOH*. Tugas Akhir. Sarjana. Fakultas Teknik. Politeknik Negeri Sriwijaya.
- Suwarno, Hadisusanto, dan Tandjung, S.D. (2014). *Adsorpsi Pencemaran Limbah Cair Industri Penyamakan Kulit Oleh Kitosan Yang Melapisi Arang Aktif Tempurung Kelapa*. Jurnal Tekno Sains, 3 (2), 81-166.
- Syafnil. (2008). *Mereduksi Kandungan Fe (Besi) Dengan Metode Multi Soil Layering*. Jurnal Gradien, 4(2), 361-364.
- Tahir, Y.T., Harada and Wakatsuki, T. (1997). *Enhancement and Control of The Functions of Soil Resources for Biogenic Wastewater Treatment by Multi Soil Layering Methode in The Forth International Conference of East Federation of Soil Science Societies*. Soil Quality Management and Agroecosystem Health, 2 41-252.
- Taouraout, A., Chahlaoui, A., Belghyti, D., Taha, I., Ouarrak, K. and Sammoudi, R. (2019). *Hydraulic Load Rates Effect On The Performance Of Horizontal Multi Soil Layering To Treat Domestic Wastewater In Rural Areas Of Morocco*. Journal Mater Env.Science, 10(20), 422-430.
- Terzaghi, K. and Peck, R. B.(2000). *Soil Mechanics in Engineering Practice* . New York, John Wiley & Sons, Inc.
- UPTD Padang Panjang. (2016). *Profil UPTD Pengolahan Kulit Kota Padang Panjang*. UPTD Pengolahan Kulit, Padang Panjang.
- Wakatsuki T., Omura S., Abe Y., Izumi K. (1989) *Treatment Of Domestic Waste Water By Multi-Soil-Layering Method*. Journal Soil Science, 60, 335–351.
- Wakatsuki, T., Esumi, H. and Omura, S. (1993). *High performance and N & Premovable On-site Domestic Wastewater Treatment System by Multi Soil Layering Method*. Journal Water & Science Technology, 27(1), 31-40.
- Wakatsuki T., Omura S., Abe Y., Izumi K.(1999) *Role And Life Of Purification Abilities Of Soil Materials In The MSL System*. Journal Soil Science, 61,74–84.
- Wakatsuki, T., S. Luanmanee, T. Masunaga, annd T.Attanandana. (2000). *High Grade On-Sitetreatment of Domestic Wastewater and polluted River*

Water by Multi-Soil-Layering method in Managing Water And Wastein The New Millennium. Proceedings ofthe IWA (Int. Water Association) Conference, May 2000, Johannesburg, South Africa.

Wijayanti, H. (2009). *Karbon Aktif dari Sekam Padi : Pembuatan dan Kapasitasnya Untuk Adsorpsi Larutan Asam Asetat.* Jurnal Info Teknik, 10(1), 61-67.

Wright, P.A, dan Anderson, P.M. (2001). *Nitrogen Excretion.* Academic Press. New York.

Zahra, L. Z., dan Purwanti, I. F. (2015). *Pengolahan Limbah Rumah Makan dengan Proses Biofilter Aerobik.* Jurnal Teknik ITS, 4(1), 35-39.

