


## DAFTAR PUSTAKA

1. Permatasari D, Ramadhani S, Sopyan I. Ko-Kristal : Teknik Pembuatan Ko-Kristal. Farrmaka. 2014;4(4):1–20.
2. Williams HD, Trevaskis NL, Charman SA, Shanker RM, Charman WN, Pouton CW, et al. Strategies to Address Low Drug Solubility in Discovery and Development. *Pharmacol Rev.* 2013;65(1):315–499.
3. Rao CVP, Nagabhushanam M V. Enhancement of Dissolution Profile of Mefenamic Acid Dispersion Technique. *Int J Res Pharm Chem.* 2011;1(4):1127–34.
4. Zaini E, Fitriani L, Sari RY, Rosaini H, Horikawa A, Uekusa H. Multicomponent Crystal of Mefenamic Acid and N-Methyl- D -Glucamine : Crystal Structures and Dissolution Study. 2019;1–8. Available from: <https://doi.org/10.1016/j.xphs.2019.02.003>
5. Sari YN, Zaini E, Ismed F. Peningkatan Laju Disolusi Piperin Dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. *J Sains Farm.* 2019;6(2):180–5.
6. Putra OD, Nugrahani I, Ibrahim S, Uekusa H. Pembentukan Padatan Semi Kristalin dan Ko-kristal Parasetamol. *J Mat sains.* 2012;17(2):83–8.
7. Zaini E, Andalas U, Soewandhi SN, Setyawan D. Peningkatan Laju Pelarutan Trimrtropin Melalui Metode Ko-kristalisasi Dengan Nikotinamida. *researchgate.* 2011;(March 2014).
8. Qiao N, Li M, Schlindwein W, Malek N, Davies A, Trappitt G. Pharmaceutical cocrystals : An overview. *Int J Pharm* 2011;419(1–2):1–11. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2011.07.037>
9. Gozali D, Bahti HH, Soewandhi SN. Pembentukan kokristal antra kalsium atovastatin Dengan Isonikotinamid Dan Karakterisasinya. *J sains Mater Indones.* 2012;(April):103–10.

- 
10. Windriyati YN, Sunarliawati L. Disolusi Asam Mefenamat Dalam Sistem Dispersi Padat Dengan PEG 4000. Res Artic. 2011;(1):37–41.
  11. Indra I. Karakterisasi Padatan Hasil Proses Kokristalisasi Asam Mefenamat Menggunakan Metode Pengujian Pelarut. J Kesehat Bakti Tunas Husada J Ilmu-ilmu Keperawatan, Anal Kesehat dan Farm. 2017;17(1):21.
  12. Departemen Kesehatan Republik Indonesia. Farmakope Indonesia Edisi V. Jakarta: Departemen Kesehatan RI; 2014.
  13. Utami D, Nugrahani I, Ibrahim S. Formation and Characterization of Mefenamic acid-Nicotinamide Cocrystal during Co-milling based on X-ray Powder Diffraction Analysis. J Appl Pharm Sci. 2016;6(10):75–81.
  14. Apfelbaum RI. Technical considerations for facilitation of selective percutaneous radiofrequency neurolysis of the trigeminal nerve. Vol. 3, Neurosurgery. 1978. 396-399 p.
  15. Nerdy N. Validation of Ultraviolet Spectrophotometry Method for Determination of Mefenamic Acid Level in Suspension Dosage Forms. J Nat. 2017;17(1):17.
  16. Prodrugs MA, Development OF. World Journal of Pharmaceutical Research. World J Pharm Res. 2015;4(6):2408–29.
  17. Vasavirama K, Upender M. Innovare Academic Sciences Piperine: A Valuable Alkaloid From Piper Species. Int JPharm Pharm Sci. 2014;6(4):34–8.
  18. P.N. Shingate P. D and D. K. New Method Development For Extraction And Isolation Of Piperine. Int J Pharm Sci Res. 2013;4(8):3165–70.
  19. Dan H, Lada B, Piper P, Yang L, Putu N, Hikmawanti E, et al. The Content Of Piperine In Black And White Pepper fruit ( *Piper nigrum* L .) Extracted With Variation Of Etanol Concentration Usi. media Farm. 2016;13(2):173–85.
  20. Gorgani L, Mohammadi M, Najafpour GD, Nikzad M. Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal

- Formulations. Compr Rev Food Sci Food Saf. 2017;16(1):124–40.
21. Services H. Regulatory Classification of Pharmaceutical Co-Crystals Guidance for Industry Regulatory Classification of Pharmaceutical Co-Crystals Guidance for Industry. 2018. 1-7 p.
  22. Zaini E, Sumirtapura YC, Soewandhi SN. Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak kofler dan reaksi kristalisasi. Maj Farm Indones. 2010;21(1):32–9.
  23. Prof.Dr.Achmad fudholi DA. Disolusi dan pelepasan obat invtro. 2013. 2-49 p.
  24. Nugrahani I, Asyarie S, Nurono S, And S, Ibrahim S. Solid State Interaction Between Amoxicillin Trihydrate and Potassium Clavulanate. Malaysian J Pharm Sci. 2007;5(1):45–57.
  25. Gajjar A, Savjani JK. Cocrystal formation of paracetamol with indomethacin and mefenamic acid : An efficient approach to enhance solubility. Int J Pharm Sci. 2013;5(4):414–9.
  26. Fujii K. Cocrystalline Phase Transformation Of Binary Mixture of Trimetropine and Sulfamethoxazole by Slurry Technique. Asian J Pharm Clin Res. 2010;3(4):30–3.
  27. Rodrigues M, Baptista B, Lopes JA, Sarraguça MC. Pharmaceutical cocrystallization techniques . Advances and challenges.. 2018;547(1–2):404–20. Available from: <https://doi.org/10.1016/j.ijpharm.2018.06.024>
  28. Shilpa C, Sarika N, Neetu K, Shubham W. Journal of Drug Delivery and Therapeutics Co-Crystals: A Review Solubility. J drug Deliv Ther. 2018;8(6):350–8.
  29. Destiani DP, Farmasi F, Padjadjaran U, Farmasi F, Padjadjaran U. Kokristalisasi metode solvent evaporation dan drygrinding. farmaka. 2008;16(3):262–73.
  30. Farmasetika D, Universitas FF, Barat J. Cocrystal : nocotimide as the coformer. J ilmiah Farm bahari. 2019;10(2):113–22.

31. Noviyanto F, Tjiptasurasa, Utami PI. Ketoprofen, Penetapan Kadarnya Dalam Sediaan Gel Dengan Metode Spektrofotometri Ultraviolet-Visibel. Pharmacy. 2014;11(01):1–8.
32. Si RDM, Si DKM. Karakterisasi Mikrostruktur Feroelektrik Ba<sub>0,8</sub> Sr<sub>0,2</sub> TiO<sub>3</sub> (BST) Dengan Variasi Suhu Annealing. J Fis Indones. 2014;XVIII(53):70–2.
33. Farmasi F, Andalas U. Dispersi Padat Asam Usnat dengan Teknik Freeze Drying menggunakan Poloxamer 188 sebagai Polimer. J sains Farm Klin. 2018;5(1):41–8.
34. Lin H, Hsu P, Lin S. ScienceDirect Theophylline e citric acid co-crystals easily induced by DSC e FTIR microspectroscopy or different storage conditions. 2013;8(1):19–27. <http://dx.doi.org/10.1016/j.ajps.2013.07.003>
35. Dachriyanus, Prof D. Analisis struktur senyawa organik secara spektroskopi. 2004. 132 p.
36. Agustin R, Sari N, Zaini E. Pelepasan Ibuprofen dari Gel Karbomer 940 Kokristal. J sains Farm Klin. 2014;01(01):79–88.
37. Thakuria R, Delori A, Jones W, Lipert MP, Roy L, Rodríguez-hornedo N. Pharmaceutical cocrystals and poorly soluble drugs. Int J Pharm [Internet]. 2013;453(1):101–25. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2012.10.043>
38. Fajri M Al, Darusman F, Putri AP. Karakterisasi Berbagai Kristal Glimepirid sebagai Upaya Peningkatan Kelarutan dan Disolusi. Pros Penelit Spes Unisba 2015. 2015;545–52.
39. Reddy BBK, Karunakar A. Biopharmaceutics Classification System : A Regulatory Approach. Res Artic. 2011;(February):31–7.
40. Sari DP, Sulaiman TNS, Mafruhah OR. Uji Disolusi Terbanding Tablet Metformin Hidroklorida Generik Berlogo Dan Bermerek.2017;9(1):254–8. Available from: <https://jurnal.ugm.ac.id/majalahfarmaseutik/article/view/24106>

41. Popy FA, Dewan I, Parvin MN, Ashraful Islam SM. Evaluation of in vitro equivalence for tablets containing the poorly water-soluble compound atorvastatin. *Dissolution Technol.* 2012;19(4):30–3.
42. Kamal, Amira H., Samah F. El-Malla and SFH. A review on UV spectrophotometric methods for simultaneous multicomponent analysis. *Eur J PharmMedRes* 2016;3(2):348–60. Available from: [https://www.ejpmr.com/admin/assets/article\\_issue/1454480552.pdf](https://www.ejpmr.com/admin/assets/article_issue/1454480552.pdf)
43. Triyati E. spektrofotometer ultraviolet dan sinar tampak seta aplikasinya dalam oseanologi. *oseanografi*. 1985;X(1):39–47.
44. Samosir T, Utara S. Validation of ultraviolet spectrophotometry method for determination of mefenamic acid levels in suspension dosage form. *J Nat.* 2017;17(1):2541–4062.

