

DAFTAR PUSTAKA

- Alipour, Z., Eskandari, N., Tehran, H. A., Hossaini, S. K., & Sangi, S. (2013). Effect of music on physiological and behavioral responses of premature infants: A. Random controlled trial. *Complementary Therapies in Clinical Practice*, 30, 1-5.
- Amiri, R. A., Farhat, S., Karbandi, S., Esmaeli, H., Mohammadzadeh, A., Sedighi, E. L. (2009). Effect of lullaby music listening on SPO2 in premature infants. *Journal of Birjand University of Medical Sciences*, 15(4), 12-18.
- Arnon, S. (2011). *Music therapy intervention in the neonatal intensive care unit environment*. 87(3), 183–185. <https://doi.org/10.2223/JPED.2091>
- Asquith, C. W. J. (2004). *Paediatric Intensive Care Nursing*. 456.
- Aylott, Marion. (2006). *The neonatal energy triangle : metabolic adaptation*.
- Aylott, Marion. (2016). *The neonatal energy triangle Part 1 : Metabolic adaptation*. 18(6), 38–43.
- Berman, A., Snyder, S., & Kozier, B. (2009). *Praktik keperawatan klinis*. (Eny Meiliya, Esty Wahyuningsih, Devi Yulianti: trans). Jakarta: EGC
- Bobak, L. & J. (2012). *Buku Ajar Keperawatan Martenitas*. Jakarta EGC.
- Boyle, E. M. (2015). *Fetal and Maternal Medicine Review and Maternal Medicine Review : Neonatal Outcomes Following Late Preterm Birth*. (June 2012), 97–119. <https://doi.org/10.1017/S0965539512000071>
- Bradford, N. (2000). *The first five years*. London : Frances Lincolin.
- Brooker, C. Andry Hartono, B. U. . D. W. (2005). *Ensiklopedi Keperawatan*. Jakarta : EGC.
- Brown, G. (2008). *NICU Noise*. (April), 165–173.
- Cevasco, A. M. & Grant, R. E. (2005). Effect of the pacifier activated lullaby on weight gain of premature infants. *Journal of Music Therapy*, 42(2), 123-139.
- Chirinian, N., Ec, R. N., & Shah, V. (2012). *Neonatal Care in a Japanese NICU : Notes Based on a Site Visit*. 31(2), 89–96.

- Clinical Guidelines, Q., & Health, Q. (2013). *Maternity and Neonatal Clinical Guideline*. Retrieved from www.health.qld.gov.au/qcg
- Cloherty, J.P., Eicchenwald, E.C& Star, A. R. (2008). *Manual of neonatal care* (L. W. & Wilkins, ed.). Philadelphia.
- Dassler, A., Telsey, A., & Homel, P. (2017). *The Effects of Music Therapy on Vital Signs , Feeding , and Sleep in Premature Infants*. 902–918. <https://doi.org/10.1542/peds.2012-1367>
- Davis, P. G., Morley, C. J., & Owen, L. S. (2009). Seminars in Fetal & Neonatal Medicine Non-invasive respiratory support of preterm neonates with respiratory distress: Continuous positive airway pressure and nasal intermittent positive pressure ventilation. *Seminars in Fetal and Neonatal Medicine*, 14(1), 14–20. <https://doi.org/10.1016/j.siny.2008.08.003>
- Dickson, V. V., & Wright, F. (2012). Nursing Theorists and Their Work (7th ed.) by M. R. Alligood and A. M. Tomey (Eds.) (Maryland Heights, MO: Mosby Elsevier, 2010). *Nursing Science Quarterly*, 25(2), 203–204. <https://doi.org/10.1177/0894318412437963>
- Emaliyawati, E., & Fatimah, S. (2017). Rate , Saturasi Oksigen pada Bayi Prematur Effect of Lullaby Music Therapy on Heart Rate , Respiration Rate , Oxygen Saturation on Prematur Infant. *Jkp*, 5(3), 258–270.
- Fedakar, A. & Aydogdu, C. (2011). Clinical features of neonates treated in the intensive care unit for respiratory distress. *The Turkish Journal of Pediatrics*, 53(2), 173-179.
- Grant, O. (2014). *EuroNeoNet*. 530078.
- Greenough, A. & Bhat, P. (2012). How to ventilate term babies. *Early human Development*, 88, 921-923
- Gunnar, M. R. (1989). Studies of the human infant's adrenocortical response to potentially stressful events. *New Directions for Child and Adolescent Development*, 1989(45), 3–18. <https://doi.org/10.1002/cd.23219894503>
- Gooding, L. F. (2010). Using music therapy protocols in the treatment of premature infants: An introduction to current practices. *The Arts In Psychotherapy*, 37, 211-214.
- Gupta, S., & Sinha, S. (2009). Care of the ventilated infant. *Paediatrics and Child*

- Health*, 19(12), 544–549. <https://doi.org/10.1016/j.paed.2009.06.009>
- Heijden, M. J. E. Van Der, Araghi, S. O., Jeekel, J., & Reiss, I. K. M. (2016). *Do Hospitalized Premature Infants Benefit from Music Interventions? A Systematic Review of Randomized Controlled Trials*. 1–16. <https://doi.org/10.1371/journal.pone.0161848>
- Hidayat, A. A. . (2007). Asuhan neonatus bayi dan balita. In *buku pratikum mahasiswa kebidanan*. Jakarta : EGC.
- Hockenberry. (2012). *Hockenbery dan Wilson ,2009; dan Mandleco 2012*).
- Hodges, A.L.&Wilson, L. . (2010). *Effects of music therapy on preterm infants in the neonatal intensive care unit*. *Alternatif Therapies in Health an Medicine*. 16(5) ,72-73.
- Jegatheesan, A. P., & Song, D. (2013). *Oxygen Saturation Nomogram in Newborns Screened for Critical Congenital Heart Disease*. 131(6). <https://doi.org/10.1542/peds.2012-3320>
- Jitowiyono, S. (2013). *Asuhan keperawatan anak* . Jakarta: Salemba Medika.
- Johnston PGB,Flood K, Spinks K. (2003). In *Clinical assessment of the new born baby*.*THE Newborn Child. Chapter 5* (pp. 59–77). London : Churchill Livingstone.
- Kazemi, S., Kazemi, S., Ghazimoghaddam, K., Besharat, S., & Kashani, L. (2012). Music and anxiety in hospitalized children. *Journal of Clinical and Diagnostic Research*, 6(1), 94–96. <https://doi.org/JCDR/2012/2641:1831>
- Keith, D. R., Russell, K., & Weaver, B. S. (2009). *The Effects of Music Listening on Inconsolable Crying in Premature Infants Medical Center of Central Georgia*. (3), 191–203.
- Kesehatan, K., & Indonesia, R. (2015). *Profil Kesehatan Indonesia*. Jakarta.
- Ketut. (2017). *Perawatan Anak Sakit*. Jakarta : Mulia Medika.
- Kirby, L. a, Olivia, R., & Sahler, O. J. (2010). Music therapy and pain management in paediatric patients undergoing painful procedures: A review of the literature and a call for research. *Journal of Alternative Medicine Research*, 2(1), 7–15.
- Lasky, R. E., & Williams, A. L. (2005). The development of the auditory system from conception to term. *NeoReviews*, 6, e141-e152.

- Loewy, J., Stewart, K., Dassler, A. M., Telsey, A., & Homel, P. (2013). The effects of music therapy on vital signs, feeding, and sleep in premature infants. *Pediatrics*, *131*(5), 902–918. <https://doi.org/10.1542/peds.2012-1367>
- Lubetzky, R., Mimouni, F. B., Dollberg, S., Reifen, R., Ashbel, G., & Mandel, D. (2010). Effect of music by Mozart on energy expenditure in growing preterm infants. *Pediatrics*, *125*(1). <https://doi.org/10.1542/peds.2009-0990>
- MacGregor, J. (2008a). *Introduction to the anatomy and physiology of children: A guide for students of nursing, child care and health*.
- MacGregor, J. (2008b). *Introduction to the Anatomy and Physiology Of Children: A Guide For Students of Nursing , Child care and health*. New York : Routledge.
- Maguire, C. M., Veen, S., Sprij, A. J., Cessie, S. Le, Wit, J. M., & Walther, F. J. (2008). *Effects of Basic Developmental Care on Neonatal Morbidity , Neuromotor Development , and Growth at Term Age of Infants Who Were Born at < 32 Weeks*. *121*(2). <https://doi.org/10.1542/peds.2007-1189>
- Maryunani. (2013). *Buku Saku Asuhan Bayi Berat Badan Lahir Rendah*. Jakarta : Trans Info Medika.
- May, K.A., & Mahimesh, L. (2004). *Maternal & Neonatal Nursing Family centered care*. Pennsylvania : JB Lippincot, co.
- McGrath, J M Kenner, c. . M. (2004). Developmental care of newborn and infant : Guide for health professionals. *St. Louis : Elsevier Mosby*, 105–118.
- Mills, B. A., Davis, P. G., Donath, S. M., Clucas, L. M., & Doyle, L. W. (2010). Improving compliance with pulse oximetry alarm limits for very preterm infants? *Journal of Paediatrics and Child Health*, *46*(5), 255–258. <https://doi.org/10.1111/j.1440-1754.2009.01680.x>
- Neal, Diana O. (2007). *Music as a Nursing Intervention for Preterm Infants in the NICU*. (May), 319–327.
- Neal, Diana Odland. (2008). Music as a health patterning modality for preterm infants in the NICU. *ProQuest Dissertations and Theses*, (October), n/a. Retrieved from <http://gateway.library.qut.edu.au/login?url=http://search.proquest.com/docview/304532847?accountid=13380>

- Ogston, S. A., Lemeshow, S., Hosmer, D. W., Klar, J., & Lwanga, S. K. (1991). Adequacy of Sample Size in Health Studies. *Biometrics*, 47(1), 347. <https://doi.org/10.2307/2532527>
- Parry, W.H. & Zimmer, J. (2002). *Acid-base homeostasis and oxygenation*. In G.B. Merenstein & S.L. Gardner (Ed). *Handbook of neonatal intensive care*. St. Louis : Mosby.
- Pinheiro, E. M., Guinsburg, R., Nabuco, M. A. de A., & Kakehashi, T. Y. (2011). Noise at the Neonatal Intensive Care Unit and inside the incubator. *Revista Latino-Americana de Enfermagem*, 19(5), 1214–1221. <https://doi.org/10.1590/s0104-11692011000500020>
- Polit, D.F., & Hungler, B.P. (1999). *Nursing research: Principle and methods*. Philadelphia: Lippincott Williams & Wilkins
- Prawirohardjo, S. (2010). *Ilmu kebidanan* (4th ed.; sarwono prawirohardjo, ed.). PT.Bina Pustaka Sarwono Prawiroharjo. Jakarta.
- Proverawati. (2010). *Berat Badan Lahir Rendah*. Jakarta : Mulia Medika.
- Rompis, A. W. K. R. W. J. (2015). *Perbandingan Kadar Saturasi Oksigen Hari Pertama*. 3(April).
- Sastroasmoro, S., & Ismael, S. (2014). *Dasar - Dasar Metodologi Penelitian Klinis* (edisi 5). Sagung Seto.
- Retrieved from [http://www.transitionsmusic.com/final version Dileo.html](http://www.transitionsmusic.com/final%20version%20Dileo.html)
- Sherman, T. I., Greenspan, J. S., Clair, N. S., Touch, S. M., & Shaffer, T. H. (2004). *Optimizing the Neonatal Thermal Environment*. (October), 251–260.
- Standley, J. M. (2010). *A Meta-Analysis of the Efficacy of Music Therapy for Premature Infants*. <https://doi.org/10.1053/jpdn.2002.124128>
- Standley, J. M., Cassidy, J., Grant, R., Cevasco, A., Szuch, C., Nguyen, J., ... Adams, K. (2010). *The Effect of Music Reinforcement for Non-Nutritive Sucking on Nipple Feeding Of Premature Infants*. 36(3).
- Surasmi, A., Handayani, S., & Kusuma, H. N. (2002). *Perawatan bayi resiko tinggi*. Jakarta EGC.
- Sweet, D. G., Carnielli, V., Greisen, G., Hallman, M., Ozek, E., Plavka, R., ... Halliday, H. L. (2010). European consensus guidelines on the management of neonatal respiratory distress syndrome in preterm infants - 2010 update.

- Neonatology*, 97(4), 402–417. <https://doi.org/10.1159/000297773>
- Tanir, M. K., Akhan, L. U., & Ergöl, S. (2011). “Identification of nursing care methods intended for reducing stress caused by environmental factors in neonates.” *Scientific Research and Essays*, 6(5), 1123–1128. <https://doi.org/10.5897/SRE10.1074>
- TitleBerman, A., Snyder, S., & Kozier, B. (2009). (2009). *Praktik keperawatan klinis. (Eny Meiliya, Esty Wahyuningsih, Devi Yulianti: trans)*. Jakarta: EGC.
- Tjipta, G., D., Azlin, E., Sianturi, P., & Lubis, B. M. (2008). *thermoregulasi pada neonatus*. Medan.
- Villarreal, E. a. G. (2011). Cognitive and Emotional Processing of Music and its Effect on Pain. *Musikzone.Dk*.
- Wahyuni, S., & Putri Parendrawati, D. (2013). Pengalaman Ibu dalam Melakukan Perawatan Metode Kanguru. *Jurnal Keperawatan Padjadjaran*, v1(n3), 183–195. <https://doi.org/10.24198/jkp.v1n3.7>
- Wakim, J. H., Smith, S., & Guinn, C. (2010). The efficacy of music therapy. *Journal of Perianesthesia Nursing*, 25(4), 226–232. <https://doi.org/10.1016/j.jopan.2010.05.009>
- Walsh, F. (2002). A family resilience framework: Innovative practice applications. *Family Relations*, 51(2), 130–137. <https://doi.org/10.1111/j.1741-3729.2002.00130.x>
- Wang, L. C. R., & Lu, S. C. (2003). *Effects of Music Ther apy on Oxy gen Sat u ra tion in Pre ma ture Infants Receiying Endotracheal Suc tioning*. 11(3), 209–216.
- WHO. (2016). *World Health Statistics Sdg S*.
- Wong, D.L., H. (2009). *wong’s essenstial of pediactric nursing* (6th ed.). Jakarta EGC.
- Wong, D.L., H. (2013). *Buku Ajar Keperawatan Pediatrik. Edisi 6*. Jakarta EGC.
- Zealand, N., & Groups, C. (2013). *Oxygen Saturation and Outcomes in Preterm Infants*. <https://doi.org/10.1056/NEJMoa1302298>



