

DAFTAR KEPUSTAKAAN

- Abou-Arab, A. A. K., Abou-Donia, M. A. M., El-Dars, F. M. S. E., Ali, O. I. M., dan Goda, H. A. (2014). Original Research Article Detection of polycyclic aromatic hydrocarbons levels in Egyptian meat and milk after heat treatment by Gas chromatography-mass spectrometry. *International Journal of Current Microbiology and Applied Sciences*, 3(7), 294–305.
- Agoes. (2007). *Teknologi Bahan Alam Seri farmasi industri*. Bandung: ITB.
- Akash, M. S. H., Rehman, K., dan Chen, S. (2014). Effects of coffee on type 2 diabetes mellitus. *Nutrition*, 30(7–8), 755–763. <https://doi.org/10.1016/j.nut.2013.11.020>
- Allred, K. F., Yackley, K. M., Vanamala, J., dan Allred, C. D. (2009). Trigonelline is a novel phytoestrogen in coffee beans. *The Journal of Nutrition*, 139(10), 1833–1838. <https://doi.org/10.3945/jn.109.108001>
- Almoosawi, S., Tsang, C., Davidson, I., Fyfe, L., dan Al-Dujaili, E. a. S. (2010). The effect of green-coffee-bean extract rich in chlorogenic acid on antioxidant status of healthy human volunteers. *Proceedings of the Nutrition Society*, 69(OCE1), E30. <https://doi.org/10.1017/S0029665109992187>
- Alomirah, H., Al-Zenki, S., Al-Hooti, S., Zaghloul, S., Sawaya, W., Ahmed, N., dan Kannan, K. (2011). Concentrations and dietary exposure to polycyclic aromatic hydrocarbons (PAHs) from grilled and smoked foods. *Food Control*, 22(12), 2028–2035. <https://doi.org/10.1016/j.foodcont.2011.05.024>
- Anonim. (2019). Perbedaan Spora dan Endospora. Retrieved November 7, 2019, from <https://perbedaan.budisma.net>
- Arya, M., dan Rao, L. J. M. (2007). An impression of coffee carbohydrates. *Critical Reviews in Food Science and Nutrition*, 47(1), 51–67. <https://doi.org/10.1080/10408390600550315>
- Barreto, J. C., Trevisan, M. T. S., Hull, W. E., Erben, G., De Brito, E. S., Pfundstein, B., ... Owen, R. W. (2008). Characterization and quantitation of polyphenolic compounds in bark, kernel, leaves, and peel of mango (*Mangifera indica* L.). *Journal of Agricultural and Food Chemistry*, 56(14), 5599–5610. <https://doi.org/10.1021/jf800738r>
- Bigliardi, B., dan Galati, F. (2013). Innovation trends in the food industry: The case of functional foods. *Trends in Food Science and Technology*, 31(2), 118–129. <https://doi.org/10.1016/j.tifs.2013.03.006>
- Campa, C., Mondolot, L., Rakotondravao, A., Bidel, L. P. R., Gargadennec, A., Couturon, E., ... Davis, A. P. (2012). A survey of mangiferin and hydroxycinnamic acid ester accumulation in coffee (*Coffea*) leaves: biological implications and uses. *Annals of Botany*, 110(3), 595–613. <https://doi.org/10.1093/aob/mcs119>

- Cavin, C., Holzhaeuser, D., Scharf, G., Constable, A., Huber, W. W., dan Schilter, B. (2002). Cafestol and kahweol, two coffee specific diterpenes with anticarcinogenic activity. *Food and Chemical Toxicology*, 40(8), 1155–1163. [https://doi.org/10.1016/S0278-6915\(02\)00029-7](https://doi.org/10.1016/S0278-6915(02)00029-7)
- Chen, X.-M., Ma, Z., dan Kitts, D. D. (2018). Effects of processing method and age of leaves on phytochemical profiles and bioactivity of coffee leaves. *Food Chemistry*, 249, 143–153. <https://doi.org/https://doi.org/10.1016/j.foodchem.2017.12.073>
- Christine, E. A., Albert, Y., Georgette, A., Alphonse, K., dan Georges, N. (2013). Manufacturing Process and Various uses of Savannah Herbal Tea (*Lippia multiflora*) in Côte d ' Ivoire. *Asian Journal of Agriculture and Rural Development*, 3(8), 597–608.
- Da-costa-rocha, I., Bonnlaender, B., Sievers, H., Pischel, I., dan Heinrich, M. (2014). Hibiscus sabdariffa L . – A phytochemical and pharmacological review. *Food Chemistry*, 165, 424–443. <https://doi.org/10.1016/j.foodchem.2014.05.002>
- Deetae, P., Parichanon, P., Trakunleewatthana, P., dan Chanseetis, C. (2012). Antioxidant and anti-glycation properties of Thai herbal teas in comparison with conventional teas. *Food Chemistry*, 133(3), 953–959. <https://doi.org/10.1016/j.foodchem.2012.02.012>
- Direktorat Jenderal Perkebunan. (2015). *Statistik Perkebunan Indonesia 2014-2016*. Direktorat Jenderal Perkebunan Dept. Pertanian. Jakarta: Direktorat Jenderal Perkebunan.
- Djinovic, J., Popovic, A., dan Jira, W. (2008). Polycyclic aromatic hydrocarbons (PAHs) in different types of smoked meat products from Serbia. *Meat Science*, 80(2), 449–456. <https://doi.org/10.1016/j.meatsci.2008.01.008>
- Dórea, J. G., dan da Costa, T. H. M. (2005). Is coffee a functional food? *The British Journal of Nutrition*, 93(6), 773–782. <https://doi.org/10.1079/BJN20051370>
- El Badry, N. (2010). Effect of Household Cooking Methods and Some Food Additives on Polycyclic Aromatic Hydrocarbons (PAHs) Formulation in Chicken Meat. *World Applied Science Journal*, 9(9), 963–974.
- Eviza, A., Novita, R., dan Irzal. (2019). Uji Kinerja Alat Pengolah *Kahwa* Daun (Teh Herbal Sumatera Barat). *Jurnal Teknologi Pertanian Andalas*, 23(No.1 Maret 2019), 75–79.
- Fajara, B., dan Susanti, H. (2017). *HPLC determination of caffeine in coffee beverage*. *IOP Conference Series: Materials Science and Engineering* (Vol. 259). <https://doi.org/10.1088/1757-899X/259/1/012011>
- Farah, A. (2012). Coffee Constituents. In Y.-F. Chu (Ed.), *Coffee : Emerging Health Effects and disease Prevention* (First Edit, pp. 21–58). Wiley

Blackwell Publishing Ltd. <https://doi.org/10.1002/9781119949893.ch2>

- Fardiaz, S. (1992). *Mikrobiologi Pangan 1*. Jakarta: PT Gramedia Pustaka Utama 1.
- Farhadian, A., Jinap, S., Abas, F., dan Sakar, Z. I. (2010). Determination of polycyclic aromatic hydrocarbons in grilled meat. *Food Control*, 21(5), 606–610. <https://doi.org/10.1016/j.foodcont.2009.09.002>
- Fellows, P. (2000). *Food Processing Technology. Principles and Practice*.
- Garrido, G., González, D., Lemus, Y., García, D., Lodeiro, L., Quintero, G., ... Delgado, R. (2004). In vivo and in vitro anti-inflammatory activity of *Mangifera indica* L. extract (VIMANG). *Pharmacological Research*, 50(2), 143–149. <https://doi.org/10.1016/j.phrs.2003.12.003>
- Gebely. (2015). Tea Processing chart.
- Gorji, M. E., Ahmadkhaniha, R., Moazzen, M., Yunesian, M., Azari, A., dan Rastkari, N. (2016). Polycyclic aromatic hydrocarbons in Iranian Kebabs. *Food Control*, 60(February), 57–63. <https://doi.org/10.1016/j.foodcont.2015.07.022>
- Harni, R., Samsudin, Amaria, W., Indriati, G., Soesanthy, F., Khaerati, ... Hapsari, A. D. (2015). *Teknologi Pengendalian Hama dan Penyakit Tanaman Kopi*. Jakarta: INDONESIA AGENCY FOR AGRICULTURAL RESEARCH AND DEVELOPMENT (IAARD) PRESS.
- Hayami, Y., Kawagoe, T., Morooka, Y., dan Siregar, M. (1987). *Agricultural Marketing and Processing in Upland Java. A Perspective from a Sunda Village*. Bogor.
- Heck, C. I., dan de Mejia, E. G. (2007). Yerba Mate Tea (*Ilex paraguariensis*): A Comprehensive Review on Chemistry, Health Implications, and Technological Considerations. *Journal of Food Science*, 72(9), R138–R151. <https://doi.org/10.1111/j.1750-3841.2007.00535.x>
- Heldman, D. R., dan Hartel, R. W. (1997). Introduction. In *Principles of Food Processing* (pp. 1–12). Boston, MA: Springer US. https://doi.org/10.1007/978-1-4615-6093-7_1
- Hewitt, R. J. (1872). *Coffee its History, Cultivation and Uses*. New York: D. Appleton and Company. <https://doi.org/http://dx.doi.org/10.5962/bhl.title.18877>
- Hotmaruli, F., Siringoringo, T., Lubis, Z., dan Nainggolan, R. J. (2012). Studi Pembuatan Teh Daun Kopi (Study of Tea Making from Coffee Leaves). *J.Rekayasa Pangan Dan Pert*, 1(1), 1–5.
- Houessou, J. K., Maloug, S., Leveque, A.-S., Delteil, C., Heyd, B., dan Camel, V. (2007). Effect of Roasting Conditions on the Polycyclic Aromatic Hydrocarbon Content in Ground Arabica Coffee and Coffee Brew. *Journal*

- of Agricultural and Food Chemistry*, 55(23), 9719–9726.
<https://doi.org/10.1021/jf071745s>
- Ibarz, A., Barbosa-Cánovas, G. V., Barbosa-Canovas, G., dan Ibarz, A. (2002). *Unit Operations in Food Engineering* (Vol. 6). CRC Press.
<https://doi.org/10.1201/9781420012620>
- ICO. (2007). *International Coffee Agreement 2007*. London: International Coffee Organization.
- ICO. (2018a). Statistics. 1a - Total Production. Retrieved October 28, 2019, from www.ico.org
- ICO. (2018b). Statistics. Breakdown of exports of green Arabica and green Robusta of countries exporting significant volumes of both types. Retrieved October 28, 2019, from www.ico.org
- Imports, C. (2015). Coffee Family Tree. Retrieved August 27, 2019, from <https://www.cafeimports.com/north-america/coffee-family-tree>
- Jira, W. (2009). Polycyclic aromatic hydrocarbons in German smoked meat products. *European Food Research and Technology*, 230(3), 447–455.
<https://doi.org/10.1007/s00217-009-1187-9>
- Johnston, K. L., Clifford, M. N., dan Morgan, L. M. (2003). Coffee acutely modifies gastrointestinal hormone secretion and glucose tolerance in humans: Glycemic effects of chlorogenic acid and caffeine. *American Journal of Clinical Nutrition*, 78(4), 728–733.
<https://doi.org/10.1021/jf980737w>
- Karakaya, S. (2004). Bioavailability of phenolic compounds. *Critical Reviews in Food Science and Nutrition*, 44(6), 453–464.
<https://doi.org/10.1080/10408690490886683>
- Khotimah, K. (2014). Karakteristik Kimia Kopi Kawa Dari Berbagai Umur Helai Daun Kopi Yang Diproses Dengan Metode Berbeda. *Jurnal Teknologi Pertanian*, 9(1), 40–48.
- Kuit, M., Jansen, D., dan Thiet, N. V. (2004). *Coffee Handbook: Manual for Arabica Cultivation*. Tan Lam Agricultural Product Joint Stock Company.
- Kusumaningrum, Ria, Agus Supriadi, dan S. Hanggita R. . (2013). Karakteristik dan Mutu Teh Bunga Lotus (*Nelumbo nucifera*). *Fishtech*, 2(1), 9–21.
<https://doi.org/10.1017/CBO9781107415324.004>
- Lafay, S., Morand, C., Manach, C., Besson, C., dan Scalbert, A. (2012). Absorption and metabolism of caffeic acid and chlorogenic acid in the small intestine of rats Absorption and metabolism of caffeic acid and chlorogenic acid in the small intestine of rats. *British Journal of Nutrition*, (2006), 39–46.
<https://doi.org/10.1079/BJN20051714>
- M, M., dan Subanar. (2017). Kajian terhadap Beberapa Metode Optimasi (Survey

- of Optimization Methods). *JUITA*, *V*(1), 45–50.
- Marcoux, P. (2014). Cooking with fire : from Roasting on A Spit to Baking in a Tannur, rediscovered Technique and Recipe That Capture the Flavors of Wood-Fire Cooking. Retrieved from <http://www.foodnetwork.com/recipe/articles/meat-and-poultry-temperature-guide.html>
- Mazzafera, P. (1999). Mineral nutrition and caffeine content in coffee leaves. *Bragantia*, *58*(2), 387–391. <https://doi.org/10.1590/S0006-87051999000200018>
- McDonald, S. T. (2015). Comparison of Health Risks of Smoked Foods as Compared to Smoke Flavorings: Are Smoke Flavors “Healthier”? *Advances in Food Technology and Nutritional Sciences - Open Journal*, *1*(6), 130–134. <https://doi.org/10.17140/AFTNSOJ-1-122>
- Meng, S., Cao, J., Feng, Q., Peng, J., dan Hu, Y. (2013). Roles of chlorogenic acid on regulating glucose and lipids metabolism: A review. *Evidence-Based Complementary and Alternative Medicine*. <https://doi.org/10.1155/2013/801457>
- Molyneux, P. (2004). The Use Of The Stable Free Radical Diphenyl Picrylhydrazyl (DPPH) For Estimating Antioxidant Activity. *J. Sci. Technol.*, *26*(2), 211–219.
- Mondolot, L., La Fisca, P., Buatois, B., Talansier, E., De Kochko, A., dan Campa, C. (2006). Evolution in caffeoylquinic acid content and histolocalization during *Coffea canephora* leaf development. *Annals of Botany*, *98*(1), 33–40. <https://doi.org/10.1093/aob/mcl080>
- Mudau, F. N., dan Ngezimana, W. (2014). Effect of Different Drying Methods on Chemical Composition and Antimicrobial Activity of Bush Tea (*Athrixia phylicoides*). *INTERNATIONAL JOURNAL OF AGRICULTURE & BIOLOGY*, *16*, 1011–1015. Retrieved from <http://www.fspublishers.org>
- Muruganandan, S., Srinivasan, K., Gupta, S., Gupta, P. K. K., dan Lal, J. (2005). Effect of mangiferin on hyperglycemia and atherogenicity in streptozotocin diabetic rats. *Journal of Ethnopharmacology*, *97*(3), 497–501. <https://doi.org/10.1016/j.jep.2004.12.010>
- National Center for Biotechnology Information. PubChem Database. Benzo[a]pyrene, CID=2336, https://pubchem.ncbi.nlm.nih.gov/compound/Benzo_a_pyrene (accessed on Dec. 25, 2019)
- Nóbrega, E. M., Oliveira, E. L., Genovese, M. I., dan Correia, R. T. P. (2015). The impact of hot air drying on the physical-chemical characteristics, bioactive compounds and antioxidant activity of acerola (*Malpighia emarginata*) residue. *Journal Food Process. Preserv.*, *39*, 131–141.

- Novita, R., Eviza, A., dan Putri, S. K. (2015). Proses Pembuatan Minuman Kawa Daun di Sumatera Barat. In *Prosiding Seminar Nasional Ketahanan Pangan dan Pertanian Berkelanjutan*. Politeknik Pertanian Negeri Payakumbuh.
- Novita, R., Eviza, A., dan Putri, S. K. (2016). Kadar Fenol Total Dan Aktivitas Antioksidan Minuman Kawa Daun Di Sumatera Barat. *Lambung*, 15(2), 156–161.
- Nugroho, S., dan Wulandari, F. T. (2016). Penerapan Metode MADM-SAW dalam Penentuan Produk Kerajinan Unggulan Kabupaten Klaten. *Jurnal SIMETRIS*, 7(1), 163–168.
- Nurhakim, Y. I., dan Rahayu, S. (2014). *Perkebunan Kopi Skala Kecil Cepat Panen* (Cetakan 1). Infra Pustaka.
- Oba, S., Nagata, C., Nakamura, K., Fujii, K., Kawachi, T., Takatsuka, N., dan Shimizu, H. (2010). Consumption of coffee, green tea, oolong tea, black tea, chocolate snacks and the caffeine content in relation to risk of diabetes in Japanese men and women. *British Journal of Nutrition*, 103(03), 453. <https://doi.org/10.1017/S0007114509991966>
- Oh, J., Jo, H., Cho, A. R., Kim, S., dan Han, J. (2013). Antioxidant and antimicrobial activities of various leafy herbal teas. *Food Control*, 31(2), 403–409. <https://doi.org/10.1016/j.foodcont.2012.10.021>
- Olatunji, O., Fatoki, O., Opeolu, B., dan Ximba, B. (2015). Benzo[a]pyrene and Benzo[k]fluoranthene in Some Processed Fish and Fish Products. *International Journal of Environmental Research and Public Health*, 12(1), 940–951. <https://doi.org/10.3390/ijerph120100940>
- Olthof, M. R., Hollman, P. C. H., dan Katan, M. B. (2001). Human Nutrition and Metabolism Chlorogenic Acid and Caffeic Acid Are Absorbed in Humans 1. *J. Nutr*, 131(September 2000), 66–71. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11208940>
- Panggabean, E. (2011). *Buku Pintar Kopi* (Cetakan 1). Jakarta: AgroMedia Pustaka.
- Pham, H., Nguyen, V., Vuong, Q., Bowyer, M., dan Scarlett, C. (2015). Effect of Extraction Solvents and Drying Methods on the Physicochemical and Antioxidant Properties of *Helicteres hirsuta* Lour. Leaves. *Technologies*. <https://doi.org/10.3390/technologies3040285>
- Pramudyo, C. S., dan Purnomo, D. E. H. (2012). Perancangan Sistem Pendukung Keputusan untuk Pemilihan Pemasok Nata de Coco dengan Metode Simple Additive Weighting. *Jurnal Ilmiah Teknik Industri*, 11(1), 80–90.
- Rahardjo, P. (2013). *Kopi* (Cetakan 2). Jakarta: Penebar Swadaya.
- Rahman, S. M., dan Durance, T. (2002). *Handbook of Food Preservation*. (M. S. Rahman, Ed.), *Food Research International* (second edi, Vol. 35). CRC

Press. [https://doi.org/10.1016/S0963-9969\(00\)00143-5](https://doi.org/10.1016/S0963-9969(00)00143-5)

- Rehman, R., dan Ashraf, S. (2017). Analysis of caffeine contents in commercial beverages and tea samples of Pakistan using UV/Visible spectrometry. *Bulgrian Chemical Communication*, 49(4), 823–828.
- Retnaningtyas, Y., Kristiningrum, N., Renggani, H. D., dan Narindra, N. P. (2015). Karakterisasi Simplisia dan Teh Herbal daun Kopi Arabika (*Coffea arabica*). In *Prosiding Seminar Nasional Current Challenges in Drug Use and Development* (pp. 46–54). Jember: Fakultas Farmasi Universitas Jember.
- Sangwan, A., Kawatra, A., dan Sehgal, S. (2012). Nutrient composition of mint powder prepared from various drying methods. *Nutrition {&} Food Science*, 42(1), 21–25. <https://doi.org/10.1108/00346651211196492>
- Santosa. (2009). *Evaluasi Ekonomi Pada Sistem Industri*. Padang: Pascasarjana Universitas Andalas.
- Selamat, M. B. (2002). Pembobotan Parameter dan Pengambilan Keputusan. In *Modul Praktikum Sistem Informasi Geografi* (pp. 38–49). Jurusan Ilmu Kelautan-FIKP-UH.
- Singh, R. P., dan Heldman, D. R. (2009). *Introduction to Food Engineering* (Fourth Ed). Elsevier Inc.
- Soekarto, S. T. (1985). *Penilaian Organoleptik untuk Industri Pangan dan Hasil Pertanian*. Jakarta: Bhratara Karya Akasara.
- Stumpe-Viksna, I., Bartkevičs, V., Kukare, A., dan Morozovs, A. (2008). Polycyclic aromatic hydrocarbons in meat smoked with different types of wood. *Food Chemistry*, 110(3), 794–797. <https://doi.org/10.1016/j.foodchem.2008.03.004>
- Supriyanto, Darmadji, P., dan Susanti, I. (2014). STUDI PEMBUATAN TEH DAUN TANAMAN KAKAO (*Theobroma cacao* L) SEBAGAI MINUMAN PENYEGAR Production of Tea from Cocoa Leaves (*Theobroma cacao* L) as Refreshment Beverage. *Agritech*.
- Talamond, P., Mondolot, L., Gargadennec, A., de Kochko, A., Hamon, S., Fruchier, A., dan Campa, C. (2008). First report on mangiferin (C-glucosyl-xanthone) isolated from leaves of a wild coffee plant, *Coffea pseudozanguebariae* (Rubiaceae). *Acta Botanica Gallica*, 155(4), 513–519. <https://doi.org/10.1080/12538078.2008.10516130>
- Timóteo, P., Karioti, A., Leitão, S. G., Francesco, F., dan Rita, A. (2015). A validated HPLC method for the analysis of herbal teas from three chemotypes of Brazilian *Lippia alba*. *Food Chemistry*, 175, 366–373. <https://doi.org/10.1016/j.foodchem.2014.11.129>
- Waterhouse, A. L. (2002). Determination of Total Phenolics. In *Current Protocols in Food Analytical Chemistry* (p. II.1.1-II.1.8). John Wiley & Sons, Inc.

- Wedick, N. M., Brennan, A. M., Sun, Q., Hu, F. B., Mantzoros, C. S., dan van Dam, R. M. (2011). Effects of caffeinated and decaffeinated coffee on biological risk factors for type 2 diabetes: a randomized controlled trial. *Nutrition Journal*, 10(1), 93. <https://doi.org/10.1186/1475-2891-10-93>
- Wu, T., Willett, W. C., Hankinson, S. E., dan Giovannucci, E. (2005). Caffeinated coffee, decaffeinated coffee, and caffeine in relation to plasma C-peptide levels, a marker of insulin secretion, in U.S. women. *Diabetes Care*, 28(6), 1390–1396. <https://doi.org/10.2337/diacare.28.6.1390>
- Zed, M. (2011). Dilema Ekonomi Melayu : Dari Melayu Kopi Daun hingga Kapitalisme Global. *Innovatio*, X(2), 209–223.
- Zhao, J., Deng, J. W., Chen, Y. W., dan Li, S. P. (2013). Advanced phytochemical analysis of herbal tea in China. *Journal of Chromatography A*, 1313, 2–23. <https://doi.org/10.1016/j.chroma.2013.07.039>
- Zheng, G., Qiu, Y., Zhang, Q.-F., dan Li, D. (2014). Chlorogenic acid and caffeine in combination inhibit fat accumulation by regulating hepatic lipid metabolism-related enzymes in mice. *The British Journal of Nutrition*, 112(6), 1034–1040. <https://doi.org/10.1017/S0007114514001652>

