

DAFTAR PUSTAKA

- Aguirre, GA. Rodríguez, D. Garza, G. Castilla, C. (2016). Insulin-like growth factor-1 deficiency and metabolic syndrome. *Journal Translational Medicine*: 14-3.
- Aimaretti, A. Boschetti, M. Corneli, G. (2008). Normal age-dependent values of insulin-like growth factor 1: result healthy Italian population. *J Endocrinol Invest* : 455.
- Ahmid M, Perry C, Ahmed S, (2016). Growth hormone deficiency during young adulthood and the benefits of growth hormone replacement. *Endocrine Connections*. Vol 5. No.3. pp.R1-R11.
- Amiruddin, Ridwan.2007. Anemia Defisiensi Zat Besi Pada Ibu Hamil di Indonesia.
- Akram, SK. (2011). Metrnal and neonatal antropometry and growth factor expression and apoptosis in human placenta : a comparison between two population. Stockholm: Karolinska Institute
- Almatsier, S. Soetardjo, S. Soekarni, M. (2011). Gizi Seimbang dalam Daur Kehidupan. Jakarta:PT Gramedia Pustaka Utama.
- Andrew J Prendergast and Jean H Humphrey (2014). The Stunting Syndrome in Developing Countries. *Jurnal Paediatr Int Child Health*. 2014 Apr;34(4):250-265.
- Andriani, M. Wirjatmika, B. (2012). Peranan gizi dalam siklus kehidupan, edisi pertama. Jakarta: Kencana Prenada Media Group.
- Armaya, P., Sriatmi, A., Arso, S.P. (2016). Analisis Kinerja Tenaga Surveilans Kesehatan. Program Kesehatan Ibu dan Anak di Semarang. *Jurnal Kesehatan Masyarakat* Vol.4 Nomor 4: 112-121
- Asvold, B. Eskild, A. Jenum, P. Vatten, L. (2011). Maternal concentration of insulin-like growth factor 1 and insulin-like growth factor binding protein 1 during pregnancy and birth weight offspring. *American Journal of Epidemiology*:1-7.
- Bahar, H. 2007. Infeksi, Perbaiki Gizi Ibu Hamil. Bandung

- Basir, GZ. (2004). Fetoplacental circulation and the role of IGF-1 in placental remodeling by apoptosis and proliferation in diabetic pregnancies. The University of Hongkong.
- Behringer V, Wudy S, Blum W, et al. (2016). Sex Differences in Age-Related Decline of Urinary Insulin-Like Growth Factor-Binding Protein-3 Levels in Adult Bonobos and Chimpanzees. *Frontiers in Endocrinology*. (7):8.
- Black, R. Victora, G. Walker, P. Butta, Z. Christian, P. Onis, M. Ezzati. McGregor, S.Katz, J. Martorell, R. Uauy, R., (2013). Maternal and child undernutrition and overweight in low income and middle-income countries, *The Lancet*. 382 (13), 427-451.
- Blum W, Alherbish A, Alsagheir A, et al, (2018). The growth hormone-insulin-like growth factor-I axis in the diagnosis dan treatmeant of growt disorders. *Endocrine Connecctions*. Vol 7. No.6. pp R212-R222.
- Bose, K. Bisai, S. Das, P. Dikshit, P. (2007). Relationship of income with anthropometrics indicators of chronic energy deficiency among adults female slum dwellers of Midnapore Town, India. *Journal Human Ecology*; 22(2): 171-176.
- Bowman, JC. Streck, RD. Chapin, (2010). Maternal-placental insulin like growth factor (IGF) signaling and its impotance to normal embryo-fetal development. PubMed : (89): 339-349.
- Boyne, M. Thame, M. Bennet, F. (2003). Relationship among circulation insulin-like growth factor. *J Clin Endocrinol Metab*: 1687-91.
- Brett, K. Ferraro, Z. Yockell-Lelievre, J. Gruslin, A. Adamo, K. (2014). Maternal-fetal nutrient transport in pregnancy pathology: the role of the placenta. *International Journal of Molucular*; (15): 16153-85.
- Chellakooty, M. Vangsgaard, K. Laresen, T. (2004). A longitudninal study of intrauterine growth and the placental growth hormone (PGH) – insulin-like growth factor axis in maternal circulayion: association between placental GH and fetal growth. *J Clin Endocrinol Metabolism*: 384-91.
- Chiesa, C. Osborn, J. Haass, C. Natale, F. Spinelli, M. Scapillati, E. Spinelli, A. Pacifico, L. (2008). Ghrelin, Leptin, IGF-1, IGFBP-3, and insulin concentration at birth: is there a relationship with fetal growth and neonatal anthropometry. *Pediatric Clinical Chemistry*: 350-8.
- Choi JW, Kim SK, (2004). Association of serum insulin-like growth factor-1 and erythropoiesis in relation to body iron status. *Annals of clinical & laboratory science*; 34(3): 324-8.

- Choi JW, Pai SH, (2003). Asociatoins between serum transferrin reseptor concentrations and erythropoietic activities according to body iron status. Ann Clin Lab Sci;33:279-284.
- Clapp J, Schmidt S, Paranjape A, (2004). Maternal IGF-1 reflect placental mass and neonatal fat mass. AM J Obstet Gynecol: 730-6.
- Clemons DR, (2007). Modifyg IGF-1 activity: an approach to treat endocrine disorder, atherosclerosis and cancer. Nature Reviews: 821-33.
- Cordina M, Bhatti S, Fernandez M, Syngelaki A, Nicolaides KH, Kametas NA. (2015). The relationship between mother hemoglobin in27-29 weeks was pregnancy and development limitation of intrauterine growth. International Society for study hipertensi in pregnancy:(5). 339-345.
- Countant R, Casson FB, Douay O, Matheieu E, Rouleau S, Beringue R, *et al.* (2001). Relationship between placenta concentration and maternal smoking, infan gender, and leptin mother: possible implication for birth weight. Journal of Clinical Endocrinology and metabolism.86 (10):4854-4859.
- Depkes RI, (1996). Pedoman Penanggulangan Ibu Hamil Kekurangan Energi Kronis. Direktorat Pembinaan Kesehatan Masyarakat. Jakarta: Departemen Kesehatan RI.
- Dewey K, Beguo K, (2010). Why stunting matter? Alive & Thrive : 1-5
- Dinkes Kota Padang, (2014). Data jumlah bayi dengan BBLR Kota Padang. Padang: Dinas Kesehatan Kota.
- Dinkes Kota Padang, (2016). Data jumlah ibu hamil KEK Kota Padang. Padang: Dinas Kesehatan Kota.
- Emrah Y, Fulya A, (2013). The insulin-like growth factor system in the human pathology. Reproduction Health: 133-2.
- Fazeli, PK. Kilbanski, A. (2014). Determinants of GH resistance in malnutrition. Journal of Endocrinology : (220) R57-R65.
- Fontana L, Edward P, Weiss, Dennis T, Villareal, Samuel K, John O, (2008). Long-term effects of calorie or protein restriction on serum IGF-1 and IGFBP-3 concentration in humans. Anatomical Society of Great Britain and Ireland: 681–68

- Fowler, DJ. Nicolaides, KH. Miell, JP. (2000). Insulin-like growth factor binding protein-1 (IGFBP-1); a multifunction role in the human female reproductive tract. European Society of Human Reproduction and Embrology, 6(5): 495-504.
- Gatford K, (2014). Circulating IGF1 and IGF2 and SNP genotypes in men and Trimester of Human Pregnancy. Human Reproduction. Vol 13. pp 1389-1393.
- Gaccioli F, Susanne, Lager, Powell T, Jansson T, (2013). Placental transport in response to altered maternal nutrition. J Dev Orig Health Dis, 4 (2): 101-115.
- Ge, X. Wang, Y. Lam, K. Xu, A. (2012). Metabolic action of FGF21 molecular mechanisms and therapeutic implications. Acta Pharmaceutica Sinica B, 2(4): 350-357.
- Gibney, MJ. Margaretts, BM. Kearney, JM. Arab, L. (2011). Gizi Kesehatan Masyarakat. Jakarta: Kedokteran EGC.
- Gibson, R. S., (2005). *Principle Of Nutritional and Assessment*. Oxford University Press. New York.
- Gluckman PD, Pinal CS, (2003). Regulation of Fetal Growth by the Somatotropin Axis. American Society of Nutritional Sciences: 1741S-1746S.
- Greenstein B, Wood D.F, (2007). At a Glance System Endokrin. Jakarta:Erlangga.
- Grissa O, essoufo A, Mrisak I, Hichami A, Amoussou-Guenou D, Grissa A, (2010). Growth factor concentration and their placental mRNA expression are modulated in gestational diabetes mellitus: possible interaction with macrosomia. BMC Pregnancy and Childbirth: 1-10.
- Guntur, AR. Rosen, CJ. (2013). IGF-1 regulation of key signaling pathway in bone. Center for Clinical and Translational Research, Maine Medical Center Research Institute: 437.
- Guyton, AC., & Hall, JE. (2016). Textbook of medical Physiology 13th Edition. USA: Elsevier
- Harris PE, Bouloux PMG, Biller BM, (2003). Endocrinology in Clinical Practice. London:Matin Dunitz.
- Hawkes CP dan Grimberg A, (2015). Insulin-like growth factor-1 is a marker for the nutritional state. *Pediatric Endocrinology Reviews*: 13- 449-511.

- Hellstrom, A. Ley, D. Hansen, L. Hallberg, B. Lofqvist, C. Marter, LV. Weissenbruch,MV. Ramenghi, LA. Beardsall, K.Dunger, D. Hard, AL. Smith,LE. (2016). Insulin-like growth factor 1 has multisystem effect on foetal and prenatal infant development. *Acta Pediatrica*, 105: pp.576-586.
- Higgins, MF. Russell, NE. Crossey, PA. Nyhan, KC. Brazil, DP. McAuliffe, FM. (2012). Maternal and fetal placental growth hormone and IGF axis in type 1 diabetic pregnancy. *Plos One*, 7(2): e29162.
- Holmes MD, Pollak MN, Willent WC, Hankinson SE, (2002). Dietary correlates of plasma insulin-like growth factor 1 and insulin-like growth factor binding protein 3 concentrations. *Cancer Epidemiol Biomarkers*. 11:852-61.
- Holt R, (2002). Fetal programming of the growth homone – insulin like growth factor axis. *J Clin Endocrinol Metabolism*: vol 12 (9): 392-397.
- Husaini, JK. Husaini,MA. Musa, MS. (2007). Keterbatasan penggunaan lingkar lengan atas dalam memonitor status giziwanita hamil beresiko tinggi melahirkan bayi berat lahir rendah. *Buletin Penelitian Kesehatan (Bulletin of Helath Research)* ; vol 35, No.4: 177-186.
- Hwa, V. Fang,P. Derr, MA. Fiegerlove, E. Rosenfeld, RG. (2013). IGF-1 in human growth: lesson from defect in the GH-IGF-Axis. *Nestlé Nutr Inst Workshop Ser*, vol 71, pp 43–55.
- IMO and Neonatal Research Council (NRC). (2009). Implementing Guidelines on Weight Gain Pregnancy.
- Inagaki, T. Lin, VY, Goetz, R. Mohammadi, M. Mangelsdorf, DJ. Kliwer, SA. (2008). Inhibition of growth hormone signaling by the fasting-induced hormone FGF21. *Cell Metab*; 8(1): 77-83.
- Jameson JL, Groot LJ, (2010). *Endocrinology adult and Pediatric*. Philadelphia: Saunders Elsevier.
- Jansson N, Nisfelt A, Gellerstedt M, Wennergren M, Rossander-Hulthen L, Powell TL, et al., (2008). Maternal hormones linking maternal body mass index and dietary intake to birth weight. *Am J Clin Nutr*;(8): 1743-9.
- Jansson N, Pettersson J, (2006). Down-regulation of placental transport of asam amino acids precedes the development of intrauterine growth restriction in rats fed a low protein diet. *J Physiol*: 935-46.
- Jansson T, (2001). Amino acid transporters in the human placenta. *Pediatric res*, 1-14.

Jasson T, Powell TL, (2013). Role of placental nutrient sensing in development programming. Clin Obstet Gynecol: 591-601.

Jibran, A. Hendrina,A. Boo, D. Jose,G. Hui, H. Mark,H. Frank, H. Jane,E. (2012). Weekly intra-amniotic IGF-1 treatment increase growth restricted ovine fetuses and up-regulation placental amino acid transporter. Plos One Journal, 7(5): e37899.

Jonshon AM, Merlini G, Sheldon J, Ichihara K. (2007). Clinical indicaoins for plasma protein Assays: transtgyretin (prealbumin) in imflamation and malnutrition 1) International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) IFCC Scientific Division Committee on Plasma Protein (C-PP). Clin Chem Lab Med 2007;45(3):419-426.

Jung, HJ. Suh, Y. (2014). Regulation of IGF-1 signaling by microRNAs. Frontier in Genetic, vol.5; 472.

Karamizadeh, Z. Saki, S. Kashef, S. (2008). Comparison of umbilical cord and maternalserumlevels of IGF-1, leptin and cortisol in appropriate for gestational age and small for gestational age neonates. International Journal od Endocrinology and Metabolism; (2): 89-94.

Karen B, Soren M, (2010). Insulin-like growth factor-I and the liver. Liver International ISSN: 1478-3223.

Kementrian Kesehatan Republik Indonesia, (2010). Panduan Pelayanan kesehatan Bayi Baru Lahir Berbasis Perlindungan Anak Jakarta: Direktorat Kesehatan Anak Khusus.

Kemenkes RI, (2015). Pedoman Penanggulangan Kurang Energi Kronis (KEK) pada Ibu Hamil. Jakarta: Direktorat Bina Gizi dan Kesehatan Ibu dan Anak.

Kepmenkes, (2016). *Situasi Balita Pendek*. Jakarta. Pusat Data dan Informasi kementrian kesehatan Indonesia. Jakarta.

Kepmenkes, (2017). Tahun 2015, Pemantauan Gizi Dilakukan di Seluruh Kabupaten/Kota di Indonesia. Jakarta: www.depkes.go.id. Tersedia di: www.depkes.go.id/resources/download/pusdatin/.../situasi-balita-pendek2016.pdf [2 Mei 2019].

Khatib Nazli, Shilpa G, Abhay M, Mahanaaz K, PhadamS, Dilip G, Quazi SZ, (2014). Ghrelin: ghrelin as a regulatory peptide in growth hormone secretion. Journal of Clinical and Diagnostic Reasearch; vol.8: MC13-MC17.

- Kucera R, Topolcan O, Pecen L, Kinkorova J, Svobodova S, Windrichova J, Fuchsova R. (2015). Reference values of IGF1, IGFBP3 and IGF1/IGFBP3 ratio in adult population in the Czech Republic. *Journal of Repro*, 02-36.
- Lager S, Powell TL, (2012). Regulation of nutrient transport across the placenta. *Journal of Pregnancy*: 1-14.
- Lang C, Frost R, (2002). Role of growth hormone, insulin-like growth factor 1 and insulin-like growth factor binding protein in the catabolic response to injury and infection. *Curr Opin Nutr Metab care*: 271.
- Laron Z, (2001). Insulin-like Growth Factor 1 (IGF-1): a growth hormone. *J Clin Pathol: Mol Pathol*: 311-6.
- Lewitt M, Dent M, Hall K, (2014). The Insulin-Like Growth Factor System in Obesity, Insulin Resistance and Tipe 2 Diabetes Melitus. Pp 1561-1574.
- Lech R, Zofia G. (2011). Extacellular Matrix remodeling of the Umbilical Cord in Pre-eclampsia as a Risk Factor for Fetal Hypertension. *Journal of Pregnancy*. 11-55.
- Lima R, Neto D, Segre C, Goldenberg S, (2004). Insulin-like growth factor 1 and its binding proteins in health mothers and their newborn. *Einstein*: 105-9.
- Livingstone, C. (2012). The insulin-like growth factor system and nutritional assessment. Hindawi Publishing Corporation Scientifica.
- Lof M, Olausson H, Bostrom K, Janerot-Sjoberd, Sohlstrom A, Forsum E, (2005). Change in basal metabolic rate during pregnancy in relation to changes in body weight and composition, cardiac output, insulin-like growth factor 1, and thyroid hormone and in relation to fetal growth. *Am J Clin Nutr*: 678-685.
- Luo ZC, Nyut AM, Delvin E, Audibert F, Girard I, Shatenstein B, et al. (2012). The mother and IGF-I and IGF-II rate, the fetal growth, and diabetes gestacional. *J Clin Endocrinol Metab* 97: 1720-1728.
- Marlenywati. (2010). Risiko kekurangan energi kronik (KEK) pada ibu hamil remaja (usia 15-19 tahun) di kota Pontianak. Tesis. Fakultas Kesehatan Masyarakat. UI. Depok.
- Miese-looy G, Van Den Hauvel MJ, Edwards AK, Lamare J, Tayade C, (2012). Expression of insulin-like Growth Factor (IGF) Family Members in Porcine Pregnancy. *Journal of Reproduction and Development*. Vol 58. No.1: 52-60.

- Murphy, VE. Smith, R, Giles, WB. Clifton, VL. (2006). Endocrine regulation of human fetal growth: the role of the mother, placenta and fetus. *Endocrine Review*, vol.27, issue 2: 141-169.
- Mutalazimah, (2005). Hubungan lingkar lengan atas (LILA) dan kadar hemoglobin (HB) ibu hamil dengan berat bayi lahir di RSUD Dr.Moewardi Surakarta. *Jurnal Penelitian Sains & Teknologi*; 6(2): 114-126.
- Nahum, G. (2014). Essensial update: New international standards developed for evaluation of newborn size. *Medscape*.
- NDOH, (2015). Guidlenis for Maternity Care in South Africa. A manual for clinics, community health centres and district hospitals. Pp. 1-174.
- Ngare, DK. Neuman, C. (1998). Pediatric of law birthweight at the community level. *East Afr Med journal*; 75(5): 296-9.
- Nilsson-Ehle H, Bengtsson BA, Lindstedt G, et al, (2005). Faktor-1 insulin-like growth adalah prediktor konsentrasi hemoglobin darah pada subyek 70 thn. *Eur J Haematol*; 74: 111-116.
- Nix S, (2005). *William's Basic Nutrition & Diet Therapy, Twelfth Edition*. Elsevier.
- Olausson H, Lof M, Brismar K, Lewitt M, Forsum E, Sholstrom A, (2008). Longitudinal Study of the maternal insulin-like growth factor system before during and after pregnancy in relation to fetal and infant weight. *Hormon Research*, 99-106.
- Old Y, (2015). Riwayat Berat Badan Lahir dengan Kejadian Stunting padanak dibawah dua tahun. pp 67-73.
- Panjeta P, Ghalaut VS, Bala J, Nanda S, Kharb S, (2016). Inverse Correlation between Insulin-like Growth Factor-1 and Leptin Levels in Preeclampsia. *Journal of Basic and Clinical Reproduktive Science*. Vol 5; 94-98.
- Pereire-da-Silva L, (2012). Neonatal anthropometry: A tool to evaluate the nutrition status and predict early andlate risk. In *Handbook of Anthropometry*. SpringerLink: 079-104.
- Perrini, S. Laviola, L. Carreira, CM. Cignarelli, A. Natalicchio, A.Giorgino, F. (2010). The GH/IGF1 axis and signaling pathways in the muscle and bone: mechanisms underlying age-related skeletal muscle wasting and osteoporosis. *Journal of Endocrinology*: 205; 201-210.
- Prawirohardjo S. *Ilmu Kebidanan*. 4 ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo: 2010

Prawirohardjo S, 2011. Ilmu Kebidanan. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo.

Profil Kesehatan Kota Padang. (2016). Angka kejadian KEK pada ibu hamil tahun 2016.

Proverawati A, Asfuah S, (2009). Gizi untuk Kebidanan. Yogyakarta: Mulia Medika.

Proverawati A, Misaroh S, (2010). Nutrisi janin dan ibu hamil. Yogyakarta: Mulia Medika.

Rahmaniar, A. 2013. Faktor-faktor yang berhubungan dengan KEK (Tampa Padang, Sulawesi Barat). Media Gizi Masyarakat Indonesia, Vol.2: 98-103

Riset Kesehatan Dasar (Riskesdas), (2013). Badan penelitian dan pengembangan Kesehatan Kementerian Kesehatan RI. Jakarta:
<http://depkes.go.id/download/riskesdas2013/Hasil%20Riskesdas%202013.pdf>

Reynolds C, Perry J, (2017). Manipulation of the Growth Hormone-Insulin-Like Growth Factor (GH-IGF) Axis: A Treatment Strategy to Reserve the Effects of Early Life Developmental Programming.

Rosenbloom, AL. (2013). Growth Hormone insensitivity. Pediatric Endocrinology: a Practical Clinic of Guide, Second Edition, Contemporary Endocrinology: 29-53.

Rozario KS, Lloyd C, Ryan F, Groot LJ, Beck-Peccoz P, Chrousos G, et al. (2015). Gh and Igf-1 Physiology in Childhood. In: De, editors. Endotext [Internet]. South Dartmouth (MA): Available from:
http://www.ncbi.nlm.nih.gov/books/NB343_487/20.

Sadler TW, (2012). Embriologi Kedokteran Langman. Edisi 12. Jakarta: EGC.

Said SK, Hany SE, Mahmoud ME, Enas SE, Ahmed AZ. (2014). Study of possible correlation between inflammation and bone mineral disorders in chronic kidney disease. IJRSR. 5.1256-61.

Saputri, LA, (2017). Korelasi kadar insulin-like growth factor 1 (IGF-1) serum maternal dengan antropometri bayi baru lahir. Jurnal ilmu keperawatan dan kebidanan, 8(2); 53-60.

Sastroasmoro S, (2011). Pemilihan subjek penelitian. In S Sastroasmoro & S Ismael, Dasar – dasar metodologi penelitian klinis (2 ed., pp. 88-103). Jakarta: Sagung Seto.

- Savona-Ventura, C., Buttigiek, G., Mifsud, M. (2009). GLUT 8, the enigmatic intracellular hexose transporter. *Am J Physiol Endocrinol Metab*:E614-E618.
- Simajuntak, Nelly A. 2009. Hubungan Anemia pada Ibu Hamil dengan Kejadian Bayi Berat Lahir Rendah (BBLR) Rantau Prapat Kabupaten Labuhan Batu Tahun 2008. Medan : Universitas Sumatra Utara
- Schranzhofer M, Schifrer M, Cabrera JA, Kopp S, Chiba P, Beug H, (2006) Remodelling the regulation of iron metabolism during erythroid differentiation to ensure efficient heme biosynthesis. *Blood*; 107: 4159-67.
- Sferuzzi-Perrini A, Owens J, Peringle K, Roberts C, (2011). The neglected role of insulin-like growth factor inmaternal circulation regulating fetal growth. *The Journal of physiology*; 589 (1): 7-20.
- Sherwood, L. (2011). Fisiologi Manusia Dari sel ke Sistem. Jakarta: EGC
- Shibata, A., Harris, D., Billings P. (2002). Concentration of estrogen and IGFs in umbilical cord blood plasma: a comparison among Caucasians, Hispanics, and Asian-American females. *Journal of Clinical Endocrinology and Metabolism*:810-5.
- Soliman AT, Eldabbagh M, Adel A, Sabt A, (2012). Pertumbuhan Linear dan beredar konsentrasi IGF-I pada anak dengan anemia defisiensi besi setelah pengobatan. *Arch Dis Child*; 97: A220.
- Soltani H, Lipoeto NL, Fair FJ, Kliner K, Yusrawati Y. (2017). Pre-pregnancy Body Mass Index and Gestational Weight Gain And Their Effect On Pregnancy Birth Outcomes : a Cohort Study in West Sumatera. *BMC Womens's Health*. 17:102.
- Speroff, L. Fritz, MA. (2005). Clinical Gynecologic Endocrinology and Infertility. Philadelphia: Lippincott Williams & Wilkins.
- Succorso E, Arturi F, Vittoria C, Rudi S, Sciacqua A, Andreozzi F, et al.(2010). Low Insulin-like growth factor-1 levels are associated with anaemia in adult non-diabetic subjects. *Thromb Haemost*. 105: 365-370.
- Sunarno. Negara,W. Mose, JC. Manoe, M. (2009). Korelasi insulin like growth factor-1, anemia defisiensi besi dan biometri janin pada kehamilan trimester III. *Ginekol Indones*, vol 33: 3.
- Supariasa, IDN. Bakri, B. Fajar, I. (2001). Penilaian status gizi. Jakarta: EGC.

- Suwitra K. (2014). Gangguan ginjal kronis. In: Setiati S, Alwi I, Sudoyo Aw, Simadibrata M, Setiyohadi B, Syam AF, Editors. Buku Ajar Ilmu penyakit Dalam (6th ed). Jakarta: INterna Publishing. p. 2159-65.
- Terry, J. (2010). Insulin like growth factor-1 regulation on immune function: A potential therapeutic target in autoimmune disease. *Pharmacology review*, 62: 199-236.
- Tracy, S.K., D.L., Tracy, M.B., *et al.* (2013). Caseload Midwifery Care Versus Standard Maternity Care for Woman of Any Risk: Mango, a Randomised Controlled Trial. Midwifery and Women's Health Research Unit. University of Sidney, Royal Hospital for Women, Randwick, NSW, Australia.
- Wagey FW, Joice K, Indriani, (2013). IGF-1 levels related to incidence of macrosomia. *Majalah Obstetric dan Ginekologi*: 121-4.
- Waryono, (2010). *Gizi Reproduksi*. Yogyakarta : Pustaka Rihama.
- Wibowo T, (2010). Buku saku pelayanan kesehatan neonatal esensial. Pedoman teknis pelayanan kesehatan dasar. Jakarta: Kementerian Kesehatan RI.
- 
- Wuriyanti A. 2010. Hubungan Anemia dalam Kehamilan dengan Pendarahan Postpartum karena Atonia Uteri di RSUD Wonogiri. Surakarta: Universitas Sebelas Maret.
- World Health Organization, 2011. Optimal feeding for low birthweight infants in low and middle-income countries: World Health Organization.
- Xuan Ge. Wang, Y. Lam, K. Xu, A. (2012). Metabolic action of FGF21 molecular mechanisms and therapeutic implications. *Acta Pharmaceutica Sinica B*. 2(4): 350-357
- Yang MJ, Tseng JY, Chen CY, Yeh CC, (2013). Changes in maternl serum insulin-like growth factor-1 during pregnency and it's relationship to maternal anthropometry. *Journal of Chinese medical association*; (76); 635-639.
- Yazdani S, Yosofniyapasha Y, Nasab B, Mojaveri M, Bouzari Z, (2012). Effect of maternal body mass index on pregnancy outcome and newborn weight. *biomed Central Research*: 1-4.
- Zuhairini Y, Kasmanto H, Nugraha GI, (2014). Indeks Massa Tubuh Awal Kehamilan Ibu sebagai Indikator yang paling Berperan terhadap kenaikan Berat Badan ibu Selama Hamil. Departemen Ilmu Gizi Medik Fakultas Kedokteran Universitas Padjajaran. Vol 48. No.3.

