

DAFTAR PUSTAKA

- A.Kasandra. (2016). *Aplikasi Cognitive Behaviour dan Behaviour Activation Dalam Intervensi Klinis*. Jakarta: Grafindo Books Media.
- Ahlers-Schmidt, C. R., Hart, T., Chesser, A., Williams, K. S., Yaghmai, B., Shah-Haque, S., & Wittler, R. R. (2012). Using Human Factors Techniques to Design Text Message Reminders for Childhood Immunization. *Health Education and Behavior*, 39(5), 538–543. <https://doi.org/10.1177/1090198111420866>
- Ajzen, I. (1991). *The Theory of Planned Behavior*. Organizational Behaviour And Human Decision Processes 50,179-211 (Ed.) Copyright by Academic Press, Inc. Department of Psychology, University of Massachusetts, Amherst, MA.
- Alamsyah, A. (2017). Determinan Perilaku Merokok Pada Remaja. *Jurnal Endurance*, 2(1), 25. <https://doi.org/10.22216/jen.v2i1.1372>
- Alkhalidi, G., Hamilton, F. L., Lau, R., Webster, R., Michie, S., & Murray, E. (2016). The effectiveness of prompts to promote engagement with digital interventions: A systematic review. *Journal of Medical Internet Research*, 18(1). <https://doi.org/10.2196/jmir.4790>
- Anglano, C. (2014). Forensic analysis of whats app messenger on Android smartphones. *Digital Investigation*, 11(3), 201–213. <https://doi.org/10.1016/j.diin.2014.04.003>
- Arikunto. (2014). *Prosedur Penelitian: Suatu pendekatan praktik* (Cetakan Ke). Jakarta: PT Rineka Cipta.
- Azagba, S. (2016). School bullying and susceptibility to smoking among never-trying cigarette smoking students. *Preventive Medicine*, 85, 69–73. <https://doi.org/10.1016/j.ypmed.2016.01.006>
- Bailey, S. R., Ba, S. A. H., Ba, C. J. J., Harrison, C. T., Ammerman, S., Ma, S. W. B., ... Killen, J. D. (2013). A Randomized Clinical Trial of the Efficacy of Extended Smoking Cessation Treatment for Adolescent Smokers. 15(10), 1655–1662. <https://doi.org/10.1093/ntr/ntt017>
- Battagliese, G., Caccetta, M., Luppino, O. I., Baglioni, C., Cardi, V., Mancini, F., & Buonanno, C. (2015). Cognitive-behavioral therapy for externalizing disorders: A meta-analysis of treatment effectiveness. *Behaviour Research and Therapy*, 75, 60–71. <https://doi.org/10.1016/j.brat.2015.10.008>
- Benowitz NL. The Use of Biologic Fluid Samples In Assessing Tobacco Smoke

- Consumption. In: Grabowski J, Bell CS. National Institute on Drug Abuse Research Monograph 48. Maryland:National Institute on Drug Abuse; 1983.p 626
- Benjamin, C. L., Puleo, C. M., Settapani, C. A., Brodman, D. M., Edmunds, J. M., Cummings, C. M., & Kendall, P. C. (2011). History of Cognitive- Behavioral Therapy in Youth. *Child and Adolescent Psychiatry Clinics of NA*, 20(2), 179–189. <https://doi.org/10.1016/j.chc.2011.01.011>
- Bittoun, R. (2008). Carbon Monoxide Meter: The Essential Clinical Tool-The “Stethoscope”-Of Smoking Cessation. *Journal of Smoking Cessation*, 3(2), 69–70. <https://doi.org/10.1375/jsc.3.2.69>
- Bock, B., Heron, K., Jennings, E., & Morrow, K. (2013). *A Text Message Delivered Smoking Cessation Intervention : The Initial Trial of TXT-2-Quit : Randomized Controlled Trial Corresponding Author : 1(2)*. <https://doi.org/10.2196/mhealth.2522>
- Bramer, S. L., & Kallungal, B. A. (2003). Clinical considerations in study designs that use cotinine as a biomarker. *Biomarkers*, 8(4/3), 187–203. <https://doi.org/10.1080/13547500310012545>
- Bush, T., Hsu, C., Levine, M. D., Magnusson, B., & Miles, L. (2014). Weight gain and smoking : perceptions and experiences of obese quitline participants. *BMC Public Health 2014*, 14:1229, 1–9.
- Caldwell, J. C. (1977). Towards a restatement of demographic transition theory. *The Persistence of High Fertility. Population Prospects in the Third World*, 2(3), 25–122. <https://doi.org/10.2307/1971615>
- Cavallo, D. A., Cooney, J. L., Duhig, A. M., Smith, A. E., Liss, T. B., Mcfetridge, A. K., ... Rounsaville, B. J. (2007). *Combining Cognitive Behavioral Therapy with Contingency Management for Smoking Cessation in Adolescent Smokers : A Preliminary Comparison of Two Different CBT Formats*. 468–474. <https://doi.org/10.1080/10550490701641173>
- Chang, G., H, M. P., Sherritt, L., H, M. P., Knight, J. R., & D, M. (2005). *Adolescent cigarette smoking and mental health symptoms*. 36, 517–522. <https://doi.org/10.1016/j.jadohealth.2004.05.008>
- Chatkin, J., Fritscher, L., De Abreu, C., Cavalet-Blanco, D., Chatkin, G., Wagner, M., & Fritscher, C. (2007). Exhaled carbon monoxide as a marker for evaluating smoking abstinence in a Brazilian population sample. *Primary Care Respiratory Journal*, 16(1), 36–40. <https://doi.org/10.3132/pcrj.2007.00008>
- Chulani, V. L., & Gordon, L. P. (2014). *A d o l e s c e n t G r o w t h a n d*

- Development. *Primary Care Clinics in Office Practice*, 41(3), 465–487. <https://doi.org/10.1016/j.pop.2014.05.002>
- Chun, J., Jin, Y., & Kil, S. (2012). Children and Youth Services Review Effectiveness of smoking cessation program for male adolescents in South Korea ☆. *Children and Youth Services Review*, 34(1), 304–310. <https://doi.org/10.1016/j.chilyouth.2011.10.029>.
- Colby, S. M., Monti, P. M., Tevyaw, T. O. L., Barnett, N. P., Spirito, A., Rohsenow, D. J., ... Lewander, W. (2005). Brief motivational intervention for adolescent smokers in medical settings. *Addictive Behaviors*, 30(5), 865–874. <https://doi.org/10.1016/j.addbeh.2004.10.001>
- Cole-lewis, H., & Kershaw, T. (2015). *Text Messaging as a Tool for Behavior Change in Disease Prevention and Management*. 32, 56–69. <https://doi.org/10.1093/epirev/mxq004>
- Conrad, M., Gorke, S. M., & Kassel, J. (2015). Smoking eTM's effects on respiratory sinus arrhythmia in adolescent smokers ☆. *International Journal of Psychophysiology*, 97(1), 8–13. <https://doi.org/10.1016/j.ijpsycho.2015.05.002>
- Crowe, K., & McKay, D. (2017). Efficacy of cognitive-behavioral therapy for childhood anxiety and depression. *Journal of Anxiety Disorders*, 49, 76–87. <https://doi.org/10.1016/j.janxdis.2017.04.001>
- Cunnington, A. J., & Hormbrey, P. (2002). Breath analysis to detect recent exposure to carbon monoxide. *Postgraduate Medical Journal*, 78(918), 233–237. <https://doi.org/10.1136/pmj.78.918.233>
- Curtis, Alexa C. (2015) "Defining adolescence," *Journal of Adolescent and Family Health: Vol. 7 : Iss. 2*, Article 2. Available at: <https://scholar.utc.edu/jafh/vol7/iss2/2>
- Dahal, S., Rk, S., Maharjan, S., & Maharjan, J. (2014). Smoking behavior of adolescents and their view towards government eTM's ban on smoking in public places in Kathmandu. *NJMS / Volume 03 / Number 02 / July-December 2014*, 3(2).
- Deveci, S. E., Deveci, F., Aik, Y., & Ozan, A. T. (2004). The measurement of exhaled carbon monoxide in healthy smokers and non-smokers. *Respiratory Medicine*, 98(6), 551–556. <https://doi.org/10.1016/j.rmed.2003.11.018>
- Dharma, K. (2015). *Metodologi Penelitian Keperawatan (Pedoman Melaksanakan dan Menerapkan Hasil Penelitian)* (Revisi Tah). Depok: Perpustakaan Nasional.

- Do, K. T., Galván, A., & Ph, D. (2016). Neural Sensitivity to Smoking Stimuli Is Associated With Cigarette Craving in Adolescent Smokers. *Journal of Adolescent Health*, 58(2), 186–194. <https://doi.org/10.1016/j.jadohealth.2015.10.004>
- Dorsey, S., McLaughlin, K. A., Kerns, S. E. U., Harrison, J. P., Lambert, H. K., Briggs, E. C., ... Amaya-Jackson, L. (2017). Evidence Base Update for Psychosocial Treatments for Children and Adolescents Exposed to Traumatic Events. *Journal of Clinical Child and Adolescent Psychology*, 46(3), 303–330. <https://doi.org/10.1080/15374416.2016.1220309>
- Du, Y., Palmer, P. H., Sakuma, K., Blake, J., & Johnson, C. A. (2015). The association between family structure and adolescent smoking among multicultural students in Hawaii. *PMEDR*, 2, 206–212. <https://doi.org/10.1016/j.pmedr.2015.03.002>
- Erb, P., Raiff, B. R., Meredith, S. E., & Dallery, J. (2013). The accuracy of a lower-cost breath carbon monoxide meter in distinguishing smokers from non-smokers. *Journal of Smoking Cessation*, 10(1), 59–64. <https://doi.org/10.1017/jsc.2013.37>
- Erfantinni, I. H. (2014). Studi tentang perilaku merokok siswa SMA Se-kecamatan Ponorogo. *Ejournal.Unesa.Ac.Id*, Vol.4 No.3, 406–412. Retrieved from <http://ejournal.unesa.ac.id/article/11276/13/article.pdf>
- Eugen, I., Cornelia, I., & Aurelia, D. (2015). International Conference EDUCATION AND PSYCHOLOGY CHALLENGES - TEACHERS Like Parents , like Teenagers : A Romanian Youth Smoking Overview. *Procedia - Social and Behavioral Sciences*, 203, 361–366. <https://doi.org/10.1016/j.sbspro.2015.08.308>
- Fathin, F. (2015). Analisis Faktor-Faktor Penyebab Perilaku Merokok Remaja di SMK X Surakarta. *Jurnal Kesehatan Masyarakat (E-Journal)*, 3(3), 887–897.
- Giordano, V., Koch, H. A., Mendes, C. H., Bergamin, A., de Souza, F. S., & do Amaral, N. P. (2015). WhatsApp messenger is useful and reproducible in the assessment of tibial plateau fractures: Inter- and intra-observer agreement study. *International Journal of Medical Informatics*, 84(2), 141–148. <https://doi.org/10.1016/j.ijmedinf.2014.11.002>
- Gold, J., Lim, M. S., Hellard, M. E., Hocking, J. S., & Keogh, L. (2010). What's in a message? Delivering sexual health promotion to young people in Australia via text messaging. *BMC Public Health*, 10. <https://doi.org/10.1186/1471-2458-10-792>

- Graf, D. (2017). *Die Theorie des geplanten Verhaltens 3 Die Theorie des geplanten Verhaltens*. (December). <https://doi.org/10.1007/978-3-540-68166-3>
- Halpern-felsher, B. L., Thompson, P. J., & Millstein, S. G. (2015). *Adolescents Discriminate Between Types of Smokers and Related Risks : Evidence From Nonsmokers*. 18(6). <https://doi.org/10.1177/0743558403254782>
- Hayes, S. C., Luoma, J. B., Bond, F. W., Masuda, A., & Lillis, J. (2006). Acceptance and Commitment Therapy: Model, processes and outcomes. *Behaviour Research and Therapy*, 44(1), 1–25. <https://doi.org/10.1016/j.brat.2005.06.006>
- Head.J.K., Noar.S.M., Iannarino.N.T., Harrington.N.G.(2013). *Efficacy of text messaging-based interventions for health promotion: A meta-analysis*. *Journal of social & Medicine* 97. 41.48.<http://dx.doi.org/10.1016/J.Socscimed.2013.08.003>
- Heatherton FT, Kozlowski TL, Frecker CR. TheFagerstromTest ffor Nicotine Dependence; a Revision of theFagerstromTolerance Questionnaire. *British Journal of Addiction*. 1991;86:1119-27.
- Hernández-López, M., Luciano, M. C., Bricker, J. B., Roales-Nieto, J. G., & Montesinos, F. (2009). Acceptance and Commitment Therapy for Smoking Cessation: A Preliminary Study of Its Effectiveness in Comparison With Cognitive Behavioral Therapy. *Psychology of Addictive Behaviors*, 23(4), 723–730. <https://doi.org/10.1037/a0017632>
- Hidayat, A. (2009). *Metode Penelitian Keperawatan dan Teknik Analisis Data*. Jakarta: Salemba Medika.
- Hurlock, E. B. (1980). *Psikologi Perkembangan: Suatu pendekatan sepanjang rentang kehidupan* (Edisi Keli). Jakarta: Penerbit Erlangga.
- International Programme on Chemical Safety. Environmental Health Criteria 13. Carbon Monoxide. [Online]. 1979 [cited 2012 July 7]; Available from: URL:<http://www.inchem.org/documents/ehc/ehc013.htm#sectionNumber::3.2>
- Jaringan Dokumentasi & Informasi Hukum. Sekretariat Kabinet RI (2017).*Peraturan Pemerintah RI Nomor 109 Th.2012*. <https://jdih.setneg.go.id/>
- Jarvis MJ, Russel MAH, Saloojee Y. Expired air carbon monoxide : a sample breath test of tobacco smoke intake. *Br Med J* 1980;281:484-5
- Jelalian, E., Jandasek, B., Wolff, J. C., Seaboyer, L. M., Jones, R. N., & Spirito, A. (2019). Cognitive-Behavioral Therapy Plus Healthy Lifestyle Enhancement for Depressed, Overweight/Obese Adolescents: Results of a Pilot Trial. *Journal of Clinical Child and Adolescent Psychology*, 48(sup1), S24–S33. <https://doi.org/10.1080/15374416.2016.1163705>
- Jin Suk Ra, PhD, RN, NNP, Mi Sook Jung, PhD, R. (2018). *School-related factors*

affecting smoking intention among Korean middle school students.
<https://doi.org/10.1016/j.apnr.2017.01.007>.

- Johnston, M. J., King, D., Arora, S., Behar, N., Athanasiou, T., Sevdalis, N., & Darzi, A. (2015). Smartphones let surgeons know WhatsApp: An analysis of communication in emergency surgical teams. *American Journal of Surgery*, 209(1), 45–51. <https://doi.org/10.1016/j.amjsurg.2014.08.030>.
- Josep J.Pear & Garry L.Martin. (2012). Behaviour Modification, Behaviour Therapy, Applied Behaviour Anlysis and Learning. In *Encyclopedia of the Sciences of Learning*. <https://doi.org/10.1007/978-1-4419-1428-6>
- Kaplan, H. ., Sadock, B. ., & Grebb, J. . (2010). *Sinopsis Psikiatri* (Jilid 1). Tangerang: Binarupa Aksara.
- Kendrick AH. Exhaled Carbon Monoxide Devices in Smoking Cessation: Physiology, Controversies and Equipment. In: *The Buyers Guide to Respiratory Care Products: Departement of Respiratory Medicine*. Bristol Royal Infirmary. Bristol; 2012.
- Kementrian Kesehatan RI. (2018). *Pedoman Pengendalian Risiko Kanker Paru* (pp. 1–13). pp. 1–13.
- Khairani Wittin. (2019). Jiubj 1. *Jurnal Ilmiah Universitas Batanghari Jambi*, 19(3), 565–569. <https://doi.org/10.33087/jiubj.v19i3.723>
- Kharitonov, S. A., & Barnes, P. J. (2001). State of the Art Exhaled Markers of Pulmonary Disease. *Am. J. Respir. Crit. Care Med.*, 163(1), 1693–1722.
- Kosen soewarta, Hasbullah Thabrany, Nunik Kusumawardani, S. M. (2017). *Health and Economic Costs of Tobacco in Indonesia*.
- Krishnan-sarin, S. (2015). *Update of Adolescent Smoking Cessation Interventions : 2009 – 2014*. 15–23. <https://doi.org/10.1007/s40429-015-0040-4>
- Kumar, R., Prakash, S., Kushwah, A. S., & Vijayan, V. K. (2010). Breath carbon monoxide concentration in cigarette and bidi smokers in India. *The Indian Journal of Chest Diseases & Allied Sciences*, 52(1), 19–24.
- Kumar R, Mahakud GC, Nagar JK. Breath Carbon Monoxide LEvel of Non Smokers Exposed to Environtmental Tobacco Smoke. *The Indian Journal of Chest Dieases and Allied Sciences*. 2011;53.

- Lauren M. Dutraa,*, S. A. G. pd. (2018). *Thirty-day smoking in adolescence is a strong predictor of smoking in young adulthood.*
- Lee, J., Halpern-felsher, B. L., & Ph, D. (2011). *What Does It Take to Be a Smoker? Adolescents' Characterization of Different Smoker Types.* *13*(11), 1106–1113. <https://doi.org/10.1093/ntr/ntr169>
- Liao, Y., Wu, Q., Tang, J., Zhang, F., Wang, X., Qi, C., ... Cohen, J. (2016). The efficacy of mobile phone-based text message interventions (“ Happy Quit ”) for smoking cessation in China. *BMC Public Health*, 1–11. <https://doi.org/10.1186/s12889-016-3528-5>.
- Lim, K. H., Lim, H. L., Teh, C. H., Kee, C. C., Khoo, Y. Y., & Ganapathy, S. S. (2017). *Smoking among school-going adolescents in selected secondary schools in Peninsular Malaysia- findings from the Malaysian Adolescent Health Risk Behaviour (MyaHRB) study.* 1–8. <https://doi.org/10.1186/s12971-016-0108-5>
- Low, E. C. T., Ong, M. C. C., & Tan, M. (2004). Breath carbon monoxide as an indication of smoking habit in the military setting. *Singapore Medical Journal*, *45*(12), 578–582.
- Lubis, I. K., Harjoko, A., Sari, F., Dewi, T., Studi, P., Matematika, F., ... Mada, G. (2016). *Desain Sistem Pengingat Berbasis SMS untuk Meningkatkan Kepatuhan Pengobatan Pasien Diabetes Melitus.* *1*(1), 3–9.
- Luji Lukas & Lubis Dina Putri. (2017). *Hubungan Perilaku Merokok Dengan Persepsi Remaja Perokok Tentang Harga Diri.* *8*(1), 8–15.
- Luma, M. S. (2014). Penerapan Konseling Kelompok Kognitif Perilaku Untuk Mengurangi Perilaku Merokok Siswa Kelas XI SMA Muhammadiyah Surabaya. Bimbingan dan Konseling, Fakultas Ilmu Pendidikan Universitas Negeri Surabaya.
- Macpherson, L., Myers, M. G., & Diego, S. (2014). Adolescent definitions of change in smoking behavior: An investigation. *NIH Public Access*, (November 2006). <https://doi.org/10.1080/14622200600910827>
- Mak, Y. W., & Loke, A. Y. (2015). *The acceptance and commitment therapy for smoking cessation in the primary health care setting: a study protocol.* 1–7. <https://doi.org/10.1186/s12889-015-1485-z>
- McDonald, P., Colwell, B., Backinger, C. L., Husten, C., & Maule, C. O. (2003). Better Practices for Youth Tobacco Cessation: Evidence of Review Panel. *American Journal of Health Behavior*, *27*(SUPPL. 2), 144–158. <https://doi.org/10.5993/ajhb.27.1.s2.5>

- Melda, S. (2017). Faktor-Faktor Penyebab Remaja Merokok. *5*(4), 102–116. eJournal Sosiatri-Sosiologi 2017, 5 (4): 102-116.ISSN 0000-0000, ejournal.sos.fisip-unmul.ac.id
- Middleton, E. T., & Morice, A. H. (2000). Breath carbon monoxide as an indication of smoking habit. *Chest*, *117*(3), 758–763. <https://doi.org/10.1378/chest.117.3.758>
- Minary, L., Cambon, L., Martini, H., Wirth, N., Acouetey, D. S., Thouvenot, F., ... Alla, F. (2013). *Efficacy of a smoking cessation program in a population of adolescent smokers in vocational schools : a public health evaluative controlled study.*
- Moriano, G. T. J. A. (2012). Explanation Of High School Student Smoking Behaviour : A Structural Equation Model Approach With The Theory Of Plnned. *10*, 172–182.
- Morissette, S. B., Tull, M. T., Gulliver, S. B., Kamholz, B. W., & Zimering, R. T. (2007). *Anxiety , Anxiety Disorders , Tobacco Use , and Nicotine : A Critical Review of Interrelationships.* *133*(2), 245–272. <https://doi.org/10.1037/0033-2909.133.2.245>
- Mulyani, T. S. . (2015). *Dinamika perilaku merokok pada remaja.* Universitas Muhammadiyah Surakarta.
- Mussener, E. al. (2016). *Effectiveness of Short Message Service Text-Based Smoking Cessation Intervention Among University Students A Randomized Clinical Trial.* <https://doi.org/10.1001/jamainternmed.2015.8260>
- Nisa, N. K. (2018). *Pengaruh Psikoedukasi Dan Interactive Nursing Reminder Berbasis Short Message Services Dengan Pendekatan Teori Lawrence Green Terhadap Peningkatan Kualitas Hidup Klien Tuberkulosis.* Perpustakaan Unair, Surabaya.
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan.* Jakarta: Rineka Cipta.
- Naughton.F.,Jamison.J., Boase.S., Sloan.M., Gilbert.H., Prevost.A.T, Mason.D, Smith.S, Brimicombe.J, Evans.R & Sutton.S. *Randomized controlled trial to assess the short-term effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care (iQuit in Practice)* Society for the Study of Addiction.[doi:10.1111/add.12556](https://doi.org/10.1111/add.12556).
- Nurkamal, E., Nursalim, & Darmawan, S. (2014). Faktor-Faktor Yang Mempengaruhi Kebiasaan Dan Perilaku Merokok Siswa Kelas Xii Sma Negeri 2 Pare-Pare. *Jurnal Ilmiah Kesehatan Diagnosis*, *4*(2), 169–175.

- Papalia, D. E. et. a. (2008). *Human Development (Psikologi Perkembangan)*. Jakarta: Kencana.
- Park, S. E., Lee, K., Yun, S., & Cui, W. (2018). Structural model of factors in influencing smoking behavior among Korean – Chinese adolescent boys. *Applied Nursing Research*, 27(3), 192–197. <https://doi.org/10.1016/j.apnr.2014.01.002>
- Patten, C. A., Ms, O. F., Ba, M. M. K. H., Lpn, C. A. S., Ms, P. A. D., Bs, R. B., ... Ms, K. P. O. (2014). *Tobacco Cessation Treatment for Alaska Native Adolescents: Group Randomized Pilot Trial*. 16(6), 836–845. <https://doi.org/10.1093/ntr/ntu004>
- Pbert, L., Druker, S., Joseph, R., Gorak, D., Reed, G., Magner, R., ... Osganian, S. (2015). *Effectiveness of a School Nurse – Delivered Smoking- Cessation Intervention for Adolescents*. 926–936. <https://doi.org/10.1542/peds.2011-0520>
- Perhimpunan Dokter Paru Indonesia. Berhenti Merokok. Pedoman Penatalaksanaan untuk Dokter di Indonesia. Jakarta: Perhimpunan Dokter Paru Indonesia; 2011.p. 28-81.
- Periantalo, J. (2016). *Penelitian Kuantitatif Untuk Psikolog*. Yogyakarta: Pustaka Pelajar.
- Rambe, P., & Bere, A. (2013). Using mobile instant messaging to leverage learner participation and transform pedagogy at a South African University of Technology. *British Journal of Educational Technology*, 44(4), 544–561. <https://doi.org/10.1111/bjet.12057>
- Reus, V. I., Prochaska, J. J., & Robbins, J. A. (2011). *Using Extended Cognitive Behavioral Treatment and Medication to Treat Dependent Smokers*. 101(12), 2349–2356. <https://doi.org/10.2105/AJPH.2010.300084>
- RISKESDAS. (2013). Riset Kesehatan Dasar; Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI Tahun 2010. *Laporan Nasional 2010*, 1–446. <https://doi.org/10.2105/AJPH.2010.300084> Desember 2013
- Ruth Roemer, JD, Allyn Taylor, JSD, JD, and Jean Lariviere, M. (2005). Origins of the WHO Framework Convention on Tobacco Control. *American Journal of Public Health*, 95(6), 936–938. <https://doi.org/10.2105/AJPH.2003.025908>
- Santos U, dkk. Use of breath carbonmonoxide an indicator of the status tuxedo. *Journal of Pneumonology*. 2001;27;231-

- Sachser, C., Keller, F., & Goldbeck, L. (2017). Complex PTSD as proposed for ICD-11: validation of a new disorder in children and adolescents and their response to Trauma-Focused Cognitive Behavioral Therapy. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 58(2), 160–168. <https://doi.org/10.1111/jcpp.12640>
- Sandberg, A. S., Sköld, C. M., Grunewald, J., Eklund, A., & Wheelock, Å. M. (2011). Assessing recent smoking status by measuring exhaled carbon monoxide levels. *PLoS ONE*, 6(12). <https://doi.org/10.1371/journal.pone.0028864>
- Sanjiwani, Ni Luh Putu & Budisetyani, I. G. A. P. (2014). Pola Asuh Permisif Ibu dan Perilaku Merokok Pada Remaja Laki-Laki di Sma Negeri 1 Semarang. *Jurnal Psikologi Udayana*, 1(2), 344–352.
- Sari, A. (2019). Perilaku Merokok di Kalangan Siswa Sekolah Menengah Atas di Kota Padang. *Jurnal Ilmiah Kesehatan Masyarakat*, 11, 238–244.
- Siqueira, L. M., On, C., & Use, S. (2017). *Nicotine and Tobacco as Substances of Abuse in Children and Adolescents*. 139(1), 1–15. <https://doi.org/10.1542/peds.2016-3436>
- Smedslund, G., Hammerstrøm, K. T., Karlsen, K., Steiro, A., Berg, R. C., Dahl, H. M., & Leiknes, K. A. (2009). Motivational Interviewing for Substance Abuse: A Systematic Review. *Campbell Systematic Reviews*, (6). Retrieved from <http://campbellcollaboration.org/lib/project/100/>
- So, E. S., & Yeo, J. Y. (2015). Factors Associated with Early Smoking Initiation among Korean Adolescents. *Asian Nursing Research*, 9(2), 115–119. <https://doi.org/10.1016/j.anr.2015.05.002>
- Spohr, S. A., Nandy, R., Gandhiraj, D., Vemulapalli, A., Anne, S., & Walters, S. T. (2015). Efficacy of SMS Text Message Interventions for Smoking Cessation: A Meta-Analysis. *Journal of Substance Abuse Treatment*, 56, 1–10. <https://doi.org/10.1016/j.jsat.2015.01.011>
- Stadie, W. C., & Martin, K. A. (1925). the Elimination of Carbon Monoxide From the Blood. *Journal of Clinical Investigation*, 2(1), 77–91. <https://doi.org/10.1172/jci100035>
- Stefini, A., Salzer, S., Reich, G., Horn, H., Winkelmann, K., Bents, H., ... Kronmüller, K. T. (2017). Cognitive-Behavioral and Psychodynamic Therapy in Female Adolescents With Bulimia Nervosa: A Randomized Controlled Trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 56(4), 329–335. <https://doi.org/10.1016/j.jaac.2017.01.019>

- Strong, D. R., Kahler, C. W., Leventhal, A. M., Abrantes, A. M., Lloyd-Richardson, E., Niaura, R., & Brown, R. A. (2009). Impact of bupropion and cognitive-behavioral treatment for depression on positive affect, negative affect, and urges to smoke during cessation treatment. *Nicotine and Tobacco Research*, *11*(10), 1142–1153. <https://doi.org/10.1093/ntr/ntp111>
- Stuart, G. . (2016). *Prinsip dan Praktik Keperawatan : Keperawatan Kesehatan Jiwa Stuart*. (Edisi Indo; E. K.Budi Anna, Ed.). Singapore: Elsevier (Singapura)Pte.Ltd.
- Sugiyono. (2016). *Metodologi Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV Alfabeta.
- Sugiyono. (2018). *Metode Penelitian Kuantitatif* (Cetakan ke). Bandung: Penerbit Alfabeta.
- Tindle, H. A., & Shiffman, S. (2011). *Smoking Cessation Behavior Among Intermittent Smokers Versus Daily Smokers*. *101*(7), 7–9. <https://doi.org/10.2105/AJPH.2011.300186>
- Topa, G. (2010). *Theory of planned behavior and smoking : meta-analysis and SEM model*. 23–33. <https://doi.org/10.2147/SAR.S15168>
- United States Department of Health and Human Services. (2014). The Health Consequences of Smoking—50 Years of Progress A Report of the Surgeon General. *A Report of the Surgeon General*, 1081. <https://doi.org/NBK179276>
- Urrutia-pereira, M., Oliano, V. J., Aranda, C. S., Mallol, J., & Solé, D. (2017). Prevalence and factors associated with smoking among adolescents & , &&. *Jornal de Pediatria*, *93*(3), 230–237. <https://doi.org/10.1016/j.jpmed.2016.07.003>
- van den Brink, G., Stapersma, L., Marroun, H. El, Henrichs, J., Szigethy, E. M., Utens, E. M., & Escher, J. C. (2016). Effectiveness of disease-specific cognitive-behavioural therapy on depression, anxiety, quality of life and the clinical course of disease in adolescents with inflammatory bowel disease: study protocol of a multicentre randomised controlled trial (HAPPY-I. *BMJ Open Gastroenterology*, *3*(1), 1–10. <https://doi.org/10.1136/bmjgast-2015-000071>
- Wald, N. J., Idle, M., Boreham, J., & Bailey, A. (1981). Carbon monoxide in breath in relation to smoking and carboxyhaemoglobin levels. *Thorax*, *36*(5), 366–369. <https://doi.org/10.1136/thx.36.5.366>
- Whittaker, R., McRobbie, H., Bullen, C., Borland, R., Rodgers, A., & Gu, Y. (2012). *Mobile phone-based interventions for smoking cessation (Review)*. (11).

- Widiansyah, M. (2014). *Faktor-faktor Penyebab Perilaku Remaja Perokok Di Desa Sidorejo Kabupaten Penajam Paser Utara*. 2(4), 1–12. Retrieved from ISSN 0000-0000 , ejournal.sos.fisip.unmul © Copyright 2014
- Wijayanti, E., dkk. (2017). *Faktor-faktor yang Berhubungan dengan Perilaku Merokok pada Factors Associated with Teenager ' s Smoking Behavior at*. 5(March), 194–198. <https://doi.org/DOI:> <http://dx.doi.org/10.29313/gmhc.v5i3.2298>
- Windira, R. S. (2016). Hubungan persepsi visual gambar patologi bahaya merokok pada bungkus rokok dengan perilaku merokok pada remaja di SMKN 2 Jember. In *Digital Repository Universitas Jember*. <https://doi.org/10.1242/jcs.150862>
- Workshop Fakultas Ilmu Keperawatan UI. (2017). *Modul Terapi Keperawatan Jiwa*. Depok.
- World Health Organization. (1993). *The Health of young people : a challenge and a promise*. World Health Organization. (WHO) <https://apps.who.int/iris/handle/10665/37353>
- World Health Organization. (2018). *WHO global report on trends in prevalence of tobacco smoking 2000-2025 , second edition ISBN 978-92-4-151417-0 Suggested citation : Suggested citation : WHO report on trends in prevalence of tobacco smoking second WHO global report on trends in pre*.
- Wortley, P. M., Husten, C. G., Troscclair, A., Chrismon, J., & Pederson, L. L. (2003). *Nondaily smokers : A descriptive analysis*. 5(5), 755–759. <https://doi.org/10.1080/1462220031000158753>
- Ybarra, L.M., E. all. (2013). *Pilot RCT Results of Stop My Smoking USA : A Text Messaging – Based Smoking Cessation Program for Young Adults*. 15(8), 1388–1399. <https://doi.org/10.1093/ntr/nts339>
- Zhang, Q., Li, L., Smith, M., Guo, Y., Whitlock, G., Bian, Z., ... Chen, Z. (2013). Exhaled carbon monoxide and its associations with smoking, indoor household air pollution and chronic respiratory diseases among 512 000 chinese adults. *International Journal of Epidemiology*, 42(5), 1464–1475. <https://doi.org/10.1093/ije/dyt158>
- Zwar, N. A., Mendelsohn, C. P., & Richmond, R. L. (2014). *Supporting smoking cessation*. 348(January). <https://doi.org/10.1136/bmj.f7535>