

DAFTAR PUSTAKA

- Abdou, H.M. (1989). *Dissolution, bioavailability and bioequivalence*. Pennsylvania: Mark Publishing Company Easton.
- Alatas, F., Ratih, H., & Soewandhi, S. N. (2015). Enhancement of Solubility and Dissolution Rate of Telmisartan by Telmisartan-Oxalic Acid Co-Crystal Formation. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7 (3), 423-426.
- Andronis, V. & Zografi, G. (2000). Crystal Nucleation and Growth of Indomethacin Polymorphs from the Amorphous State. *Journal of Non-Crystalline Solids*, 271, 236-248.
- Ankit, M., Manish, Y., & Dinesh, C. (2014). *Solid dispersion: A technique to improve solubility of poorly water soluble drug*. *Indo Am J Pharm Res*, 4(6), 2855-66.
- Ansel, Howard C. (2008). *Pengantar Bentuk Sediaan Farmasi*. Jakarta: Universitas Indonesia Press.
- Ashour EA et. al., (2016). Hot Melt Extrusion as an approach to Improve Solubility, Permeability Oral Absorption Of A Psychoactive Natural Product, Piperine. *J Pharm Pharmacol*. 1–10.
- Banakar, U.V. (1991). *Pharmaceutical Dissolution Testing*. New York: Marcel Dekker, Inc
- Bhat, B.G., & Chandrasekhara, N (1986). Studies On The Metabolism Of Piperine: Absorption, Tissue, Distribution And Excretion Of Urinary Conjugates In. *Discipline of Biochemistry Section, Departemen Of Food Chemistry Central Food Technological Reseach Institute India*, 40(9),83-92
- Byrn, S. R., Pfeiffer R, & Stowell J.G. (1999). *Solid-State Chemistry of Drug*. West Lafayette: SSCI, IN
- Cadha, R., Saini, A., Arora, P., Chanda, S., & Dharamvirsinghjain. (2012). *Cocrystal of efavirenz with selected cofomer: preparation and characterization*. *Int JPharm and PharmSci*, 4, 244-250.
- Chadha, R., Bhandari, S., Haneef, J., Khullar, S., & Mandal, S. (2014). Cocrystals of Telmisartan: Characterization, Structure Elucidation, *in vivo* and Toxicity Studies. *CrystEngComm*, 16, 8375–8389
- Chio, W., L. & Riegelman,S. (1971). *Pharmaceutical Applications of Solid Dispersion System*. *Journal of Phamaceutical Sciences*. 60 (9), 1281-1302.
- Cui, Y.A. (2007). Material Science Prespective of Pharmaceutical Solids. *Int. J. Pharm.*, 339, 3-18.

- Cruz-Cabeza, A.J. (2012). Acid Base Crystalline Complex and The pKa Rule. *Cryst Eng Comm*, 14, 6362-6365.
- Dahiya, S., Rani, R., Dhingra, D., Kumar, S., Dilbaghi, N., (2018). *Conjugation of epigallocatechin gallate and piperine into a zein nanocarrier: Implication on antioxidant and anticancer potential*. *Adv. Nat. Sci. Nanosci. Nanotechnol.* 9. <https://doi.org/10.1088/2043-6254/aad5c1>
- Dash, S., Murthy, P.N., Nath, L., Chowdhury, P. (2010). Kinetic Modeling on Drug Release from Controlled Drug delivery System. *Acta Poloniae Pharmaceutics-Drug Research*, 67, 3, 217-223
- Davis, R. E., Lorimer, K. A., Wilkowski, M. A., & Rivers, J. H. (2004). Studies of relationship in cocrystal systems. *ACA Transactions*, 39, 41-61
- Desiraju, G.R. (1995). Supramolecular Syhnthons iin Crystal Engineering; A New Organic Synthesis. *Angrew. Chem. Int. Ed. Engl.* 34, 2311-2327.
- Dipiro et .al. (2009). *Pharmacotherapy Handbook Seventh Edition*. New York: The McGraw-Hill Companies, Inc.
- Dwichandra Putra, O., Yonemochi, E., Uekusa, H.,. (2016). *Isostructural Multicomponent Gliclazide Crystals with Improved Solubility*. *Cryst. Growth Des.* 16. <https://doi.org/10.1021/acs.cgd.6b01279>
- Epstein W W. (1993). Isolation of Piperin From Black Paper. *Journal of Chemical Education*. 7(7):598-59
- Farmakologi dan Teraupetik FKUI. (2009). *Farmakologi dan Terapi Edisi 5*. Jakarta: Balai Penerbit FKUI
- Fulias, A., Vlase, G., Vlase, T., Suta, L. M., Soica, C., & Ledeti, I. (2015). Screening and Characterization of Cocrystal Formation between Carbamazepine and Succinic Acid. *J. Therm Anal Calorim* , 15(8), 4473-4478.
- Furuta, H., Mori, S., Yoshihashi, Y., Yonemochi, E., Uekusa, H., Sugano, K., Terada, K., (2015). *Physicochemical and crystal structure analysis of pranlukast pseudo-polymorphs II: Solvate and cocrystal*. *J. Pharm. Biomed. Anal.* 111, 44–50. <https://doi.org/10.1016/j.jpba.2015.03.008>
- Gabbott, P. (2008). *Principles and Applications of Thermal Analysis*. Singapore: Markono print media.
- Gaur, P.K, Mishra, Purohit, S dan Dave, K, (2009). Transdermal drug delivery system: A Review. *AJPCR* , 2, 14-20.
- Ganeshpurkar, Aditya., and Gopal, Rai., (2013). *Analgesic and anti-inflammatory potential of Pleurotus florida*. *Indian Journal of Pharmacology* | February 2013 | Vol 45 | Issue 1

- Gawade., S.P., (2012). *Acetic Acid induced painful endogenous infliction in writhing test on mice*. *Journal of Pharmacology and Pharmacotherapeutics*, 3(4) 348.
- Gorgani, Leila E al. (2017). Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *institut food Technol.* (16).
- Hancock, B. C., Parks M. (2000). What is The True Solubility Advantage for Amorphous Pharmaceutical?. *Pharm. Res.* 17, 397-404
- Hubschen, Gerhard, Iris Alpeter, Ralf T., Hans G.H., (2016). *Ateral Characterzation Using Nondestructive Evaluation (NDE) Methondes*. United Kingdom ; Woodhead Publishing
- Jayasankar, A. (2008). *Understanding the mechanisms, thermodynamics and kinetics of cocrystallization to control phase transformations*. (Disertasi). Michigan: The University of Michigan Press.
- Kementerian Kesehatan Republik Indonesia. (2010). *Farmakope Herbal Indonesia Suplemen I*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2011). *Formularium Obat Herbal Asli Indonesia*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2014). *Farmakope Indonesia Edisi V ; Buku I dan II* Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kolhe, S. R., Borole, P., & Patel, U. (2011). Extraction and evaluation of piperine from *Piper nigrum* Linn. *International Journal Applied Biology Pharmacy Technology*, 2(2), 144-149
- Krishnan, S., Raj, C.J., Priya, S.M.N., Robert, R., Dinakaran, S., Das, S.J., (2008). Optical and dielectric studies on succinic acid single crystals. *Cryst. Res. Technol.* 43, 845–850. <https://doi.org/10.1002/crat.200711102>
- K Vasavirama M upender. (2014). Piperine : a valuable alkaloid from piper species. *Int J Pharm Pharm Sci.* 6(4):34–8.
- Madhavi B B, Nath A R, Banji D, Madhu M N, Ramalingam R, Swetha D. (2009). *Extraction, Identification, Formulation And Evaluation of Piperine in Alginate Beads*. *International Journal of Pharmacy and Pharmaceutical Science.* 1(2):156-161
- Meinisasti, R., Halim, A., & Zaini, E. (2015). Karakterisasi Fisikokimia Sistem Biner Siprofloksasin HCl–PEG 4000. *Jurnal Sains Farmasi & Klinis*, 2(1), 30-35.

- Mirza, S., Miroshnyk, I., Heinamaki, J., & Yliruusi, J. (2008). Co-crystals: an emerging approach for enhancing properties of pharmaceutical solids. *Dosis*, 24, 90-95.
- Mustchler, E. (1991). *Dinamika Obat Buku Ajar Farmakologi dan Toksikologi Edisi 5*, diterjemahkan oleh Widiyanto, M.B. dan A. S, Ranti, Penerbit ITB Jakarta, 117-195
- Nugrahani, I., Asyarie, S., Soewandhi, S.N. & Ibrahim, S. (2007). Solid State Interaction Between Amoxicillin Trihydrat and Potassium Clavulanat. *Malay J of Pharm Scie*, 5, 45-57.
- Nelson, S A, (2010), *X-ray Crystallography*, www.tulane.edu diakses 28 Desember 2010
- Obenchain, J. R., Gallipeau, J.A.R., D'Arecca, M. A., & Budavari, S. (2001). *The Merck Index 13th Ed.* New Jearsey : Merck dan Co., Inc. Whitehouse Station: 34-8.
- Ober, C.A., Montgomery, S.E., Gupta, R.B. (2013). *Formation of itraconazole/L-malic acid cocrystals by gas antisolvent cocrystallization*. Powder Technol. 236, 122-131. <https://doi.org/10.1016/j.powtec.2012.04.058>
- O'Neil, J. M., Smith, A., Heckelman, P. E., Obenchain, J. R., Gallipeau, J.A.R., D'Arecca, M. A., & Budavari, S. (2001). *The Merck Index 13th Ed.* New Jearsey : Merck dan Co., Inc. Whitehouse Station.
- Ossipov MH, Lai J, King T, Vanderah TW, Malan TP, Hruby VJ, et al. (2004). *Antinociceptive and nociceptive actions of opioids*. J Neurobiol [Internet]. Oktober 2004 [dikutip 25 Oktober 2017]; 61(1):126-48. Tersedia pada: <http://doi.wiley.com/10.1002/neu.20091>
- P.D. Hamrapurkar, Kavita Jadha, & Sandip Zine. (2011). *Quantitative Estimation of Piperin in Piper nigrum and Piper longum Using High Performance Thin Layer Chromatography*. Journal of Applied Pharmaceutical Science 01 (03); 2011, 117-120
- Pramudhita WYPA. (2014) Review: Teknik Peningkatan Kelarutan Obat. *Farmaka*. 2014;14(2):288-97.
- Pubchem. Succinic Acid [Internet]. (2019). Available from: https://pubchem.ncbi.nlm.nih.gov/compound/succinic_acid#section=Top
- Putra, Okky D.D., Etsuo Y., & Hidehiro U. (2016). Isostructural Multicomponen Crystal with Improved Solubility. *Cryst. Growth. Des.* 10, 1-23
- Putra, O.D., Furuishi, T., Yonemochi, E., Terada, K., Uekusa, H., (2016). Drug-Drug Multicomponent Crystals as an Effective Technique to Overcome Weaknesses in Parent Drugs. *Cryst. Growth Des.* 16, 3577-3581

- Reddy, V. V., Aswini, M., Harini, P., Prathyusha, B., & Sreevani, M. S. (2013). *Design and Characterization of Microcrystals for Enhanced Dissolution Rate of Telmisartan*. *International Journal of Innovative Pharmaceutical Research*, 2013, 4(1), 263-268.
- Saha, S., Desiraju, G.R., (2018). *Acid Amide Supramolecular Synthon in Cocrystals: From Spectroscopic Detection to Property Engineering*. *J. Am. Chem. Soc.* 140, 6361–6373. <https://doi.org/10.1021/jacs.8b02435>
- Saha K C et. al. (2013). *Isolation and characterization of piperine from the fruits of black pepper (Piper nigrum)*. *J Bangladesh Agric Univ.* 11(1):11–6.
- Schultheiss, Nate dan Ann Newman. (2009). *Pharmaceutical Cocrystal and Their Physicochemical Properties*. *Cryst Growth*, 9, 2950-2967
- Sekhon, Bs. (2009). *Pharmaceutical co-crystals - a review*. *Int. J. Of Pharm*, 50 (3), 99-117.
- Serajuddin, A. T. M. (2007). *Salt Formation to Improve Drug Solubility*. *Advanced Drug Delivery Review*. 59, 603-616.
- Shao, B., Cui, C., Ji, H., Tang, J., Wang, Z., Liu, H., Qin, M., Li, X dan Wu, L. (2014). *Enhanced Oral Bioavailability of Piperine by Self-Emulsifying Drug Delivery Systems: In Vitro, in Vivo and in Situ Intestinal Permeability Studies*. *Drug Delivery*, 22(6), 1-8.
- Shargel, L., Wu-Pong, S., & Yu, A.B.C. (2012). *Biofarmasetika dan Farmakokinetika Terapan*. Terjemahan oleh Budi Suprpti, Edisi Kelima. Surabaya: Airlangga University Press.
- Savjani, K. T., Gajjar, A. K., & Savjan, J. K. (2012). *Drug Solubility: Importance and Enhancement Techniques*. *International Scholarly Research Network* ,
- Shoaib, H.M., Merchant, H.A., Tazee, J., dan Yousuf, R.I. (2006). *Once-Daily Tablet Formulation and In Vitro Release Evaluation of Cefpodoxime Using Hydroxipropyl Methylcellulose: A Technical Note American Association of Pharmaceutical Scientists*,. 7, 3, Article 781-10.
- Someshwar, K., Rama, G., Harikiran, L., Krishna, K., & Srinivas, A. (2011). *Dissolution Enhancement of a poorly water soluble drug using water soluble carriers*. *Journal of Advanced Pharmaceutical Sciences Someshwar K et. al*,1(1).
- Siswandono., (2008). *Kimia Medisinal Edisi 2*. Surabaya: Airlangga University Press.
- Soewandhi, S.N., Pamudji, J.S., Mauladdin, R., & Moegihardjo. (2005). *Profil Disolusi Campuran Peritektik Mixed Crystal Ibuprofen dan Asetaminofen*. *Acta Pharmaceutica Indonesia*, 30, 65-71.

- Syamsuni., (2007). *Farmasetika Dasar dan Hitungan Farmasi*. Jakarta: Penerbit EGC Press.
- Swapna, D., P. R., Junise, V., Shibin, P., Senthila, S., Rajesh, R. S. (2012). Isolation, Identification and Antimycobacterial Evaluation of Piperine from Piper longum. *Der Pharmacia Lettre* 4(3): 863–868.
- Tasleem, Farhana.,et.al. (2014). Analgesic and anti-inflammatory activities of piper nigrum L. *Asian Pasific Journal of Tropical Medicine*. (7) : (Suppl 1): S461-S468
- Trask, A.V., Motherwill W.D.S. dan Jones W. (2006). Pharmaceutical Cocrystals : An Emergin Approach To Physical Property Enhancement. *Mrs Bulletin*, 31, 976-879.
- Troy, D. (2005). *Remington: The Science and Practice of Pharmacy 21st Edition*. Philadelphia: Lippincot William and Wilkins.
- Tjay, T.H. dan K. Rahardja. (2008). *Obat-obat Penting*. PT Gramedia, Jakarta.
- Tjay, T.H. dan K. Raharja., (2007). *Obat-obat penting. Khasiat Penggunaan dan Efek-efek sampingnya*, ed IV. Jakarta : PT. Elexmedia Komputindo, 310-312.
- Turner, A.(1965). *Screening Methods in Pharmacology*. Akademic Press, New York: 101-117, 152-163
- Upadhyay, N., Shukla T. P., Mathur, A., Manmohan & Jha, S. K. (2011). Pharmaceutical Co-Crystal: An Emerging Approach to Improve Physical Property. *International Journal of Pharmaceutical Sciences Review and Research*, 8 (1), 144-148.
- Vasavirama & Upender. (2014) Piperine : a valuable alkaloid from piper species. *Int J Pharm Pharm Sci*. 6(4)
- Vogel, H.G., W. H, Vogel., (2002). *Drug Discovery And Evaluation., Pharmacological Assay.*, Springer, Verlag Berlin, Heidelberg.
- West, A. (2001). *Solid State Chemistry and Its Applications*. Singapura: John Wiley and Sons.
- Wicaksono, Y., Hendradi, E., & Radjaram, A. (2005). *Analisis Proses Lepas Lambat Na Diklofenak dari Tablet Matrik Berbasis Etilselulosa Polivinilpirolidon K-30*. Analisis Farmasi. Jakarta: EGC
- Windholz, M. (1983). *The Merck Index* (10 th Edition). Rahway, New Jersey USA: Merck & Co.,inc
- Widyaningsih, Linda (2009). *Pengaruh Penambahan Kosolven Propilen Glikol terhadap Kelarutan Asam Mefenamat*, Fakultas Farmasi UMS surakarta,

- Yoshioka, S., dan Aso, Y. (2007). Correlation between Molecular Mobility and Chemical Stability During Storage of Amorphous Pharmaceutical. *J.Pharm. Sci*, 96, 960-981.
- Zaini, E., Yeyet, C.S., Soewandhi, S.N.,& Halim, A. (2010). Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak Kofler dan reaksi kristalisasi. *Majalah Farmasi Indonesia*, 21(1), 32-39.
- Zaini, E., Halim, A., Setyawan, D & Soewandhi, S. N. (2011). *Peningkatan laju Pelarutan Trimetoprim Melalui Metode Kokristalisasi Dengan Nikotinamida*. Departemen Farmasetika, Fakultas Farmasi Universitas Andalas, 21(1), 205-212.
- Zaini, E., Witarsah, A. S., & Agustin, R. (2014). *Enhancement of Dissolution Rate of Meloxicam by Co-grinding Technique using Hydroxypropyl methylcellulose*. *Journal of Chemical and Pharmaceutical Research*, 6(11), 263-267.
- Zaini, E., Fitriani, L., Sari, R.Y., Rosaini, H., Horikawa, A., Uekusa, H., (2019). *Multicomponent Crystal of Mefenamic Acid and N-Methyl-D-Glucamine: Crystal Structures and Dissolution Study*. *J. Pharm. Sci.* <https://doi.org/10.1016/j.xphs.2019.02.003>

