

## Daftar Pustaka

1. Zielinski MR, McKenna JT, and McCarley RW. Functions and mechanisms of sleep. *AIMS Neurosci.* 2016;3(1):67–104.
2. Altevogt BM, Colten HR, editors. Sleep disorders and sleep deprivation: an unmet public health problem. National Academies Press; 2006 Oct 13;33-4.
3. Carskadon MA, Dement WC. Monitoring and staging human sleep. In Kryger MH, Roth T, Dement WC, editors. Principles and practice of sleep medicine, 5<sup>th</sup> ed. St. Louis, Elsevier Saunders. 2011;5:16-26
4. Hirotsu C, Alburquerque RG, Tufik S, Andersen ML. Sleep and dermatology. in Pandi-Perumal SR, editor. Synopsis of sleep medicine. Apple Academic Press. 2016;353-61.
5. Wasitaatmaja MS. Akne vulgaris. In Djuanda A, Hamzah M, Aisah S, editors. Ilmu penyakit kulit dan kelamin. 7th ed. Jakarta: Universitas Indonesia. 2015. 228-30p
6. Bilgiç Ö, Bilgiç A, Altinyazar HC. Relationship between sleep quality and facial sebum levels in women with acne vulgaris. *Indian J Dermatol Venereol Leprol.* 2016;313–4.
7. Ibáñez V, Silva J, Cauli O. A survey on sleep assessment methods. *PeerJ.* 2018;[3p.]
8. Ohayon M, Wickwire EM, Hirshkowitz M, Albert SM, Avidan A, Daly FJ, et al. Sleep quality recommendations. *Sleep Heal J Natl Sleep Found.* 2017;6–19.
9. Roth T. Insomnia: definition, prevalence, etiology, and consequences. *J Clin Sleep Med.* 2007 Aug 15;3(5Suppl):S7.
10. Stephens MA, Wand G. Stress and the HPA axis role of glucocorticoids in alcohol dependence. *Alcohol Res.* 2012;34(4):468-83.
11. Kim JE, Cho BK, Cho DH, Park HJ. Expression of hypothalamic-pituitary-adrenal axis in common skin diseases: evidence of its association with stress-related disease activity. *Acta Derm Venereol.* 2013;387–93.
12. Isard O, Knol AC, Castex-Rizzi N, Khammari A, Charveron M, Dréno B. Cutaneous induction of corticotropin releasing hormone by propionibacterium acnes extracts. *Dermatoendocrinol.* 2009;96–9.
13. Mustikawati FU, Prabamurti PN, Indraswari R. Faktor-faktor yang

- berhubungan dengan perilaku pola tidur santriwan dan santriwati kelas XI MA Pondok Pesantren Modern Islam Assalam Surakarta. *J Kes Masy Universitas Diponegoro*. 2016; 299-308.
14. Lynn DD, Umari T, Dunnick CA, Dellavalle RP. The epidemiology of acne vulgaris in late adolescence. *Adolesc Heal Med Ther*. 2016;13.
  15. Tan JK, Bhate K. A global perspective on the epidemiology of acne. *Br J Dermatol*. 2015;3–12.
  16. Hay RJ, Johns NE, Williams HC, Bolliger IW, Dellavalle RP, Margolis DJ, et al. The global burden of skin disease in 2010: an analysis of the prevalence and impact of skin conditions. *J Invest Dermatol*. 2014;527–34.
  17. Kristiani NM, Kapantouw MG, Pandaleke TA. Hubungan indeks massa tubuh dan angka kejadian akne vulgaris pada siswa-siswi di SMA Frater Don Bosco Manado. *e-Clinic*. 2017;189–93.
  18. Bhate K, and Williams HC. Epidemiology of acne vulgaris. *Br J Dermatol*. 2013;474–85.
  19. Dréno B, Bettoli V, Araviiskaia E, Sanchez Viera M, Bouloc A. The influence of exposome on acne. *J Eur Acad Dermatology Venereol*. 2018;812–9.
  20. Browne E. Children in care institutions. Brighton, UK: Institute of Development Studies. 2017;(1p.).
  21. Sutaria AH, Schlessinger J. Acne vulgaris. StatPearls Publishing; 2019;(1p.).
  22. Zohra FT, Sultana T, Islam S, Nasreen T. Evaluation of severity in patients of acne vulgaris by global acne grading system in Bangladesh. *Clin Pathol*. 2017;1–5.
  23. Gupta S, Bansal R, Gupta S, Jindal N, Jindal A. Nanocarriers and nanoparticles for skin care and dermatological treatments. *Indian Dermatol Online J*. 2013 Oct;4(4)267.
  24. Prete MD, Mauriello MC, Faggiano A, Somma CD, Monfrecola G, Fabbrocini G, et al. Insulin resistance and acne: a new risk factor for men?. Springer science. 2012; 555-60.
  25. Awan SZ, and Lu J. Management of severe acne during pregnancy: a case report and review of the literature. *Int J Womens Dermatol*. 2017;145–50.
  26. Nasri H, Bahmani M, Shahinfard N, Nafchi AM, Saberianpour S, Kopaei MR. Medicinal plants for the treatment of acne vulgaris: a review of recent evidences. *Jundishapur J Microbiol*. 2015;8(11).

27. Canavan TN, Chen E, Elewski BE. Optimizing non-antibiotic treatments for patients with acne: a review. *Dermatol Ther (Heidelb)*. 2016;555–78.
28. Mahto A. Acne vulgaris. *Medicine*. 2017 Jun 1;45(6):386–9.
29. Eichenfield LF, Krakowski AC, Piggott C, Del Rosso J, Baldwin H, Friedlander SF, et al. Evidence-based recommendations for the diagnosis and treatment of pediatric acne. *Pediatrics*. 2013;131
30. Gollnick HP. From new findings in acne pathogenesis to new approaches in treatment. *J Eur Acad Dermatol Venereol*. 2015;21–7.
31. Tan AU, Schlossers BD, Paller AS. A review of diagnosis and treatment of acne in adult female pasients. *Intl J Women Dermatol*. 2018;(4): 56-71.
32. Adityan B, Kumari R, Thappa DM. Scoring systems in acne vulgaris. *Indian J Dermatol Venereol Leprol*. 2009 May 1;75(3):323.
33. Satya Wydya Yenny. Klasifikasi dan gradasi akne. In Wasitaatmadja MS, editors. *Akne*. Jakarta, Badan Penerbit FKUI. 2018; 27-42.
34. Zaenglein AL, Pathy AL, Schlosser BJ, Alikhan A, Baldwin HE, Berson DS, et al. Guidelines of care for the management of acne vulgaris. *J Am Acad Dermatol*. 2016;945-973.
35. Mukherjee S, Patel SR, Kales SN, Ayas NT, Strohl KP, Gozal D, et al. An official American thoracic society statement: the importance of healthy sleep: recommendations and future priorities. *Am J Respir Crit Care Med*. 2015;1450–8.
36. Mostaghimi L. Sleep and skin. In Franca K, Lotti T, editors. *Advances in integrated dermatology*. 1<sup>st</sup>ed. 2019;361–6.
37. Gupta MA, Gupta AK. Sleep-wake disorders and dermatology. *Clin Dermatol*. 2013;118–26.
38. Carley DW, Farabi SS. Physiology of sleep. *Diabetes Spectr*. 2016;5–9.
39. Yeo SS, Chang PH, Jang SH. The ascending reticular activating system from pontine reticular formation to the thalamus in the human brain. *Front Hum Neurosci*. 2013;1–5.
40. Basics B. Understanding Sleep. Dostopnona: <Https://www. ninds. nih. gov/Disorders/Patient-Caregiver-Education/Understanding-Sleep> [12.4.2018]. 2016
41. Brinkman JE. *Sleep physiology*. StatPearls Publishing. 2019.
42. Kline CE. The bidirectional relationship between exercise and sleep. *Am J*

- Lifestyle Med. 2014;375–9.
43. Lo HM, Leung JH, Chau GK, Lam MH, Lee KY. Factors affecting sleep quality among adolescent athletes. Sport Nutr Ther. 2017;02.
  44. Shim J, Kang SW. Lifestyle behavioral factors related to sleep quality and duration in adults. J Lifestyle Med. 2017;18–26.
  45. Zhong QY, Gelaye B, Sánchez SE, Williams MA. Psychometric properties of the Pittsburgh Sleep Quality Index (PSQI) in a cohort of Peruvian pregnant women. J Clin Sleep Med. 2015;869–77.
  46. Manzar MD, Zannat W, Hussain ME, Pandi-Perumal SR, Bahammam AS, Barakat D, et al. Dimensionality of the Pittsburgh Sleep Quality Index in the collegiate young adults. Springerplus. 2016;5(1):0–5.
  47. Buysse DJ, Reynolds CF, Monk TH, Berman SR. The Pittsburgh Sleep Quality Index(PSQI): a new instrument to psychiatric research and practice. Psychiat Res. 1989;(28):193–213.
  48. Minkel J, Moreta M, Muto J, Htaik O, Jones C, Basner M, et al. Sleep deprivation potentiates HPA axis stress reactivity in healthy adults. Heal Psychol. 2014;1430–4.
  49. Ganceviciene R, Graziene V, Fimmel S, Zouboulis CC. Involvement of the corticotropin-releasing hormone system in the pathogenesis of acne vulgaris. Br J Dermatol. 2009;345–52.
  50. Milrad SF, Hall DL, Jutagir DR, Lattie EG, Ironson GH, Wohlgemuth W, et al. Poor sleep quality is associated with greater circulating pro-inflammatory cytokines and severity and frequency of chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME) symptoms in women. J Neuroimmune Pharmacol. 2017;1032–57.
  51. Jumiarni. Comparison of sleep quality by Pittsburgh Sleep Quality Index (PSQI) scale in anxiety disorder patient using long term and short term benzodiazepines therapy. Makassar: Universitas Hassanudin; 2018.
  52. Vilar GN, Filho JFS, dos Santos LA. Quality of life, self-esteem and psychosocial factors in adolescents with acne vulgaris. An Bras Dermatol. 2015;90(5):622-9.
  53. Miranda D. Hubungan tingkat stress dengan kejadian akne vulgaris pada siswa madrasah aliyah swasta ar-risalah padang tahun 2018 (skripsi). Padang. Universitas Andalas; 2018.

54. Salim YF, Yenny SW, Lestari S. Hubungan kadar survivin serum berdasarkan kadar IGF-1 dengan derajat keparahan akne vulgaris. Period Dermatol Venereol. 2019;31.
55. Akhyar G, Yenny SW. Patogenesis terkini akne vulgaris. J Indon Med Assoc. 2012;62:319-24.
56. Qudsiyah A. Hubungan derajat keparahan akne vulgaris dengan tingkat kecemasan pada siswa di SMAN 2 Sukoharjo (skripsi). Semarang. Universitas Negeri Sebelas Maret; 2017.
57. Stathakis V, Kilkenny M, Marks R. Descriptive epidemiology of acne vulgaris in the community. Australasian J Dermatol. 1997;38: 115-123.
58. Rizky M. Hubungan antara kualitas tidur dengan tingkat keparahan akne vulgaris (skripsi). Yogyakarta: Universitas Gajah Mada; 2014.
59. Malahayati D. Hubungan antara kualitas tidur dengan tingkat keparahan akne vulgaris di SMAN 2 Sukoharjo (skripsi). Surakarta: Universitas Muhammadiyah Surakarta; 2017.
60. Hanif A, Rosmelia, Ekawati B. Hubungan kuantitas tidur dan kualitas tidur dengan derajat keparahan akne vulgaris pada siswa-siswi kelas X SMAN 4 Purworejo (skripsi). Yogyakarta: Universitas Islam Indonesia; 2015.
61. Putri SR. Hubungan kualitas tidur dengan kejadian akne vulgaris pada mahasiswa profesi dokter fakultas kedokteran Universitas Andalas (skripsi). Padang: Universitas Andalas; 2017.
62. Wulandari A, Kepel BJ, Rompas SS. Hubungan pola tidur dengan kejadian akne vulgaris pada mahasiswa semester 5 program studi ilmu keperawatan fakultas kedokteran universitas sam ratulangi manado. E Kep. 2015(3)1.
63. Ramli R, Malik AS, Hani AFM, Yap FB-B. Identification of acne lesions, scars and normal skin for acne vulgaris cases. Proceedings of the 2011 National Postgraduate Conference; 2011 Sep 19; Malaysia. IEEE; 2011.