

## DAFTAR PUSTAKA

- Aboonajmi, M., S. Amir, T.A. Najafabadi, and N. Kondo. 2016. Quality Assessment of Poultry Egg Based on Visible–Near Infrared Spectroscopy and Radial Basis Function Networks. *Int. J. Food Prop.*, 19: 1163–1172.
- Abou-Elkhair, E., S. Selim, and E. Hussein. 2018. Effect of Supplementing Layer Hen Diet With Phytogetic Feed Additives on Laying Performance, Egg Quality, Egg Lipid Peroxidation And Blood Biochemical Constituents. *Animal Nutrition* 4 (2018) 394-400.
- Adejumo, B.A. 2012. Effect Of Drying Methods And Pretreatment On Some Physicochemical Quality Attributes Of Tomato Powder. *International Journal Of Innovative Research & Development*, (1): 50-58
- Adetunji, V.O. and G.O Adegoke. 2007. Bacteriocin and Cellulose Production By Lactic Acid Bacteria Isolated From West African Soft Cheese. *African Journal of Biotechnology* Vol. 6 (22), pp. 2616-2619.
- Agarwal, S. and A.V. Rao. 1998. Tomato Lycopene and Low-Density Lipoprotein Oxidation: a Human Dietary Intervention Study. *Lipids*, 33: 981–984.
- Agarwal, S. and A.V. Rao. 2000. Carotenoid and Chronic Diseases. *Drug metabol. Drug Interact.* 17: 189–210.
- Agustinus, M. 2015. Produksi Tomat RI Surplus 400 Ribu ton Tiap Tahun. Dipublikasikan Senin 17 Aug 2015. <https://finance.detik.com/ekonomi-bisnis/2993802/produksi-tomat-ri-surplus-400-ribu-ton-tiap-tahun> (diakses pada tanggal 19 September 2019, 10:23 wib)
- Ajmera. S. 2006. The Effects of Different Cooking Times and Temperatures on Tomato Sauce Lycopene Content. Thesis. Bowling Green State University.
- Akdemir, F., C. Orhan, N. Sahin, K. Sahin and A. Hayirli. 2012. Tomato powder in laying hen diets: effects on concentrations of yolk carotenoids and lipid peroxidation. *British Poultry Science*, 53: 675-680.
- Akter Y, S. Greenhalgh, M.R. Islam, C. Hutchison, and C.J. O’Shea. 2018. Hens Ranked as Highly Feed Efficient Have an Improved Albumen Quality Profile and Increased Polyunsaturated Fatty Acids in The Yolk. *Journal of Animal Science*, 96: 3482–90. <https://doi.org/10.1093/jas/sky188>.
- Akyrek, H. and A.A Okur. 2009. Effect of Storage Time, Temperature and Hen Age on Egg Quality in Free Range Layer Hens. *Journal of Animal and Veterinary Advances* 8 (10): 1953-1958.
- Al-Souti, A., W. Gallardo, M. Claereboudt, and O. Mahgoub. 2019. Attractability and Palatability of Formulated diets Incorporated with Chicken Feather and

- Algal Meal for Juvenile Gilthead Seabream, *Sparus aurata*. Aquaculture Report, 14: 1001991.
- Amakye-Anim J, Lin T., L., Hester P. Y., Thiagarajan D., Watkins B.A. and Wu C. C. 2000. Ascorbic acid supplementation improved antibody response to infectious bursal disease vaccination in chickens. *Poultry Sci* ,79(5):680-8
- Alvarado A., E. Pacheco-Delahaye, and P. Hevia. 2001. Value of a Tomato by-Product as a Source of Dietary Fiber in Rat. *Plant Foods Hum. Nutr.* 56, 335-348.
- Alvarenga, R.R., M.G. Zangeronimo, L.J. Pereira, P.B. Rodrigues, and E.M. sGomide. 2011. Lipoprotein Metabolism in Poultry. *World's Poultry Science Journal*, Vol. 67: 431-440. doi:10.1017/S0043933911000481
- Alvi, S.S., D. Iqbal, S. Ahmad, M.S. Khan. 2016. Molecular Rationale Delineating The Role of Lycopene As a Potent HMG-Coa Reductase Inhibitor: In Vitro and in Silico Study. *Nat. Prod. Res.*, 30: 2111–2114. [CrossRef] [PubMed]
- Alvi S.S, I.A. Ansari, I. Khan, J. Iqbal and M.S. Khan. 2017. Potential Role of Lycopene in targeting Proprotein Convertase Subtilisin/Kexin type-9 to Combat Hypercholesterolemia, Free Radical. *Biology and Medicine*. doi: 10.1016/j.freeradbiomed.2017.04.012
- Al-Wandawi, H., M. Abdulrahman, and K. Al-Shaikhly. 1985. Tomato Processing Waste as Essential Raw Material Source. *J. Agric. Food Chem.* 33: 804-807.
- Amaya, D.B.R. 2015. Handbook of Antioxidants for Food Preservation. <http://dx.doi.org/10.1016/B978-1-78242-089-7.00002-6>
- Amaya, E., P Becquet, S Carne, S Peris, P Miralles. 2014. Carotenoids in Animal Nutrition. Fefana Publication. ISBN: 978-2-9601289-4-9
- Amrullah, I.K. 2003. Nutrisi Ayam Petelur. Lembaga Satu Gunung Budi, Bogor.
- An, B. K., W.D. Choo, C.W. Kang, J. Lee, and K.W. Lee. 2019. Effects of Dietary Lycopene or Tomato Paste on Laying Performance and Serum Lipids in Laying Hens and on Malondialdehyde Content in Egg Yolk upon Storage. *Journal of Poultry Science*. Doi. 10.2141/jpsa.0170118
- Anderson, S. 2010. Optimizing Hammermill Efficiency. Feed Mill Managers Seminar. US Poultry & Egg Association. Nashville, TN.
- AOAC. 1990. Official Methods of Analysis. 15th Ed. (Helrich K, Ed.). Washington DC.
- Appleby, M.C., J.A. Mench, and B.O. Hughes. 2004. Maintenance. Pages 52– 53 in *Poultry Behavior and Welfare*. M.C. Apple, J.A. Mench, and B.O. Hughes, ed. Cromwell Press, Cambridge, UK.

- Arab, L., S, Steck-Scott and Fleishauer AT. 2002. Lycopene and the Lung. *Exp Biol Med* 227: 894-99.
- Aust, O., N. Ale-Agha, L. Zhang, H. Wollersen, H. Sies, and W. Stahl. 2003. Lycopene Oxidation Product Enhances Gap Junctional Communication. *Food and Chemical Toxicology* 41:1399-07.
- Bacila, M. 2003. *Veterinary Biochemistry*. 2nd Ed. Robe Editorial, São Paulo, 583p, 2003.
- Bagheri S, H. Janmohammadi, R. Maleki, A. Ostadrahimi, and R. Kianfar. 2019. Laying Hen Performance, Egg Quality Improved and Yolk 5-Methyltetrahydrofolate Content Increased by Dietary Supplementation of Folic Acid. *Animal Nutrition* 5: 130-133. <https://doi.org/10.1016/j.aninu.2018.05.008>
- Baiao, N. C. And Lara, L. J. C. 2005. Oil and Fat In Broiler Nutrition. *Revista Brasileira De Ciencia Avicola*, 7: 129-141.
- Basaran N., M. Bacanli, and A.A. Basaran. 2017. Chapter 28: Lycopenes as Antioxidants in Gastrointestinal Diseases. *Antioxidants and Gastroenterology. Section II, Gastrointestinal Tissue*: 355-362. DOI: <http://dx.doi.org/10.1016/B978-0-12-805377-5.00028-X>
- Basmacioglu, H and M. Ergul. 2005. Research on the Factor Affecting Cholesterol Content and Some Other Characteristics of eggs in Laying Hens. *Turk. J. Vet. Anim. Sci*, 29 157-164.
- Basuny, A.M., A.M. Gaafar, and S.M. Arafat. 2009. Tomato Lycopene is a Natural Antioxidant and can Alleviate Hypercholesterolemia. *Afr. J. Biotechnol*, 8: 6627–6633
- Bean L. D, and Leeson S. 2003. Long-term Effects of Feeding Flaxseed on Performance And Egg Fatty Acid Composition of Brown And White Hens. *Poult Sci* (82): 388-394.
- Berita Lampung. 2019. Petani Lampung Barat Keluhkan Harga Tomat Anjlok Cuma Rp 800 /Kg. Biro Indosiar Lampung. Dipublikasikan tanggal 15 Agustus 2019. [https://www.youtube.com/watch?v=\\_joLFSphnds](https://www.youtube.com/watch?v=_joLFSphnds) [diakses 10 September 2019, 10:53 wib]
- Berita Malam. 2015. Magetan-Harga Anjlok Petani Tomat Merana. Seputar Jatim. Dipublikasikan 6 Agt 2015. <https://www.youtube.com/watch?v=OaGYcyS9lOU>[diakses 18 September 2017, 10:56 wib]
- Blakely, S.R., E.D. Brown, U. Babu, E. Grundel, and G.V. Mitchell. 1994. Bioavailability of Carotenoids In Tomatoes Paste and Dried Spinach and Their Interaction With Canthaxanthin. *Federation of American Society of Experimental Biology Journal*, 8: 192

- Blum C.B., N.J. Stone. 2016. New Strategies to Treat High Cholesterol. JAMA. 315(11):1169. [PubMed]
- Bongoni, R., R. Verkerk, B. Steenbekkers, M. Dekker and M. Stieger, 2014. Evaluation of different cooking conditions on broccoli (*Brassica oleracea var. italica*) to improve the nutritional value and consumer acceptance. Plant Foods Hum. Nutr., 69: 228-234.
- Boileau, A. C., N.R. Merchen, K. Wasson, C.A. Atkinson, and J. W. Erdman. 1999. Cis-lycopene is More Bioavailable than *trans*-lycopene *in vitro* and *in vivo* in Lymph-Cannulated Ferrets. J. Nut., 129: 1176–1181.
- Boileau, T.W, A.C. Boileau, and J.W. Erdman. 2002. Bioavailability of all-*Trans* and Cis-Isomers Isomerization in Tomato Dehydration. Food Research International 32: 15-21.
- Borguini, R.G., and E. Torres. 2009. Tomatoes and Tomato Products as Dietary Sources of Antioxidants. Food Reviews International, 25(4), 313–325.
- Botsoglou, N., G. Papageorgiou, I. Nikolakakis, P.F. Paneri, I. Giannenas, V. Dotas, and E. Sinapis. 2004. Effect of Dietary Dried Tomato Pulp on Oxidative Stability of Japanese Quail Meat. *J. Agric. Food Chem.* 52:, 2982-2988.
- Bouvaerel, I., Y. Nys And P. Lescoat. 2011. Hen Nutrition For Sustained Egg Quality. Improving The Safety and Quality of Eggs and Egg Product: Woodhead Publishing Limited, 2011. Chapter 12: 261-299. Doi: 10.1533/9780857003012.3.261
- Boyle and Anderson. 2007. Personal Nutrition. 6<sup>th</sup> Edition.
- Bramley, P.M. 2000. Is Lycopene Beneficial To Human Health? *Phytochemistry* 54: 233-36.
- Brown, M.J., M.G. Ferruzzi, M.L. Nguyen, D.A. Cooper, A.L. Eldridge, S.J. Schwartz, and W. S. White. 2004. Carotenoid Bioavailability Is Higher From Salads Ingested With Full-Fat Than With Fat-Reduced Salad Dressings as Measured With Electrochemical Detection, *Am J Clin Nutr*, 80(2):396–403.
- Buchanan, K And J Nichols. 2017. Tomato Waste at Rotten Levels as Up To 84 Pc of Crops Left In Field Due To Supermarket Demands. Rural News. <https://www.abc.net.au/news/rural/2017-10-13/high-levels-tomato-waste-supermarket-demands/9044480> [Diakses Tanggal 9 September 2019]
- Buckiuniene, V. R. Gruzauskas, A. Bajorinaite, A. Raceviciute-Stupeliene, V. Kliseviciute, V. Sasyte, A. Dauksiene, S. Alijosius, and G. Svirnickas. 2017. Effect of Lycopene on Egg Quality Parameters and Fatty Acids Composition In The Egg Yolk, Using Rapeseed And Linseed Oil In Laying Hens Nutrition. <https://www.researchgate.net/publication/313720211>

- Cahyono, Bambang. 2016. Teknik Budidaya Tomat Unggul. Jakarta: Pustaka Mina.
- Calabresi, L., and G. Franceschini. 2010. Lecithin:Cholesterol Acyltransferase, High-Density Lipoproteins, And Atheroprotection In Humans. *Trends Cardio- Vasc Med* 2010; 20: 50–3.
- Calislar, S. and G. Uygur. 2010. Effect Of Dry Tomato Pulp On Yolk Pigmentation And Some Egg Yield Characteristics Of Laying Hens. *Journal Of Animal And Veterinary Advance* 9 (1): 96-89.
- Carrasco, J.M.D., N.A Casanova, and M.E.F. Miyakawa. 2019. Microbiota, Gut Health and Chicken Productivity: What is Connection. *Microorganism*, 7: 374: 1-15.
- Castellini, C., F. Perella, C. Mugnai, and A. Dal-Bosco. 2006. Welfare, Productivity and Qualitative Traits of Egg in Laying Hens Reared Under Different Rearing Systems. Poster At: XII European Poultry Conference, Verona, 10-14 September.
- Castenmiller, J.J.M. and C.E. West. 1998. Bioavailability and Bioconversion of Carotenoids. *Annu. Rev. Nutr.* 18: 19–38.
- Chang, C.H., H.Y. Lin, C.Y. Chang, and Y.C. Liu. 2006. Comparisons on The Antioxidant Properties of Fresh, Freeze-Dried And Hot-Air-Dried Tomatoes. *J Food Eng* 77:478–85.
- Chauhan, K., S. Sharma, N. Agarwal, and B. Chauhan. 2011. Lycopene of Tomato Fame: Its Role In Health and Disease. *International Journal of Pharmaceutical Sciences Review and Research*. Volume 10, Issue 1, Article-018.
- Chen D, C. Huang, and Z. Chen. 2019. A Review for the Pharmacological Effect Of Lycopene In Central Nervous System Disorders. *Review. Biomedicine And Pharmacotherapy*, 111: 791–801. Doi: 10.1016/J.Bioph.2018.12.151
- Chernyshova, M.P., D.V. Pristenskiy, M.V. Lozbiakova, N.E. Chalyk, T.Y. Bandaletova, and I.M. Petyaev. 2018. Systemic and Skin-Targeting Beneficial Effects Of Lycopene-Enriched Ice Cream: A Pilot Study. *J. Dairy Sci.* 102:1–12. <https://doi.org/10.3168/Jds.2018-15282>
- Choi, J.H, H. Namkung, and I.K. Paik. 2004. Feed Consumption Pattern of Laying Hens In Relation To Time of Oviposition. *Asian-Australasian Journal of Animal Sciences*, 17(3): 371–73.
- Citizen Journalist. 2017. Wujud Kekesalan Petani Tomat - NET 10. Official Net News. Dipublikasikan Tanggal 18 Jan 2017. <https://www.youtube.com/watch?v=9nunqmkkie> [Diakses 18 September 2017]

- Clark, C.E.F., Y. Akter, A. Hungerford, Thomson, M.R. Islam, P.J. Groves, and C.J. O'She. 2019. The Intake Pattern and Feed Preference of Layer Hens Selected for High or Low Feed Conversion Ratio. *Plos ONE* 14(9):1-11. <https://doi.org/10.1371/journal.pone.0222304>
- Clark, R.M., L. Yao, L. She, and H.C. Furr. 2000. A Comparison of Lycopene and Astaxanthin Absorption from Corn Oil and Olive Oil Emulsions. *Lipids*. Vol. 35, No 7. OACS Press.
- Clinton, S. K. 1998. Lycopene: Chemistry, Biology, and Implications for Human Health and Disease. *J. Nutrition Reviews*, Vol. 56, No. 2: 35-51.
- Clydesdale, F.M. 1993. Color as a Factor in Food Choice. *Crit. Rev. Food Sci. Nutr.*, 33(1), 83–101.
- Colle I.J.P, L. Lemmens, S.V. Buggenhout, K. Met, A.M.V. Loey, M.E. and Hendrickx. 2013. Processing Tomato Pulp in The Presence of Lipids: The Impact on Lycopene Bioaccessibility. *Food Research International*. 51: 32–38. Doi: 10.1016/j.foodres.2012.11.024
- Colle I.J.P, S.V. Buggenhout, L. Lemmens, A.M.V Loey, and M.E. Hendrickx 2012. The Type and Quantity of Lipids Present During Digestion Influence The In-Vitro Bioaccessibility of Lycopene From Raw Tomato Pulp. *Food Research International*, 45: 250–255. Doi:10.1016/j.foodres.2011.10.041
- Colle, I.J.P, S.V. Buggenhout, A.M.V. Loey, and M.E. Hendrickx. 2010. High Pressure Homogenization Followed By Thermal Processing of Tomato Pulp: Influence on Microstructure and Lycopene in Vitro Bioaccessibility. *FRIN* 43(8), 2193–2200. Doi:10.1016/j.foodres.2010.07.029.
- Cooperstone J.L, R.A. Ralston, K.M. Riedl, T.C. Haufe, R.M. Schweiggert, S.A. King, C.D. Timmers, D.M. Francis, G.B. Lesinski, S.K. Clinton, S.E.J. Schwartz. 2015. Enhanced Bioavailability of Lycopene When Consumed as Cis-Isomers From Tangerine Compared to Red Tomato Juice, A Randomized, Cross-Over Clinical Trial. *Molecular Nutrition and Food Research*: 1-34.
- Cooperstone, J.L., D.M. Francis, and J.S. Steven. 2016. Thermal Processing Differentially Affects Lycopene and Other Carotenoids in Cis-Lycopene Containing, Tangerine Tomatoes. *Food Chemistry*, DOI: 10.1016/j.foodchem.2016.04.078
- Crichton G.E, J. Bryan, and K.J. Murphy. 2013. Dietary antioxidants, cognitive function and dementia – a systematic review. *Plant Foods Hum Nutr* 68, 279–292
- Cruz, F.Kd., E.Rd.M. Garcia, A.L.J. Ferraz, K.M.Rd. Souza, W.B. Feliciano, and R.V. Rohod. 2016. Quality and Stability of Eggs From Laying Hens Fed With

Organic Minerals and Lycopene. *Ciência Rural*, Santa Maria, V.46, N.1, P.157-162. [Http://Dx.Doi.Org/10.1590/0103-8478cr20150594](http://Dx.Doi.Org/10.1590/0103-8478cr20150594)

- Danilov, R. V. 2000. Effect of hens' age on quality of hatching eggs and embryonic development. *Proce. 21st World's Poultr. Congress.* Montreal, Canada
- Davey, ML. 2017. Almost 90% Of Edible Tomatoes Thrown Away Based On Appearance – Research. *News: The Guardian*. Dipublikasi Pada 12 Oktober 2017. <https://www.theguardian.com/environment/2017/oct/13/you-say-tomato-retailers-say-waste-research-finds-produce-problem> [Diakses Pada Tanggal 10 September 2019]
- Demmig-Adams, B., W.W. Adams, D.H. Barker, B.A. Logan, D.R. Bowling, and A.S. Verhoeven. 1996. Using Chlorophyll Fluorescence to Assess The Fraction of Absorbed Light Allocated to Thermal Dissipation of Excess Excitation. *An International Journal For Plant Biology*. Volume 98, Issue 2 October 1996 Pages 253–264. DOI: 10.1034/J.1399-3054.1996.980206.X
- Dembélé, S. E. N'dri Koffi, I. Cissé, A.A. Adima, K. Yao, and A.A.A. Louise. 2019. Nutritional Composition and Antioxidant Capacity of Four Tomato Varieties (*Lycopersicon esculentum* Mill) Cultivated in Cote d'Ivoire. *Current Journal of Applied Science and Technology*, 36(5): 1-11.
- Dewanto, V., W. Xianzhong, K.K. Adom, and R.H. Liu, 2002. Thermal Processing Enhances the Nutritional Value of Tomatoes by Increasing Total Antioxidant Activity. *J. Agricultural food Chem* 50: 3010–3014.
- Di Ciaula A, D., G. Garruti, R.L. Baccetto, E. Molina-Molina, L. Bonfrate, D.Q. Wang, and Portincasa P. 2017. Bile Acid Physiology. *Ann Hepatol*, 16 (1): S3-105:S4-S14. [PubMed]
- DiNicolantonio, J.J. and J.H. O'Keefe, MD . 2017. Good Fats versus Bad Fats: A Comparison of Fatty Acids in the Promotion of Insulin Resistance, Inflammation, and Obesity. *Missouri Medicine*, 114(4): 303-307.
- Dominguez, I., M.T. Lafuente, P. Hernandez-Muioz, R. Gavara. 2016. Influence of Modified Atmosphere and Ethylene Levels on Quality Attributes of Fresh Tomatoes (*Lycopersicon esculentum* Mill.). *Food Chemistry*, 209:211-219.
- Dotas. D, S. Zamanidis, and J. Balios. 1999. Effect of Dried Tomato Pulp on the Performance and Egg Traits of Laying Hens. *British Poultry Science*, 40: 695–697.
- Du, J., M.T. Hincke, M. Rose-Martel, C. Hennequet-Antier, A. Brionne, L.A. Cogburn, Y. Nys, and Gautron, J. 2015. Identifying Specific Proteins Involved in Eggshell Membrane Formation Using Gene Expression Analysis and Bioinformatics. *BMC Genomics* 16: 1-13.

- El-Gorab, M., B.A. Underwood, and J.D Loerch. 1975. The Roles of Bile Salts in the Uptake of Beta-Carotene and Retinol by Rat Everted Gut Sacs. *Biochim. Biophys. Acta*, 401: 265–277.
- El-Katcha, M, M.A. Soltan, K. El-Naggar, Set A. El-Shobokshy, and M.A. El-Erian. 2019. Laying Performance, Fat Digestibility and Liver Condition of Laying Hens Supplemented With Vitamin B12 or Biotin and/ or Bile Acids In Diet. *Slov Vet Res* 2019; 56 (Suppl 22): 341–52. Doi: 10.26873/SVR-773-2019
- Elkin R.G. 2016. Chapter 18. Cholesterol In Chicken Eggs: Still A Dietary Concern For Some. Book. *Egg Innovation and Strategies for Improvement*. 189-198.
- Elkin, R.G. and J.C. Rogler. 1990. Reduction of The Cholesterol Content of Eggs by The Oral Administration of Lovastatin To Laying Hens. *J. Agric. Food Chem.* 38: 1635–1641.
- Elkin, R.G., E.J. Furumoto, and C.R. Thomas. 2003. Assessment of Egg Nutrient Compositional Changes and Residue In Eggs, Tissues, and Excreta Following Oral Administration of Atorvastatin To Laying Hens. *J. Agric. Food. Chem.* 51:3473–3481.
- Elkin, R.G., M.B. Freed, K.A. Kieft, and R.S. Newton. 1993. Alteration Of Egg Yolk Cholesterol Content and Plasma Lipoprotein Profiles Following Administration Of A Totally Synthetic HMG-Coa Reductase Inhibitor To Laying Hens. *J. Agric. Food Chem.* 41: 1094–1101.
- Elkin, R.G, Z. Yan, Y. Zhong, S.S. Donkin, K.K. Buhman, J.A. Story, J.J. Turek, R.E. Porter Jr., M. Anderson, R. Homan and R.S. Newton. 1999. Select 3-Hydroxy-3-Methylglutaryl-Coenzyme A Reductase Inhibitors Vary in Their Ability to Reduce Egg Yolk Cholesterol Levels in Laying Hens Through Alteration of Hepatic Cholesterol Biosynthesis and Plasma VLDL. *Nutrient Metabolism*: 1010-1019.
- El-Tarabany, M.S. 2016. Effect of Thermal Stress on Fertility and Egg Quality of Japanese Quail. *Journal of Thermal Biology*, 61:38-43. Doi: 10.1016/J.Jtherbio.2016.08.004
- Erdman, J.W. Jr., 2005. How Do Nutritional and Hormonal Status Modify the Bioavailability, Uptake, and Distribution of Different Isomers of Lycopene? *Journal Nutr*, 135(8): 2046S–2047S.
- Erdman, J.W. Jr., T.L. Bierer. E.T. Gugger. 1993. Absorption And Transport Of Carotenoids. *Ann N Y Acad Sci* 691:76–85.
- Evoli, L.D., G. Lombardi-Boccia, and M. Lucarini. 2013. Influence of Heat Treatments on Carotenoid Content of Cherry Tomatoes. *Foods*: 352–363. Doi: 10.3390/Foods2030352



- Famurewa J.A.V., and A.O. Raji. 2011. Physicochemical characteristics of osmotically dehydrated tomato (*Lycopersicon esculentum*) under different common drying methods *Int. J. Biol. Chem. Sci.*, 5(3): 1304-1309.
- Frederiksen, H., S.E. Rasmussen, M. Schrøder, A. Bysted, J. Jakobsen, H. Frandsen, G. Ravn-Haren, and A. Mortensen. 2007. Dietary supplementation with an extract of lycopene-rich tomatoes does not reduce atherosclerosis in Watanabe Heritable Hyperlipidemic rabbits. *Br J Nutr* 2007; 97: 6–10.
- Feingold, K.R., and C. Grunfeld. 2018. Introduction to Lipids and Lipoproteins. [www.endotext.org](http://www.endotext.org). <http://creativecommons.org/licenses/by-nc-nd/2.0/>. Bookshelf ID: NBK305896 PMID: [26247089](https://pubmed.ncbi.nlm.nih.gov/26247089/)
- Fenita. Y.,U. Santosa Dan H. Prakoso. 2010. Pengaruh Suplementasi Asam Amino Lisin, Metionin, Triptopan Dalam Ransum Berbasis Lumpur Sawit Fermentasi Terhadap Performa Produksi dan Kualitas Telur Ayam Ras. *Jurnal Saint Peternakan Indonesia Vol. 5. (2) :105-114.*
- Fernandez-García E, I. Carvajal-Lérida, M. Jarén-Galán, J. Garrido-Fernández, A. Pérez-Gálvez and D. Hornero-Méndez. 2012. Carotenoids Bioavailability from Foods: From Plant Pigments to Efficient Biological Activities. *Food Res Int.*; 46: 438–50. [Doi:10.1016/J.Foodres.2011.06.007](https://doi.org/10.1016/J.Foodres.2011.06.007)
- Ferreira, A.L.A., K. J. Yeum, C. Liu, D. Smith, N.I. Krinsky, X.D. Wang and R. M. Russell. 2000. Tissue Distribution of Lycopene in Ferrets and Rats After Lycopene Supplementation. *J. Nutr.* 130: 1256–1260
- Fielding, J.M, K.G. Rowley, P.K. Cooper and K. O’ Dea. 2005. Increases in Plasma Lycopene Concentration After Consumption of Tomatoes Cooked With Olive Oil. *Asia Pacific J Clin Nutr*, 14(2): 131–136.
- Fuhrman, B., A. Elis and M. Aviram. 1997. Hypocholesterolemic Effect of Lycopene and B-Carotene is Related to Suppression of Cholesterol Synthesis and Augmentation of LDL Receptor Activity in Macrophage. *Biochem. Biophys. Res. Commun.* 233: 658–662.
- Gall, H.L., F. Philippe, JM. Domon, F. Gillet, J. Pelloux, and C. Rayon. 2015. Cell Wall Metabolism in Response to Abiotic Stress. *Plants*, 4: 112-166: [Doi: 10.3390/plants4010112](https://doi.org/10.3390/plants4010112)
- Gabarrou, J.F., P.A. Geraert, N. Francois, S. Guillaumin, M. Picard and A. Bordas. 1998. Energy Balance of Laying Hens Selected on Residual Food Consumption. *British Poultry Science*, 39: 79–89. <https://doi.org/10.1080/00071669889439> PMID: 9568303
- Gartner, C., W. Stahl and H. Sies. 1997. Lycopene In More Bioavailable from Tomato Paste Than from Fresh Tomatoes, *Am J Clin Nutr*, 6: 116-122.

- Giovanucci, E., 1999. Tomatoes, Tomato-Based Products, Lycopene, and Cancer: Review of The Epidemiologic Literature. *J. Natl. Cancer Inst.* 91:317–331.
- Giovanelli, G and A. Paradiso.2002. Stability of Dried and Intermediate Moisture Tomato Pulp during Storage. *J. Agric. Food Chem.* 2002, 50, 7277–7281. DOI: 10.1021/jf025595r
- Godbert, S.R., N. Guyot and Y. Nys. 2019. The Golden Egg: Nutritional Value, Bioactivities, and Emerging Benefits for Human Health. *Review. Nutrients*, 11: 1-26. Doi:10.3390/Nu11030684
- Goula A.M., K.G. Adamopoulos, P.C. Chatzitakis, and V.A. Nikas. 2006. Prediction of Lycopene Degradation during a Drying Process of Tomato Pulp. *Journal of Food Engineering* 74: 37-46.
- Gorka P., C-Lopez, F. Joy, G.E. Chibisa, J.J. McKinnon, and G.B. Penner, 2015. Effect of Including High-lipid by-product Pellets in Substitution for Barley Grain and Conola Meal in Finishing Diets for Beef Cattle on Ruminal Fermentation and Nutrient Digestibility. *J. Anim. Sci.*, 93: 4891-4902.
- Gregosits, Balázs. 2011. Absorption Of Natural Carotenoids And Their Tissue Distribution In Chicken. Thesis Of Ph.D. Dissertation. University professor, Academy of Sciences-DSc Szent István University, Faculty of Agricultural and Environmental Sciences, Institute of Basic Animal Sciences, Dept. of Animal Nutrition
- Gümüşay Ö. A., A. A. Borazan, Nercal, and O. Demirkol. 2015. Drying Effects on the Antioxidant Properties of Tomatoes and Ginger. *Food Chemistry*, 172:156-162. Doi: 10.1016/J.Foodchem.2014.09.162
- Gunlu A., K. Kirikçi, O. Çetin, and M. Garip. 2003. Some External and Internal Quality Characteristics of Eggs. *Food, Agriculture and Environment*,1(4): 197-199
- Gupta, N.P. and R. Kumar. 2002. Lycopene Therapy in Idiopathic Male Infertility- A Preliminary Report. *International Urology and Nephrology* 34: 369-372.
- Gutensohn, M. and N. Dudareva. 2016. Tomato Fruits- A Platform for Metabolic Engineering of Terpenes. *Method in Enzymology*. 576: 333-359. ISSN: 0076-6879. (Elsevier Inc.). Doi:10.1016/Bs.Mie.2016.03.012.
- Habanabashaka, M., M. Sengabo, and I.O. Oladunjoye. 2014. Effect of Tomato Waste Meal on Lay Performance, Egg Quality, Lipid Profile and Caroten Content of Eggs in Laying Hens. *Iranian Journal of Applied Animal Science* 4 (3): 555-559.
- Hackett, M.M., J.H. Lee, D. Francis, and S.J. Schwartz. 2004. Thermal Stability and Isomerization of Lycopene in Tomato Oleoresins from Different

- Varieties. *Journal of Food Science*, 69 (7): 536-541.
- Hadley C.W., S.K. Clinton, and S.J. Schwartz. 2003. The Consumption of Processed Tomato Products Enhances Plasma Lycopene Concentrations in Association With A Reduced Lipoprotein Sensitivity to Oxidative Damage. *J Nutr* 133: 727-32.
- Hall, L.M., Mckay, J.C., 1993. The Relationship Between Yolk Cholesterol and Total Lipid Concentration Throughout The First Year of Egg Production In The Domestic Fowl. *Br. Poult. Sci.* 34, 487–495.
- Hammershoj, M., and N.F. Johansen. 2016. Review: The Effect of Grass and Herbs in Organic Egg Production on Egg Fatty Acid Composition, Egg Yolk Colour and Sensory Properties. *Livestock Scienc.* Doi: 10.1016/J.Livsci.2016.11.001
- Harmayanda, P.A.O, D. Rosyidi and O. Sjoftjan. 2016. Evaluasi Kualitas Telur Dari Hasil Pemberian Beberapa Jenis Pakan Komersial Ayam Petelur. *J-PAL*, 7 (1): 1-8.
- Hartono, M dan T. Kurtini. 2015. Pengaruh Pemberian Probiotik Terhadap Performa Ayam Petelur. *Jurnal Penelitian Pertanian Terapan* Vol 15 (3): 214-219
- Hassan M.R, H.S. Choe, D.J. Yong, J. Hwangbo, and K.S. Ryu. 2013. Effect of Dietary Energy and Protein on The Performance, Egg Quality, Bone Mineral Density, Blood Properties and Yolk Fatty Acid Composition of Organic Laying Hens. *Ital J Anim Sci* (12): 131-13.
- Heinecke, J.W. 2009. The HDL Proteome: A Marker and Perhaps Mediator of Coronary Artery Disease. *J Lipid Res*; 50 (Suppl): 167–171.
- Hendrani, A.D, T. Adesiyun, R. Quispe, S.R. Jones, N.J. Stone, and R.S. Blumenthal. 2016. Dyslipidemia Management in Primary Prevention of Cardiovascular Disease: Current Guidelines and Strategies. *World J Cardiol*, 8(2):201-10. [PMC Free Article] [Pubmed]
- Hedren, E. (2002). Estimation of carotenoid accessibility from carrots determined by an in vitro digestion method. *European Journal of Clinical Nutrition*, 56(5), 425–430.
- Hernandez, J. M., Seehawer, J., Hamelin, C., Bruni, M. and Wakeman, W. 2000. Egg Quality –The European Consumer Perception. Roche Vitamins Europe Publishing. 6-55.
- Hidalgo, A., M. Rossi, F. Clerici and S. Ratti, 2008. A Market Study on the Quality Characteristics of Eggs from Different Housing Systems. *Food Chemistry*, 106: 1031-1038.

- Hof, K.H. Van Het, C.E. West, J.A. Weststrate and J.G.A.J. Hautvast. 2000. Dietary Factors That Affect the Bioavailability of Carotenoids. *Recent Advances in Nutritional Sciences. The Journal of Nutrition.* 503-506.
- Hollander, D., and P.E., Jr. Ruble. 1978. Beta-Carotene Absorption: Bile, Fatty Acid, Ph, And Flow Rate Effects On Trans- Port, *Am. J. Physiol.* 235:686–691.
- Holzapfel, N.P, B.M. Holzapfel, S. Champ, J. Feldthusen, J. Clements and D.W. Hutmacher. 2013. The Potential Role of Lycopene for the Prevention and Therapy of Prostate Cancer: From Molecular Mechanisms to Clinical Evidence. Review. *International Journal of Molecular Sciences*, 14: 14620-14646. Doi:10.3390/Ijms140714620
- Honda, M., H. Ishikawa and Y. Hayashi, 2019. Alterations in Lycopene Concentration and Z-Isomer Content In Egg Yolk of Hens Fed All-E-Isomer-Rich and Z-Isomer-Rich Lycopene. *Animal Science Journal*: 1-9. DOI: 10.1111/Asj.13276
- Honda, M., N. Takahashi, T. Kuwa, M. Takehara, Y. Inoue and T. Kumagai. 2015. Spectral Characterisation of Z-Isomers of Lycopene Formed During Heat Treatment and Solvent Effects on the E/Z Isomerisation Process. *Food Chemistry*, 171, 323–329. Doi: 10.1016/J. Foodchem.2014.09.004
- Hornero, M., and M. M'inguez MI. 2007. Bioaccessibility of carotenes from carrots: effect of cooking and addition of oil. *Innovat Food Sci Emerg Technol* 8:407–12.
- Hsu. W.T., C.J. Chiang., Y.P. Chao, C.H Chang, L.J. Lin, B. Yu and T.T. Lee. 2015. Effect of Recombinant Lycopene Dietary Supplement on the Egg Quality and Blood Characteristics of Laying Quails. *Journal of Bioscience and Bioengineering*. Vol. XX: 1-5.
- Hu, M.Y., Y.L. Li, C.H. Jiang, Z.Q.Liu, S.L. Qu, and Y.M. Huang. 2008. Comparison of lycopene and fluvastatin effects on atherosclerosis induced by a high-fat diet in rabbits. *Nutrition*, 24: 1030–1038.
- Huo, T, M.M. Ferruzzi, S.J. Schwartz, and M.L. Failla. 2007. Impact of Fatty Acyl Composition and Quantity of Triglycerides on Bioaccessibility of Dietary Carotenoids. *J. Agric. Food Chem*, 55(22):8950–7.
- Ibrahim M.A. and I. Jialal. 2019. *Hypercholesterolemia*. Statpearls Publishing; Treasure Island (FL): Feb 16, 2019. [PubMed]
- Ibsen, G and J. Nielsen. 2013. *The Great Tomato Book*. Berkeley: California.
- Indonesia Bangkit. 2017. Dua Ton Lebih Tomat Segar Dibuang Karena Hasil Panen Melimpah. Dipublikasikan Tanggal 16 Jan 2017. <https://www.youtube.com/watch?v=Tel7iqbb4ie> [Diakses 18 September 2017, 14:46 wib]

- Inews Pagi. 2015. Kejadian Aneh! Tomat Banjiri Selokan Kampung Cimanuk, Garut-Inews Pagi 13/08. Inews Official. Dipublikasikan Tanggal 12 Agt 2015. <https://www.youtube.com/watch?v=Ftkajlsf-H8> [Diakses 18 September 2017]
- Jackson, M.J. 1997. The Assessment of Bioavailability of Micronutrients: Introduction. *Eur. J. Clin. Nutr.*, 51: S1-S2.
- Jacob, Jacquie. 2015. How Does a Hen Make an Egg?. <https://articles.extension.org/pages/71258/how-does-a-hen-make-an-egg>
- Jacqueline P., D. Richard and F. Ben Mather. 2011. Egg Quality. <http://edis.ifas.ufl.edu>. (Akses Pada Tanggal 13 April 2017, 12:48 wib)
- Jafari, M., R. Pirmohammadi, and V. Bampidis. 2006. The Use of Dried Tomato Pulp in Diets of Laying Hens. *International Journal of Poultry Science* 5 (7): 618-622.
- Jain, C.K, S. Agarwal, A.V. Rao. 1999. The Effect of Dietary Lycopene on Bioavailability, Tissue Distribution, In-Vivo Antioxidant Properties and Colonic Preneoplasia in Rats, *Nut. Res.*, 19: 1383-1391.
- Jalal M.A, S.E. Scheideler and E.M. Pierson. 2007. Strain Response of Laying Hens to Varying Dietary Energy Levels With and Without Avizyme Supplementation. *The Journal of Applied Poultry Research*, 16, 289-295.
- Jalalinasab, A., A. Nobakht and S. Razzaghzadeh. 2014. The Effects of Different Levels of Tomato Pomace and Processing Methods on Production Performance and Blood Metabolites of Native Laying Hens. *Iranian Journal of Applied Animal Science* 4(2), 379-385.
- Jannah, K.M. *Obsessionnews.Com*. 2015. Tomat Berlimbah, Sayang Industri Hanya Serap Sedikit. Senin 17 Agustus 2015. Diakses 28 Mei 2016 (12.45). <http://economy.okezone.com/read/2015/08/17/320/1197509/surplus-tomat-di-indonesia-sampai-400-ribu-ton>.
- Jiang, L.N., Y.B. Liu and B.H. Li. 2018. Lycopene Exerts Anti-Inflammatory Effect To Inhibit Prostate Cancer Progression. *Asian Journal of Andrology*, 21: 80-85. Doi: 10.4103/Aja.Aja\_70\_18
- Jiang, H., Z. Wang, Y. Ma, Y. Qu, X. Lu, and H. Luo. 2015. Effects of Dietary Lycopene Supplementation on Plasma Lipid Profile, Lipid Peroxidation and Antioxidant Defense System in Feedlot Bamei Lamb. *Asian Australas. J. Anim. Sci.* Vol. 28, No. 7 : 958-965. <http://dx.doi.org/10.5713/ajas.14.0887>
- Jingshen, W., T. Dongxiang and Z. Xuezhi. 2017. Production Method of Eggs With Low Cholesterol and Abundant Vitamin A and Vitamin B2. Chinese Patent Number: 106.472.420.

- Johnson, E.J., J. Qin, N.I. Krinsky, and R.M. Russell. 1997. Ingestion by Men of a Combined Dose of Beta-Carotene and Lycopene Does Not Affect the Absorption of Beta-Carotene But Improves That of Lycopene, *J Nutr*, 127(9):1833–1837.
- Jonchere, V., S. Rehault-Godbert, C. Hennequet-Antier, C. Cabau, V. Sibut, L.A. Cogburn, Y. Nys and J. Gautron. 2010. Gene Expression Profiling to Identify Eggshell Proteins Involved in Physical Defense of The Chicken Egg. *BMC Genomics* 11: 57.
- Jouzi, H, N. Vali and J. Pourreza. 2015. The Effect of Tomato Pulp Powder Supplementation on Performance and Some Blood Parameters in Japanese Quail (*Coturnix Japonica*). *ARNP Journal of Agricultural and Biological Science*,10 (3):102-107.
- Kang, D.K., S.I. Kim, C.H. Cho, Y.H. Yim and H.S. Kim. 2003. Use of Lycopene, an Antioxidant Carotenoid, in Laying Hens For Egg Yolk Pigmentation. *Asian-Aust. J. Anim. Sci.* 2003. Vol 16, No. 12 : 1799-1803.
- Karney, A., H. Brągoszewska, L. Soluch, and M. Ołtarzewski. 2017. Risk Factors for Atherosclerosis in Obese Children Aged 6-12 Years. *Dev Period Med.*, 21(3):259-265. [[Pubmed](#)]
- Kaspers, Bernd. 2016. An Egg a Day the Physiology of Egg Formation. *Lohmann Information*, 50 (2): 12-17.
- Kenny, A. P. 1952. The Determination of Cholesterol by the Liebermann-Burchard Reaction. *Clinical Laboratories*. 52:611-620.
- Kerkhofs, N. S., Lister, C. E., and Savage, G. P. (2005). Change in Colour and Antioxidant Content of Tomato Cultivars Following Forced-air Drying. *Plant Foods for Human Nutrition*, 60(3), 117–121.
- Ketta, M. and E. Tůmová. 2016. Eggshell Structure, Measurements, and Quality-Affecting Factors In Laying Hens: A Review. *Czech J. Anim. Sci.*, 61, 2016 (7): 299–309. Doi: 10.17221/46/2015-CJAS
- Khaki, Z., P. Khazraiiinia, S. Chegini, and S.K. Nia. 2012. Comparative Study of Serum Lipid Profile In Chicken, Ostrich, Cattle, and Sheep. *Comp Clin Pathol* (2012) 21:259–263. DOI: 10.1007/s00580-010-1088-0
- Kim, J. H., S.T. Hong, H.S. Lee and H.J. Kim. 2004. Oral Administration of Pravastatin Reduces Egg Cholesterol But Not Plasma Cholesterol in Laying Hens. *Poultry Science*, 83:1539–1543.
- Kim, K.S, J.A. Hong and J.W. Kim. 2008. Effects Of Lycopene as A Feed Additive on The Quality Ofchicken Eggs. *Korean Journal of Poultry Science*, 35: 275-281.

- King, A.J. and G. Zeidler. 2004. Tomato Pomace Maybe a Good Source of Vitamin E In Broiler Diets. *Articel Reseach. California Agriculture*, Volume 58, Number 1. [Http://Californiaagriculture.Ucop.Edu](http://Californiaagriculture.Ucop.Edu)
- Kirunda, D and S. Mc Kee. 2000. Releated Quality Charcterstics of Aged Eggs and Fresh Eggs to Viteline Membrane Strength as Determined by a Texture Analyzer. *Poultry Science.*, 79,1189-1193
- Knockaert, G., S.K. Pulissery, I. Colle, S. Van Buggenhout, M. Hendrickx and A.V. Loey. 2012. Lycopene Degradation, Isomerization and *In Vitro* Bioaccessibility in High Pressure Homogenized Tomato Puree Containing Oil: Effect of Additional Thermal and High Pressure Processing. *J. Food Chemistry* 135: 1290–1297.
- Kodali, V.K., S.A. Gannon, S. Paramasivam, S. Raje, T. Polenova and C. Thorpe. 2011. A Novel Disulfide-Rich Protein Motif From Avian Eggshell Membranes. *Plos ONE* 6: E18187
- Kong K.W., K.N. H-Eng Khoo, A. Prasad, Ismail, C-Ping Tan, and N.F Rajab. 2010. Revealing The Power of the Natural Red Pigment Lycopene. *Review. Molecules*, 15: 959-987. Doi:10.3390/Molecules15020959.
- Korytko, P.J., K.A. Rodvold, J.A. Crowell, M. Stacewicz-Sapuntzakis, V. Diwadkar-Navsariwala, P.E. Bowen, W. Schalch and B.S. Levine. 2003. Pharmacokinetics and Tissue Distribution of Orally Administered Lycopene in Male Dogs. *Journal of Nutrition. Nutrient Methabilism*, 133: 2788–2792.
- Krawczyk, J. 2009. Quality of Eggs From Polish Native Greenleg Partridge Chicken-Hens Maintained in Organic vs. Backyard Production Systems. *Animal Science Papers And Reports*, 27 (3): 227-235.
- Kucukyilmaz, K., M. Bozkurt, E.N. Herken, M. Cinar, A.U. Cath, E. Bintas, and F. Coven. 2012. Effects of Rearing Systems on Performance, Egg Characteristics and Immune Response in Two Layer Hen Genotype. *Asian-Australasian Journal of Animal Sciences* 25 (4): 559-568.
- Kumari, A. 2018. Cholesterol Synthesis. Chapter 7. *Sweet Biochemistry*, 27-3. Doi: 10.1016/B978-0-12-814453-4.00007-8
- Langner, E., M.K. Lemiaszek, and W. Rzeski. 2019. Lycopene, Sulforaphane, Quercetin, and Curcumin Applied Together Show Improved Antiproliferative Potential In Colon Cancer Cell In Vitro. *Jounal of Food Biochemistry*, 43(4):1-12. Doi: 10.1111/Jfbc.12802
- Laszlo, B. Zsuzsanna, K. Balazs, R. Aannamaria, K and S. Csaba. 2005. Studies on Effect of Lycopene in Poultry (hens and quail). Department of Animal Physiolgy and Health. University St Istvan. Ungaria. ISAH. 2005 – Vol 2 Warsaw, Poland

- Latshaw, J. D. 2008. Daily energy intake of broiler chickens is altered by proximate nutrient content and form of the diet. *Poult. Sci.* 87:89–95.
- Lavelli, V., Hippeli, S., Peri, C., Elstner, E., 1999. Evaluation of Radical Scavenging Activity of Fresh And Air-Dried Tomatoes By Three Model Reactions. *Journal of Agricultural and Food Chemistry* 47, 3826–3831.
- Leeson, S., J.D. and Summers. 2009. Feeding Programs For Laying Hens, Eds. *Commercial Poultry Nutrition*. Nottingham University Press: 164–25.
- Lengkong, E.M., J.R. Leke, L. Tangkau, dan S. Sane . 2015. Substitusi Sebagian Ransum dengan Tepung Tomat Merah (*Solanum Lycopersicum L*) Terhadap Penampilan Produksi Ayam Ras Petelur. *Jurnal Zootek ("Zootek" Journal )* Vol. 35 No. 2 : 247 - 257 (Juli 2015) ISSN 0852 -2626
- Leonardi C, Ambrosino P, Esposito F, Fogliano V. 2000. Antioxidative Activity And Carotenoid And Tomatine Contents In Different Typologies Of Fresh Consumption Tomatoes. *J Agric Food Chem* 48(10):4723–7.
- Leke. J.R., J.S. Mandey, and F.J. Nangoy. 2015. Nutrients and Cholesterol of Eggs Affected by Dried Tomato Meal in Laying Hens Diet. *International Journal on Advanced Science Engineering Information Technology*. Vol. 5: 178-180.
- Letting, Joan. 2018. Irony of Tomatoes Rotting in Farms While Prices Soar Across the Country. *Standar Media*, Dipublikasi 4 April 2018. <https://www.standardmedia.co.ke/business/article/2001275557/tomatoes-rot-away-in-farms-as-prices-escalate>
- Li, Y., M. Hu, and D.J. McClements. 2011. Factors affecting lipase digestibility of emulsified lipids using an in vitro digestion model: Proposal for a standardised pH-stat method. *Food Chemistry* 126: 498–505. doi:10.1016/j.foodchem.2010.11.027
- Lira. R.C., C. Bôa-Viagem Rabello, M.Do C.M.M. Ludke, P.V. Ferreira, G.R.Q. Lana, and S.R.V. Lana. 2010. Productive Performance of Broiler Chickens Fed Tomato Waste. *R. Bras. Zootec.*, 39(5): 1074-1081.
- Liu L., Z. Shao, M. Zhang, and Q. Wang. 2015. Regulation of Carotenoid Metabolism in Tomato. *Review Articul. Mol. Plant.* 8, 28–39. doi:10.1016/J.Molp.2014.11.006.
- Lloyd-Jones, D.M, D.C. Goff, and N.J. Stone. 2016. Treatment of Blood Cholesterol to Reduce Risk for Atherosclerotic Cardiovascular Disease. *Ann. Intern. Med.* 164(2):135-6. [Pubmed]
- Lohmann Tierzucht. 2019. Management Guide Cage Housing: Brown-Classic Layers Management Guide.



- Lokapirnasari WP, Soewarno, Dhamayanti Y. 2011. Potensi Crude Spirulina Terhadap Protein Efisiensi Rasio Pada Ayam Petelur. Jurnal Ilmiah Kedokteran Hewan. 2: 5-8.
- Lorenz M, Fechner M, Kalkowski J, Fröhlich K, Trautmann A, Böhm V, Liebisch G, Lehneis S, Schmitz G, Ludwig A, Baumann G, Stangl K, Stangl V. 2012. Effects of lycopene on the initial state of atherosclerosis in New Zealand White (NZW) rabbits. PLoS One 2012; 7:e30808
- Lovdal, T., B.V. Droogenbroeck, E.C. Eroglu, S. Kaniszewski, G. Agati, M. Verheul, and D. Skipnes. 2019. Valorization of Tomato Surplus and Waste Fractions: A Case Study Using Norway, Belgium, Poland, and Turkey as Examples. Foods 2019, 8, 229: 1-21. Doi:10.3390/Foods8070229
- Mabe I, C. Rapp, M.M. Bain and Y. Nys. 2003. Supplementation of a Corn Soybean Meal Diet With Manganese, Copper and Zinc From Organic or Inorganic Sources Improves Eggshell Quality in Aged Laying Hen. Poultry Science, 82: 1903–1913.
- Macrae, R., R.K. Robinson, and M.J. Sadler. 1993. Encyclopaedia of Food Science, Food Technology and Nutrition, Academic Press, London.
- Mahata, M. E., Y. Rizal, and Ardi. 2018. Tomat (*Lycopersicon Esculentum*) Limbah Sebagai Bahan Pakan Alternatif Ternak Unggas. Sukabina Press: Padang. ISBN: 978-602-6277-93-0
- Mahata, M.E. M.J. Sasti, R.S. Aryani, Y. Rizal and G. Wu. 2013. The Effect of Improved Juice Wastes Mixture (IJWM) for Corn Substitution on Broilers' Performance. International Journal of Poultry Science 12 (2): 102-106.
- Mahata, M. E., J. Manik, M. Taufik, Y. Rizal, and Ardi. 2016a. Effect of Different Combinations of Unboiled and Boiled Tomato Waste in Diet on Performance, Internal Organ Development and Serum Lipid Profile of Broiler Chicken. International Journal of Poultry Science 15 (7): 283-286.
- Mahata, M.E., Y. Rizal, Ardi, D. Hermansyah, and G.A. Nurhuda. 2016b. Effect of Boiled Tomato Waste Utilization in The Diet on Serum Lipid Profile and Egg Quality of Laying Hens. Int. J. Poult. Sci., 15(12): 493-496. Doi:10.3923/Ijps.2016.493.496.
- Mahmood, T and Y Guo. 2020. Dietary Fiber and Chicken Microbiome Interaction: Where will it Lead to?. Animal Nutrition, 6: 1-8.
- Mahn, A. and A. Reyes. 2012. An Overview of Health-promoting Compounds of Broccoli (*Brassica oleracea var.italica*) and the Effect of Processing. Food Sci. Technol. Int., 18: 503-514.
- Mahieddine, B., B. Amina, S. M. Faouzi, B. Sana, and D. Wide. 2018. Effects of Microwave Heating on the Antioxidant Activities of Tomato (*Solanum lycopersicum*). Annals of Agricultural Sciences 63 (2018) 135–139.

- Malaki N,A., Corredig, M., and Wright, A. 2010. Changes In WPI-Stabilized Emulsion Interfacial Properties In Relation To Lipolysis and B-Carotene Transfer During Exposure To Simulated Gastric-Duodenal Fluids of Variable Composition. *Food Digestion*, 1(1), 14–27.
- Malik, A. 2015. Fraksinasi Olein dan Stearin Minyak Sawit Kasar Menggunakan Larutan Dengan Berat Jenis Antara. *JESBIO*, 4(2): 18-22.
- Mansoori, B., M. Modirsanei, and M.M. Kiaei. 2008. Influence of Dried Tomato Pomace as an Alternative To Wheat Bran in Maize or Wheat Based Diets, on The Performance of Laying Hens And Traits of Produced Eggs. *Iranian Journal of Veterinary Research*, Shiraz University, Vol. 9, No. 4, Ser. No. 25.
- Mangiagalli, M.G., P.A. Martino, T. Smajlovic, L.G. Calvachini and S.P. Marelli. 2010. Effect of Lycopene on Semen Quality, Fertility and Native Immunity of Broiler Breeder. *British Poultry Science*, 51 (1): 152—157. Doi:10.1080/00071660903401540
- Matt, D., E. Rembialkowska, A. Luik, E. Peetsmann, and Pehme, S. 2011. Quality of Organic vs. Conventional Food and Effects on Health. Report. Estonian University of Life Sciences 2011.
- Mayeaux M., Z. Xu, J.M. King, and W. Prinyawiwatkul. 2006. Effects of Cooking Conditions on the Lycopene Content in Tomatoes. *Journal of Food Science*: 1-5. Doi: 10.1111/J.1750-3841.2006.00163.X
- Melkamu. B, T. Yayneshet, and T. Alemayehu. 2011. Performance of Growing Rhode Island Red Chicks Fed Different Levels of Dried Tomato Pomace and A Commercial Diet. *Journal of the Drylands* 4(2): 320-324.
- Meroni, E. and V. Raikos. 2018. Lycopene In Beverage Emulsions: Optimizing Formulation Design and Processing Effects For Enhanced Delivery. Review. *Beverages Journal*, 4 (14): 1-10. Doi:10.3390/Beverages4010014
- Micozzi M.S., E.D. Brown, B.K. Edwards, J.G. Bieri, P.R. Taylor, F. Khachik, and G.R. Beecher. 1992. Plasma Carotenoid Response to Chronic Intake of Selected Foods and Beta-Carotene Supplements in Men, *Am J Clin Nutr*, 55(6):1120–1125.
- Miglio, C., E. Chiavaro, A. Visconti, V. Fogliano, and Pellegrini, N. 2008. Effects of Different Cooking Methods on Nutritional and Physicochemical Characteristics of Selected Vegetables. *J. Agric. Food Chem.* 56(1): 139–147.
- Mirzah, M., 2006. Efek Pemanasan Limbah Udang Yang Direndam Dalam Air Abu Sekam Terhadap Kandungan Nutrisi Dan Energi Metabolis Pakan. *J. Peternakan*, 3: 47-54.
- Mohammadi, H., Z. Ansari-Pirsaraei, S. N. Mousavi, M. Bouyeh, A. Gholibeikifard, P. Nouri, A. Hatefi and M. Rahmani. 2015. Egg Quality and Production Performance of Laying Hens Injected With Growth Hormone And

Testosterone In The Late Phase of Production. *Animal Production Science*.  
<http://dx.doi.org/10.1071/AN14111>

- Molnar A, C. Hamelin, E. Delezie, Y. Nys. 2018. Sequential and Choice Feeding in Laying Hens: Adapting Nutrient Supply to Requirements during the Egg Formation Cycle. *World's Poultry Science Journal* 2018; 74: 199– 210. <https://doi.org/10.1017/S0043933918000247>
- Moniruzzaman, M., R. Khatoon, M. Moniruzzaman, M.F.B. Hossain, M.M. Rashid. 2013. Ripening of Tomato at Different Stage of Maturity Influenced the Post Harvest Application of Ether. *Bull. Inst. Agr.*, 36: 17-30
- Montesano, D., Blasi F, and Cossignani L. 2019. Lycopene and Cardiovascular Disease: An Overview. *Ann Short Reports*, 2: 1033.
- Moon Y. S. 2018. Lipid Metabolism and Fatty Liver in Poultry. *Korean J.Poult.Sci*. Vol.45, No.2, 109-118. [Doi:10.5536/KJPS.2018.45.2.109](https://doi.org/10.5536/KJPS.2018.45.2.109)
- Mozos, I., D. Stoian, A. Caraba, C. Malainer, J.O. Horbanezuk, and A.G. Atanasov. 2018. Lycopene and Vascular Health. Review. *Front. Pharmacol*, 9:1-16. Doi: 10.3389/Fphar.2018.00521
- Mujahid, A., M. Asif, I. ul Haq, M. Abdullah, and A. H. Gilani. 2003. Nutrient Digestibility of Broiler Feeds Containing Different Levels of Variously Processed Rice Bran Stored for Different Periods. *Poultry Science* 82:1438–1443.
- Mulkalwar S.A., N.S. Munjal, U.K. More, B. More, A.B. Chaudhari, and P.R. Dewda. 2012. Effect of Purified Lycopene on Lipid Profile, Antioxidant Enzyme and Blood Glucose in Hyperlipidemic Rabbits. *Am J Pharm Tech Res*; 2: 461–470.
- Murakami, K., M. Honda, R. Takemura, T. Fukaya, Wahyudiono, H. Kanda, and M. Goto. 2018. Effect of Thermal Treatment and Light Irradiation on the Stability of Lycopene with High Z-Isomers Content. *Food Chemistry*, 250: 253–258. <https://doi.org/10.1016/J.Foodchem.2018.01.062>
- Murray, R.K., D.K. Granner, P.A. Mayes and V.W. Rodwell. 2012. *Biokimia Harper (Harper's Illustrated Biochemistry)*. Edisi 27. Alih Bahasa Oleh Brahm U. Pendet. Penerbit Buku Kedokteran EGC. Hal 225-254
- Murray, R.K., D.K. Granner, P.A. Mayes and V.W. Rodwell. 2003. *Harper's Illustrated Biochemistry*. Medical Book . 26th ed. Mc Graw-Hill Company In.,USA.
- Nasikin, M., F.J. Nangoy, C.L.K. Sarayar dan M.H.M. Kawatu. 2015. Pengaruh Substitusi Sebagian Ransum Dengan Tepung Tomat (*Solanum Lycopersicum L*) Terhadap Berat Telur, Berat Kuning Telur dan Massa Telur Ayam Ras. *Jurnal Zootek ("Zootek" Journal )* Vol. 35 No. 2 : 225 – 234.

- National Research Council, 1994. Nutrient Requirements of Poultry, 9th revised edition. National Academy Press, Washington DC, USA.
- Nguyen, M.L. and S.J. Schwartz. 1998. Lycopene Stability During Food Processing, PSEBM, 218: 101-105.
- Niekerk, Van. 2014. Egg Quality. Low Input Breeds Technical Note. [Www.Lowinputbreeds.Org](http://www.Lowinputbreeds.Org). (Diakses Pada 8 April 2017, 22:13 wib)
- Nikolakakis, I., D. Banakis, P. Florou-Paneri, V. Dots, I. Giannenas, and N. Botsoglou. 2004. Effect of Dried Tomato Pulp on Performance and Carcass Characteristics of Growing Quails. Arch. Geügelk. 2004, 68 (L), 34-38, ISSN 0003-9098.
- Nicholls, S.J., J. Adam, and Nelson, 2019. Hdl and Cardiovascular Disease. Pathology (February 2019) 51(2), Pp. 142–147. Doi: <https://doi.org/10.1016/j.pathol.2018.10.017>
- Nobakht. A., and A. R. Safamehr. 2007. The Effect of Inclusion Different Levels of Dried Tomato Pomace in Laying Hens Diets on Plasma and Egg Yolk Cholesterol Content. Journal of Animal and Veterinary Advances 6(9):1101-1106.
- North, M.O. and D.D. Bell. 1990. Commercial Chicken Production Manual. Fourth Edition. Published By Van Nostrand Reinhold, New York.
- Novita, I. S. 2015. Tiap Tahun, Produksi Tomat Surplus Hingga 400 Ribu Ton. Dipublikasikan Senin, 17 Agustus 2015. Diakses 28 Mei 2016 (12.45). <https://www.Merdeka.Com/Uang/Tiap-Tahun-Produksi-Tomat-Surplus-Hingga-400-Ribu-Ton.Html>
- Nys, Y. and N. Guyot. 2011. Egg Formation and Chemistry. Improving The Safety and Quality of Eggs and Egg Products: 83–132. Doi:10.1533/9780857093912.2.83
- O'Connell, O., Ryan, L., O'Sullivan, L., Aherne-Bruce, S. A. and O'Brien, N. M. (2008). Carotenoid Micellarization Varies Greatly Between Individual And Mixed Vegetables With or Without The Addition of Fat or Fiber. International Journal for Vitamin and Nutrition Research 78(4-5): 238-246.
- OIE (Office International Des Epizooties). 2017. Animal Welfare and Laying Hen Production Systems. CHAPTER 7 . Z. Terrestrial Animal Health Standards Commission/September 2017: 1-18
- Okibe, F.G., B. Jubril, E.D. Paul, G.A. Shallangwa and Y.A. Dallatu, 2016. Effect of cooking methods on proximate and mineral composition of fluted pumpkin (*Telfairia occidentalis* ) leaves. Int. J. Biochem. Res. Rev., 9: 1-7.

- Olson J.B., N.E. Ward, and E.A. Koutsos. 2008. Lycopene Incorporation Into Egg Yolk and Effects on Laying Hen Immune Function. *Poultry Science* 87:2573–2580. Doi:10.3382/Ps.2008-00072
- Omoni, A.O. and R.E. Aluko. 2005. The Anti-Carcinogenic and Anti-Atherogenic Effects of Lycopene: A Review. *Trends in Food Science and Technology* 16: 344-350.
- Onimisi, P. A, Orunmuyi, M., Musa, A. A., Bale, S. and Bawa, G. S. 2012. Effects of Feed Lysine Content on Laying Performance and Egg Quality of Late Laying Hens. *International Journal of Applied Research and Technology* Vol. 1, No. 5, September 2012. 104 – 110.
- Onyeike, E.N., E.A. Anyalogbu, and M.O. Monanu. 2015. Effect Of Heat Processing On The Proximate Composition and Energy Values Of African Walnut (*Plukenetiaconophora*) and African Elemi (*Canariumschweinfurthii*) Consumed As Masticatories In Nigeria. *International Journal Of Scientific & Technology Research* Volume 4, Issue 08, August 2015 Issn 2277-8616
- Padhi, M.K., R.N. Chatterjee, S. Haunshi And U. Rajkumar. 2013. Effect of Age On Egg Quality In Chicken. *Indian Journal of Poultry Science* (2013) 48(1): 122-125
- Paetau, I., F. Khachik, E.D. Brown, G.R. Beecher, T.R. Kramer, J. Chittams, and B.A. Clevidence. 1998. Chronic Ingestion of Lycopene-Rich Tomato Juice or Lycopene Supplements Significantly Increases Plasma Concentrations of Lycopene And Related Tomato Carotenoids In Humans, *Am J Clin Nutr*, 68: 1187-1195.
- Page D., E.V. Stratum, A. Degrou, and C.M.G.C. Renard. 2012. Kinetics of Temperature Increase During Tomato Processing Modulate The Bioaccessibility of Lycopene. *Food Chemistry*, 4: 2462-2469. Doi: 10.1016/J.Foodchem.2012.06.028
- Paiva, S. A. R. and R. M. Russell. 1999.  $\beta$ -Carotene and Other Carotenoids as Antioxidants, *J Am Coll Nutr*, 18(5): 426-433.
- Palozza. P., A. Catalano, R.E. Simone, M.C. Mele, and A. Cittadini. 2012. Effect of Lycopene and Tomato Products on Cholesterol Metabolism. *Ann. Nutr Metab*, 61:126–134.
- Panaite T.D., V. Nour, P.A. Vlaicu, M. Ropota, R. Corbu, and M. Saracila. 2019. Flaxseed and Dried Tomato Waste Used Together in Laying Hens Diet. *Archives of Animal Nutrition*, 73 (3): 222-238. Doi: 10.1080/1745039X.2019.1586500
- Panda A.K, S.V.R. Rao, M. Niranjana, M.R. Reddy. 2012. Effect of Nutrient Density on Production Performance, Egg Quality and Humoral Immune

- Response of Brown Laying (Dahlem Red) Hens in the Tropics. *Trop Anim Health Prod* (44):29-39.
- Parada J, Aguilera JM. 2007. Food Microstructure Affects The Bioavailability of Several Nutrients. *J. Food Sci.* 72(2):R21–32
- Pardue, S. L. and Thaxton, J. P. (1984), Evidence of amelioration of steroid-mediated immunosuppression by ascorbic acid, *Poultry Science* 63 (6) 1262-1268
- Paudel S (2013). Two Different Oils in Feeds for Broiler: Effect on Fat Digestion. Master of Thesis. Departement of Animal Science and Aquacultural Sciences, Norwegian University of life science. Pp. 1-26. Available at: [http://nmbu.brage.unit.no/nmbu-mlui/bitstream/handle/11250/186189/paudel\\_master2013.pdf%3Fsequence%3D4%26isAllowed%3Dy&ved=](http://nmbu.brage.unit.no/nmbu-mlui/bitstream/handle/11250/186189/paudel_master2013.pdf%3Fsequence%3D4%26isAllowed%3Dy&ved=)
- Peebles, D., C. D. Zumwalt, S. M. Doyle, P. D. Gerard, M. A. Latour, C. R. Boyle, and T. W. Smith. 2000. Effects of dietary fat type and level on broiler breeder performance. *Poult. Sci.* 79:629–639.
- Peiser GD, Yang SF. 1979. Sulphite-Mediated Destruction Of B-Carotene. *J. Agric. Food Chem.* 27:446–49.
- Persia, M.E., C.M. Parsons, M. Schang, and J. Azcona. 2003. Nutritional Evaluation of Dried Tomato Seeds. *J. Poultry Science*, 82:141–146.
- Pond, W.G., Church, D.C., Pond, K.R.P.A. 1995. *Basic Animal Nutrition and Feeding*. 5th Edition. New York. John Willey and Sons.
- Porrini, M., P. Riso, and G. Testolin. 1998. Absorption of Lycopene from Single or Daily Portions of Raw and Processed Tomato, *Br J Nutr*, 80:353- 361.
- Porter, C.J.H., A. M Kaukonen, A. Taillardat-Bertschinger, B.J. Boyd, J.M. O'Connor, G.A. Edwards, et al. 2004. Use Of In Vitro Lipid Digestion Data To Explain The In Vivo Performance Of Triglyceride-Based Oral Lipid Formulations of Poorly Water-Soluble Drugs: Studies With Halofantrine. *Journal of Pharmaceutical Sciences*, 93(5), 1110–1121.
- Preisinger, Rudolf. 2018. Innovative Layer Genetics to Improve Egg Production. <http://www.ltz.de/en/news/lohmann-information/2018-1/1-innovative-layer-genetics-to-improve-egg-production.php>
- Priyankara, G.G.D.S., C.L.S.M Karunarathne, K.H. Sarananda, and M. Ariyaratne. 2017. Effect of Maturity Stage on Ripening and Quality Characters of Four Tomato (*Solanum Lycopersicum L.*) Varieties of Sri Lanka. *Tropical Agricultural Research* Vol. 28 (4): 496 – 502 (2017)
- Puertas, G. and M. Vázquez. 2018. To Advances in Techniques for Reducing Cholesterol in Egg Yolk: A Review. *Critical Reviews in Food Science and Nutrition*, Doi: 10.1080/10408398.2018.1448357.

- Purwaningsih, S., E. Salamah and N. Mirlina, 2011. Processing Effect Of Mineral Content From Matah Merah ( *Cerithidea Obtusa* ). Proceedings of the Annual National Seminar and Scientific Meeting on Increasing Role in Fishery Products Processing to Anticipating National Fisheries Production, October 6-7, 2011, Indonesian Fisheries Product Processing Society, Indonesia.
- Purwaningsih, S., E. Salamah and G.P. Apriyana, 2013. Protein and Amino Acid Profiles in Ipong-ipong snail (*Fasciolaria salmo*) on Different Processing. *J. Gizi Pangan*, 8: 77-82. (In Indonesian).
- Rahmatnejad. E., M. Bojarpour, K.H. Mirzadeh, M. Chaji, and T. Mohammadabadi. 2009. The Effect of Different Level of Dried Tomato Pomace on Broiler Chicken Hematological Indices. *Journal of Animal and Veterinery Advance* 8 (10): 1989-1992.
- Rakonjac S., S. Bogosavljević-Bošković, Z. Pavlovski, Z. Škrbić, V. Dosković, M.D. Petrović, and V. Petričević. 2014. Laying Hen Rearing Systems: A Review of Major Production Results and Egg Quality Traits. *World's Poultry Science Journal*, Vol. 70: 93-104. Doi:10.1017/S0043933914000087
- Ranjan, A., R. Sinha, I. Devi, A. Rahim, and S. Tiwari. 2019. Effect of Heat Stress on Poultry Production and their Managemental Approaches. *Int.J.Curr.Microbiol.App.Sci* (2019) 8(2): 1548-1555. Review Article <https://doi.org/10.20546/ijcmas.2019.802.181>
- Rao, A.V. and S. Agarwal. 1999. Role of Lycopene as Antioxidants Carotenoid in Prevention of Chronic Disease. A Rewiew. *Nutr. Res*, 19: 305-323.
- Rao, A.V. and S. Agarwal. 2000. Role of Antioxidant Lycopene in Cancer and Heart Disease, *J Am Coll Nutr*, 19(5): 563-569.
- Rao, A.V. and H. Shen. 2002. Effect of Low Dose Lycopene Intake on Lycopene Bioavailability and Oxidative Stress, *Nutr Res*, 22: 1125-1131.
- Rao. A.V., M.R. Ray, and L.G. Rao. 2006. Lycopene. *Advances in Food and Nutrition Research* Vol 51. ISSN: 1043-4526. Doi: 10.1016/S1043-4526(06)51002-2.
- Rasyaf, M. 1990. *Beternak Ayam Kampung*. Cetakan Ke-IX. Penebar Swadaya. Jakarta.
- Rasyaf, M. 1994. *Beternak Ayam Pedaging*. Penebar Swadaya. Jakarta.
- Reboul, Emmanuelle. 2019. Mechanisms of Carotenoid Intestinal Absorption: Where Do We Stand?. *Nutrients*, 11 (838): 1-12. Doi:10.3390/Nu11040838
- R-Godbert, S, N. Guyot, and Y. Nys. 2019. The Golden Egg: Nutritional Value, Bioactivities, and Emerging Benefits for Human Health. *Nutrients*, 11, 684; Doi:10.3390/Nu11030684

- Rizal, Yose. 2013. Ilmu Nutrisi Unggas. Andalas University Press. Padang.
- Rizal, Yose. 2006. Ilmu Nutrisi Unggas. Andalas University Press. Padang.
- Roberts, J.R. 2004. Factors Affecting Egg Internal Quality and Egg Shell Quality of Laying Hens. *Journal of Poultry Science* 41: 161-177.
- Roberts, J.R., R. Souillard, and J. Bertin. 2011. Avian Diseases Which Affect Egg Production and Quality. In Book: *Improving The Safety and Quality of Eggs And Egg Products*. Doi: 10.1533/9780857093912.3.376
- Robert, A., S.A. Elsie, and D. Hayford. 2017. Effect of Cooking Methods and Ripening Stages on the Nutritional Compositions of Plantain (*Musa Paradisiaca*). *International Journal of Food Science and Biotechnology*, 2(4), 134-140
- Rossini, G., G. Toscano, D. Duca, F. Corinaldesi, E.F. Pedretti, and G. Riva. 2013. Analysis of The Characteristics of the Tomato Manufacturing Residues Finalized to the Energy Recovery. *Biomass and Bioenergy*, 51: 177-182.
- Rotolo, L., G. Strazzullo, M. Pagella, A. Brugiapaglia, L. Pozzo and A. Schiavone. 2010. Effect of a tomato extract-supplemented diet on egg yolk pigmentation and lycopene transfer efficiency. *Italian Journal of Food Science*, 22: 180-185.
- Rudel, L.L., R.G. Lee, T.L. Cockman. 2001. Acyl Coenzyme A: Cholesterol Acyltransferase Types 1 and 2: Structure and Function in Atherosclerosis. *Curr. Opin. Lipidol*, 12: 121-127.
- Safamehr. A., H. Malek, and A. Nobakhat. 2011. Effect of Different Level of Tomato with or Without Multi-Enzyme on Performance and Egg Traits of Laying Hens. *Iranian Journal of Applied Animal Science* 1 (1): 39-47.
- Sagar, N.A, S. Pareek, S. Sharma, E.M. Yahia, and M.G. Lobo. 2016. Fruit and Vegetable Waste: Bioactive Compounds, Their Extraction, and Possible Utilization. *Reviews. Food Science and Food Safety*: 1-22. Doi: 10.1111/1541-4337.12330
- Sah, N. and B. Mishra. 2018. Regulation of Egg Formation in the Oviduct of Laying Hen. *World's Poultry Science*, 74: 1-13. Doi:10.1017/S0043933918000442
- Sahin, N., F. Akdemir, C. Orhan, O. Kucuk, A. Hayirli, and K. Sahin. 2008. Lycopene-Enriched Quail Egg As Functional Food For Humans. *Food Res. Int.* 41:295-300.
- Sahin, N., K. Sahin, M. Onderci, M. Karatepe, M. Smith, O. Kucuk. 2006. Effects of Dietary Lycopene and Vitamin E on Egg Production, Antioxidant Status and Cholesterol Levels in Japanese Quail. *Asian-Aust J Anim Sci*, 19: 224-230.



- Sahlin, E., G.P. Savage, and C.E. Lister. 2004. Investigation of the Antioxidant Properties Of Tomatoes After Processing. *Journal of Food Composition and Analysis* 17 (2004):635–647.
- Sakomura N.K, M. DP. Reis, N.T. Ferreira, and R.M. Gous. 2019. Modeling Egg Production as a Means of Optimizing Dietary Nutrient Contents For Laying Hens. Vol. 9, No. 2. Doi: 10.1093/Af/Vfz010.
- Sakroni, T. Kurtini, dan K. Nova. 2015. Perbandingan Tebal Kerabang, Penurunan Berat Telur, dan Nilai *Haugh Unit* Telur Ayam Ras Umur Simpan Sepuluh Hari Dari Strain Ayam Yang Berbeda. *Jurnal Ilmiah Peternakan Terpadu*, 3(4): 217-220.
- Salajegheh, M. H., S. Ghazi, R. Mahdavi, and O. Mozafari. 2012. Effects of Different Levels of Dried Tomato Pomace on Performance, Egg Quality and Serum Metabolites of Laying Hens. *African Journal of Biotechnology*, 11(87): 15373-15379. Doi: 10.5897/AJB12.1031.
- Saputra D.R., T. Kurtini, dan Erwanto. 2016. Pengaruh Penambahan Feed Aditif Dalam Ransumdengan Dosis yang Berbeda Terhadap Bobot Telur dan Nilai Haugh Unit (HU) Telur Ayam Ras. *Jurnal Ilmiah Peternakan Terpadu*. Vol.4. No. 3 (230-236).
- Sarkar S., D.K.D. Roy, Alomoni, Md.A.B. Siddik, K. Das, and Md. J. Rahman. 2015. Effect of Chemical Preservatives and Storage Conditions on the Nutritional Quality of Tomato Pulp. *American Journal of Food and Nutrition*, 3 (4): 90-100. Doi: 10.12691/Ajfn-3-4-1.
- Sato, K., K. Suzuki, and Y. Akiba. 2009. Characterisation of Chicken Portomicron Remnant and Very Low Density Lipoprotein Remnant. *Journal Poultry Science*, 46: 35-39.
- Scott, M. L. Neheim, M., and Young, R. J. 1982. *Nutrition of the Chicken*. 3rd ed. M. L. Scott and Associates Publisher Ithaca, New York.
- Selcuki, M., Z. Selcuk, Z. Kahraman, G. Ciftci, and E. Akal. 2013. Effects of Dried Tomato Pulp Used as a Feed Ingredient in Breeder Roosters' Diets on Blood and Semen Antioxidant Status and on Some Sperm Parameters. *Revue Méd. Vét.*, 164(8-9): 435-442.
- Sesso, H.D., S. Liu, M.J. Gaziano, J.E. Buring. 2003. Dietary Lycopene, Tomato-Based Food Products and Cardiovascular Disease in Women. *J Nutr* 133: 2336-41.
- Setiawati, T., R. Afnan, dan N. Ulupi. 2016. Performa Produksi dan Kualitas Telur Ayam Petelur pada Sistem Litter dan Cage dengan Suhu Kandang Berbeda. *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 4(1):1997-203.

- Ševčíková, S., M. Skřivan, and G. Dlouhá. 2008. The Effect of Lycopene Supplementation on Lipid Profile and Meat Quality of Broiler Chickens. *Czech J. Anim. Sci.*, 53, 2008 (10): 431–440.
- Sharma, S. K., and M. Le Maguer. 1996. Lycopene in Tomato Pulp Fractions. *Ital.J. Food Sci.* 2,107-113
- Shi, J. and M. Le Maguer. 2000. Lycopene in Tomatoes: Chemical and Physical Properties Affected by Food Processing. *Critical Reviews in Food Science and Nutrition* 40(1):1–42.
- Shi, J., M.L. Maguer, Y. Kakuda, A. Liptay, and F. Niekamp. 1999. Lycopene Degradation and Isomerization in Tomato Dehydration. *Food Research International* 32: 15-21.
- Shinn, S.E., R. Liyanage, J.O.Jr Lay, A. Proctor. 2016. Isolation and Characterization of Chicken Yolk Vitelline Membrane Lipids Using Eggs Enriched With Conjugated Linoleic Acid. *Lipids*, 51: 769–779. [Crossref]
- Siahaan, N.B, E. Suprijatna, L.E. Mahfudz. 2013. Pengaruh Penambahan Tepung Jahe Merah (*Zingiber Officinale* Var. *Rubrum*) Dalam Ransum Terhadap Laju Bobot Badan Dan Produksi Telur Ayam Kampung Periode Layer. *Animal Agricultural Journal*. 2(1): 478-488.
- Sibbald, I.R. 1976. A Bioassay For True Metabolisable Energy in Feedingstuff. *Poultry Science*. 55:303-308.
- Sibbald, I.R. 1986. *The TME System of Feed Evaluation: Methodology, Feed Composition data and Bibliography*. Animal Research Centre, Ottawa, Ontario.
- Silva Y.P.A., B.C. Borba, M.G. Reis, M. Caliari, and T.A.P.C. Ferreira. 2016. Tomato Industrial Waste as Potential Source of Nutrients. X CIGR Section VI International Technical Symposium Food: The Tree That Sustains Life.
- Škrbić, Z., Z. Pavlovski, M. Lukić, D. Vitorović, V. Petričević, and Lj. Stojanović. 2011. Changes of Egg Quality Properties With the Age of Layer Hens in Traditional and Conventional Production. *Biotechnology in Animal Husbandry*, 27 (3): 659-667.
- Soeparno, R. A., Rihastuti, Indratiningsih, dan S. Triatmojo. 2011. *Dasar Teknologi Hasil Ternak*. Yogyakarta (ID): Gajah Mada University
- Somer, L. 1989. *Analytical Absorption Spectrophotometry in The Visible and Ultraviolet The Principles*. Elsevier Science Publisher, Amsterdam. Hal : 95-109, 158-160, 181-182
- Squires, M.W., E.C. Naber, and V.D. Toelle. 1992. The Effects of Heat, Water, Acid, and Alkali Treatment of Tomato Cannery Wastes on Growth, Metabolizable Energy Value, and Nitrogen Utilization of Broiler Chicks.

- Poultry Science, 71:522-529.
- Stahl, W. and H. Sies. 1992. Uptake of Lycopene and Its Geometrical Isomers is Greater From Heat-Processed than From Unprocessed Tomato Juice in Humans. *J. Nutr.* 122: 2161-2166.
- Stahl, W. and H. Sies. 1996. Perspectives in Biochemistry and Biophysics. *Archives of Biochemistry and Biophysics* 336 (1): 1-9.
- Stahl, W. and H. Sies. 2003. Antioxidant Activity of Carotenoids, *Mol Aspects Med*, 24: 345–351.
- Standar Nasional Indonesia (SNI). 2006. SNI-01-3929-2006: Pakan Ayam Ras Petelur (*Layer*). Badan Standar Nasional: Jakarta.
- Steel, R.G.D. and J.H. Torrie. 1995. Principles and Procedures of Statistics: A Biometrical Approach. 2nd Edition. New York, USA: (Mcgraw-Hill).
- Sudarmono, A.S. 2003. *Pedoman Pemeliharaan Ayam Ras Petelur*. Kanisius: Jakarta.
- Sumardi, Sutyarso, G.N Susanto, T. Kurtini, M. Hartono, dan Rr.E. Puspitaningsih N.W. 2016. Pengaruh Probiotik Terhadap Kolesterol Darah Pada Ayam Petelur (*Layer*). *Jurnal Kedokteran Hewan*, 10 (2): 128-131
- Sun. B., J. Ma, J. Zhang, L. Su, Q. Xie, and Y. Bi. 2014a. Lycopene Regulated Production Performance, Antioksidant Capacity, and Biochemical Parameters in Breeding Hens. *Czech J. Anim. Sci.*, 59 (10): 471—479.
- Sun. B., J. Ma, J. Zhang, L. Su, Q. Xie, Y. Gao, J. Zhu, D. Shu and Y. Bi. 2014b. Lycopene Reduces the Negative Effects Induced by Lipopolysaccharide In Breeding Hens. *British Poultry Science*, 55: 628- 634. 2014b.
- Supriati, Yati dan F.D. Siregar. 2015. *Bertanam Tomat di Pot*. Jakarta: Penebar Swadaya.
- Suprijatna, E., A. Umiyati, K. Ruhyat. 2005. *Ilmu Dasar Ternak Unggas*. Penebar Swadaya. Jakarta.
- Svelander. C. 2011. In Vitro Bioaccessibility of Zerotenes “Influence of Microstructure in Tomato and Carrot as Modified by Processing”. Tesis. Department of Chemical and Biological Engineering Chalmers University of Technology Food Science. Gothenburg. Sweden.
- Tabash A. M., W.M. Afana, A.M. Elregeb, S.A Eid, and A.M.A. Mustafa. 2019. Assessment of Lipid and Hematological Profile Among Blood Donors in European Gaza Hospital, Palestine. *Cardiol Cardiovasc Med*, 3 (4): 145-158.

- Tamiru H, M. Duguma, W. Furgasa, and L. Yimer. 2019. Review on Chicken Egg Quality Determination, Grading and Affecting Factors. *Asian Journal of Medical Science Research and Review*, 01(01): 34-42.
- Tapiero, H., D.M. Townsend, and K.D. Tew. 2004. The Role of Carotenoids in the Prevention of Human Pathologies. *Biomedicine and Pharmacotherapy* 58: 100-110.
- Thompson, K.A., M.R. Marshall, C.A. Sims, C.I. Wei, S.A. Sargent, and J.W. Scott. 2000. Cultivar, Maturity, and Heat Treatment on Lycopene Content in Tomatoes. *Journal of Food Science*, 65 (5): 791-795.
- Thomas, O.A., O. Boyejo, and O.P. Adeniji. 2017. Nutrient and Antinutrient Composition of Uellow Yam (*Dioscoreacayenensis*) products. *DATA in brief*, 11, 428-431.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdoesoekojo. 1998. *Ilmu Makanan Ternak Dasar*. Fakultas Peternakan. Universitas Gadjah Mada. Gadjah Mada University Press.
- Timbuleng. V.E, J.T. Laihad, J.R. Leke, and S.C. Rimbing. 2015. Pengaruh Penambahan Tepung Tomat (*Solanum Lycopersicum L*) Terhadap Kualitas Internal Telur Ayam Ras. *Jurnal Zootek ("Zootek" Journal)*, 35 (2) : 258-266.
- Tribun Lampung. 2019. Petani Buang Tomat ke Jurang Hingga Berton-Ton. *Tribun Lampung News Video*. Dipublikasikan Tanggal 5 September 2019. <https://www.youtube.com/watch?v=Ukvid7jwew8> [Diakses 10 September 2019]
- Trujillo, L.S and D.J. Mc-Clements. 2016. Enhancement of Lycopene Bioaccessibility From Tomato Juice Using Excipient Emulsions: Influence of Lipid Droplet Size. *Food Chemistry* 210: 295–304. Doi: 10.1016/J.Foodchem.2016.04.125
- Tuleun, C.D. and J.P. Patrick, 2007. Effect of Duration of Cooking Mucuna Utilis Seed on Proximate Analysis, levels of anti-nutritional factors and performance of broiler chickens. *Nig. J. Anim. Prod.*, 34: 45-53.
- Tumova, E. and Gous, R.M. 2012. Interaction of hen production type, age and temperature on laying pattern and egg quality. *Poultry Science*, 91: 1269-75. Tumova, E and Z. Ledvinka. 2009. The Effect of Time of Oviposition and Age on Egg Weight, Egg Components Weight And Eggshell Quality. *Archiv Fur Geflugelkunde*, 73, 110-115
- Tumova E., R.M. Gous and Tyler N., 2014. Effect of Hen Age, Environmental Temperature, and Oviposition Time on Egg Shell Quality and Eggshell and Serum Mineral Contents in Laying and Broiler Breeder Hens. *Czech Journal Of Animal Science*, 59: 435-443.

- United States Department of Agriculture (USDA). 2000. United States Standards, Grade, and Weight Classes for Shell Eggs. [Http://Www.Ams.Usda.Gov/Poultry](http://www.ams.usda.gov/poultry). Diakses 25 Maret 2019, 04.33 wib.
- United States Department of Agriculture (USDA), Agricultural Research Service, and Nutrient Data Laboratory. 2016. Composition of Foods Raw, Processed, Prepared. USDA National Nutrient Database for Standard Reference, Release 28, 1-161.
- United States Department of Agriculture (USDA). 2017. A Specifications for Shell Eggs “A “How To” Guide for Food Service Suppliers and Volume Food Buyers”. 1-10.
- Unlu, N.Z., T. Bohn, D.M. Francis, H.N. Nagaraja, S.K. Clinton, and S.J. Schwartz. 2007. Lycopene From Heat-Induced Cis-Isomer-Rich Tomato Sauce is More Bioavailable than From All-*Trans*-Rich Tomato Sauce in Human Subjects, *Br J Nutr*, 98 (1):140-146.
- Utomo, D.M. 2017. Performa Ayam Ras Petelur Coklat Dengan Frekuensi Pemberian Ransum yang Berbeda. *Jurnal Aves*, 11(2): 23-37.
- Valkonen, E., E. Venäläinen, L. Rossow, and J. Valaja. 2008. Effects of Dietary Energy Content on the Performance of Laying Hens in Furnished and Conventional Cages. *Poultry Science*, 87: 844-852.
- Van Loo-Bouwman, C.A., T.H. Naber, R.B van Breemen, D. Zhu, H. Dicke, E. Siebelink, P.J. Hulshof, F.G. Russel, G. Schaafsma, C.E. West. 2010. Vitamin a Equivalency and Apparent Absorption of Beta-Carotene in Ileostomy Subjects Using a Dual-Isotope Dilution Technique. *Br. J. Nutr.*, 103: 1836–1843.
- Vasupen, K., S. Wongsuthavas, S. Bureenok, B. Saenmahayak, K. Ampaporn, and C. Yuangklang. 2013. Effect of Tomato Pomace and Fibrolytic Enzyme on Egg Production and Egg Quality. *International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering*, 7(1).
- Venugopal, S. K., and I. Jialal. 2019. Biochemistry, Low Density Lipoprotein. April, 2019. PMID: 29763186
- Venzon, D.S., V. Kazlova, S.I. Ford, J. Intra, A.E. Klosner, and K.W. Gellenbeck. 2016. Evidence for Decreased Interaction and Improved Carotenoid Bioavailability by Sequential Delivery of a Supplement. *Food Science And Nutrition*, 5: 424-433. Doi: 10.1002/Fsn3.409
- Vergheese, M., J.E. Richardson, J. Boateng, L.A. Shackelford, C. Howard, and L.T. Walker. 2008. Dietary Lycopene Has a Protective Effect on Cardiovascular Disease in New Zealand Male Rabbits. *J Biol Sci*, 8: 268-277.

- Vermeulen, K., J. Verspreet, C.M. Courtin, F. Haesebrouck, R. Ducatelle, and FR, Immerseel. 2017. Reduce Particle Size Wheat Brand is Butyrogenic and Lower Salmonella colonization, when Added to Poultry Feed. *Vet. Microbiol*, 198: 64-71.
- Wahju, J. 1997. Ilmu Nutrisi Unggas. Cetakan Ke-4. Gadjah Mada University Press.
- Walukow, K.S., J. Laihad, J.R Leke, dan M. Montong. 2017. Penampilan Produksi Ayam Ras Petelur Mb 402 Yang Diberi Ransum Mengandung Minyak Limbah Ikan Cakalang (*Katsuwonus Pelamis L*). *Jurnal Zootek ("Zootek" Journal )* Vol. 37 No. 1 : 123 - 134
- Wang L., S. Liu, A.D. Pradhan, J.E. Manson, J.E. Buring, J.M, and H.D. Sesso. 2006. Plasma Lycopene, Other Carotenoids, and the Risk of Type 2 Diabetes in Women. *American Journal of Epidemiology* 164 (6): 576-585.
- Wang, J, H. Yue, S. Wu, H. Zhang, and G. Qi. 2017. Nutritional Modulation of Health, Egg Quality and Environmental Pollution of The Layers. *Animal Nutrition* 3: 91-96. Doi: 10.1016/J.Aninu.2017.03.001 24
- Wedzicha, B.L, and Lamikanra O. 1983. Sulphite Mediated Destruction Of B-Carotene: The Partial Characterisation Of Reaction Products. *Food Chem.* 10:275–83.
- Wen, Z, Y. Wu, Z. Qi, X. Li, F. Li, X. Wu, P. Yang. 2019. Rubber Seed Oil Supplementation Enriches N-3 Polyunsaturated Fatty Acids and Reduces Cholesterol Contents Of Egg Yolks in Laying Hens. *Food Chemeistry*: 125-198
- Widyantara, P.R.A., G.A.M.K. Dewi., dan I.N.T. Iriana. 2017. Pengaruh Lama Penyimpanan Terhadap Kualitas Telur Konsumsi Ayam Kampung dan Ayam Lohman Brown. *Majalah Ilmu Peternaka*, 20 (1): 5-11.
- Wijaksono, T.W., Munir, dan Rasbawati. 2019. Pengaruh Topografi dan Umur Ayam yang Berbeda terhadap Berat Telur dan Haugh Unit Ayam Ras Petelur. *Jurnal Bionature*, Volume 20, Nomor 1: 1-7
- Willems, O., S. Miller, and B. Wood. 2013. Aspects of Selection for Feed Efficiency in Meat Producing Poultry. *World's Poultry Science Journal*, 69(1):77–88
- Williams, A.W., T.W.M. Boileau, J.W. Jr Erdman. 1998. Factors Influencing The Uptake and Absorption of Carotenoids. *Proc Exp Biol Med* 218:106–108.
- Wiriyanta, Bernardinus T. Wahyu. 2002. Bertanam Tomat. Jakarta: Agromedia Pustaka, 102 Hlm.

- Yadong, T., K. Xiangtao, W. Yang, W. Guoxi, S. Guirong, and H. Ruili. 2013. Breeding Method of Laying Hen With Low Egg Yolk Cholesterol Content. Chinese Patent Number: 103.122.384 A
- Yannakopoulos , A.L., A.S. Tserveni-Gousi, and E.V. Christaki. 1992. Effect of Locally Produced Tomato Meal on The Perform- Ance And The Egg Quality Of Laying Hens. *Animal Feed Science And Technology*, 36: 53–57
- Yitbarek. M. B. 2013. The Effect of Feeding Different Levels of Dried Tomato Pomace on The Performance of Rhode Island Red (RIR) Grower Chicks. *International Journal of Livestock Production*, 4(3): 35-41. Doi: 10.5897/IJLP12.034.
- Yonekura, L., and A. Nagao. 2007. Intestinal Absorption of Dietary Carotenoids. *Molecular Nutrition and Food Research*, 51(1), 107–115.
- Young, A.J., and G.M. Lowe. 2001. Antioxidant and Prooxidant Properties of Carotenoids, *Arch Biochem Biophys*, 385; 2001: 20–27.
- Yuan, G.F, B. Sun, J. Yuan, and QM Wang. 2009. Effects of Different Cooking Methods on Health-Promoting Compounds of Broccoli. *Journal of Zhejiang University SCIENCE B*,10(8):580-588.
- Zaripheh, S., T.W.M. Boileau, M.A. Lila, J.W.Jr. Erdman. 2003. [14C]-lycopene and [14C]-labeled polar products are differentially distributed in tissues of F344 rats prefed lycopene. *J. Nutr.*, 133: 4189–4195.
- Zeng, Chuli. 2013. Effects of Different Cooking Methods on the Vitamin C Content of Selected Vegetables. *Nutrition and Food Science*, 43 (5): 438-443. [Http://Dx.Doi.Org/10.1108/NFS-11-2012-0123](http://dx.doi.org/10.1108/NFS-11-2012-0123).
- Zhao, R., G.Y. Xu, Z.Z. Liu, J.Y. Li, and N. Yang. 2006. A Study On Eggshell Pigmentation: Biliverdin In Blue-Shelled Chickens. *Poultry Science* 85: 546-549.
- Zhao, L., X. Zhang, F. Cao, D. Sun, T. Wang, and G. Wang. 2013. Effect of Dietary Supplementation With Fermented Ginkgo-Leaves on Performance, Egg Quality, Lipid Metabolism And Egg-Yolk Fatty Acids Composition In Laying Hens. *Livestock Science* 155 (2013) 77–85.
- Zita, Tumova, and Stolc. 2009. Effects of Genotype, Age and Their Interaction on Egg Quality in Brown-Egg Laying Hens. *Acta Veterinaria Brno*, 78: 85-91.