

DAFTAR KEPUSTAKAAN

- Abbott M.B., Bathurst, J.C., Cunge, J.A., O'Connel, P.E., & Rasmussen, J.(1986). An Introduction To The European Hydrological System- Systeme Hydrologique Europeen, "SHE", 2 : Structure Of A Physically-Based, Distributed Modelling System. *Journal of Hydrology*, 87 61-77.
- Achmad A. , Hasyim S., Dahlan B., Aulia Dwira N. (2015). Modeling of urban growth in tsunami-prone city using logistic regression: Analysis of Banda Aceh, Indonesia. *Applied Geography* Volume 62, Pages 237-246 doi.org/10.1016/j.apgeog.2015.05.001
- Agus, I. (2007). Modifikasi Persamaan Hidrograf Satuan Sintesis Metoda Nakayasu Terhadap Hidrograf Satuan Observasi DAS Ciliwung Hulu. *Rekayasa Sipil* Volume III, No. 2, Oktober 2007. ISSN : 1858 – 3695.
- Ajward, M.H. (1996). A spatially distributed unit hydrograph model using a geographic information system. Ph.D. Dissertation, Civil Engineering Department, University of Calgary, Calgary.
- American Society of Photogrammetry. (1983). *Manual of remote sensing*. Falls Church, Va. : American Society of Photogrammetry.
- Arsyad, 1989. *Konservasi tanah dan air*. Departemen Ilmu Tanah Fakultaspertanian IPB Bogor. 222 hal
- Asdak, C. (1995). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Gajah Mada university Press.Yogyakarta.
- Asdak, C. (2002). *Hidrologi Dan Pengelolaan Daerah Aliran Sungai*, Gajah Mada University Press, Yogyakarta.
- Asdak, C. (2014). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Yogyakarta (ID): Gajah Mada University Pr.
- Azizian, A., and Shokoohi, A. (2014). DEM resolution and stream delineation threshold effects on the results of geomorphologic-based rainfall runoff models. *Turkish J Eng Env Sci* 2014; doi:10.3906/muh-1401-13
- Balitbang PU. (2001). *Ringkasan Tata Cara Perencanaan Teknik Sumur Resapan Air Hujan untuk Lahan Pekarangan* SNI No: 02-2453-1991.
- Balai Wilayah Sungai. (2008). *Rencana Pola Pengelolaan Sumber Daya Air Wilayah Sungai Akuaman, Sumatera Barat, Padang*.
- Basuki, A. (2005). *Pengolahan Citra Digital Menggunakan Visual Basic*. Graha Ilmu: Yogyakarta.
- Brata, K.R. dan A. Nelistya. (2008). *Lubang Resapan Biopori*. Penebar Swadaya. Jakarta.

- Beven, K. (2002). Towards an Alternative Blueprint for a Physically Based Digitally Simulated Hydrologic Response Modeling System. *Hydrologic Process* 16, 189–206.
- Bloschl, G., and Sivapalan, M. (1995). Scale issues in hydrological modeling: a review, *Hydrol. Process.*, 9 : 251-290.
- Bolstad, P.V. and Stowe, T. (1994). An evaluation of DEM accuracy: Elevation, slope and aspect. *Photogrammet. Eng. Remote Sens.*, 60: 1327-1332.
- Castleman, K.R. (1996). *Digital Image Processing*. Prentice Hall, Englewood Cliffs, New Jersey.
- Calver, A., Wood, W.L. (1995). The institute of hydrology distributed model. In: Shigh, V.P. (Ed.), *Computer Models of Watershed Hydrology*. Water resources Publication, Colorado, pp. 595–626.
- Chaplot, V. (2005). Impact of DEM mesh size and soil map scale on SWAT runoff, sediment and NO₃-N loads predictions, *J. Hydrol.*, 312 : 207-222.
- Chang, K. and Tsai, B. (1991). The effect of DEM resolution on slope and aspect mapping. *Cartography Geographic Inform. Sci.*, 18: 69-77.
- Clark, C. O. (1945). Storage and The Unit Hydrograph. *Amer. Soc. Civ. Engin.* 110:1416-1446.
- Chang, C. L., & Chao, Y.C. (2014). Effects of spatial data resolution on runoff predictions by the BASINS model. *Int. J. Environ. Sci. Technol.* 11:1563–1570 DOI 10.1007/s13762-013-0342-9
- Chaubey, I., Cotter, A.S., Costello, T.A., Soerens, T. (2005). Effect of DEM data resolution on swat output uncertainty. *Hydrol Process* 2005; 19: 621-628.
- Chow, V. T., Maidment, D.R., & Mays, L.W. (1988). *Applied Hydrology*, McGraw-Hill Book Company.
- Cochrane, T.A., D. C. Flanagan. (2005). Effect Of Dem Resolutions In The Runoff And Soil Loss Predictions Of The Wepp Watershed Model. *American Society of Agricultural Engineers* ISSN 0001–2351. Vol. 48(1): 109–120
- Direktorat Jenderal Cipta Karya, Departemen Pekerjaan Umum. (2010). *Tata Cara Pembuatan Kolam Retensi Dan Polder Dengan Saluran-Saluran Utama*. Jakarta : Direktorat Jenderal Cipta Karya Departemen Pekerjaan Umum.
- Direktorat Jenderal Cipta Karya, Kementrian Pekerjaan Umum. (2013). *Bidang Drainase I Bahan Ajar Diseminasi Dan Sosialisasi Keteknikan Bidang Plp*

Sektor Drainase. Jakarta. Direktorat Jenderal Cipta Karya Departemen Pekerjaan Umum.

- Du, J., Xie, H., Xu, Y., Xu, C. (2009). Development and testing of a new storm runoff routing approach based on time variant spatially distributed travel time method. *Journal of Hydrology* 369, 44–54.
- Doyle, F. J. (1991). Digital Terrain Model: An Overview, *Photogrammetric Engineering and Remote Sensing*, Vol. 44, No 12, Dec. 1978, p1481-1485
- Fetriyuna, *et. al.* (2017). Impact of Land –Use Change on Kuranji River Basin Functions. *Redefining Diversity & Dynamics of Natural Resources Management in Asia*, Volume 4, pp.105-114
- Ghaffari, G. (2011). The Impact of DEM Resolution on Runoff and Sediment Modelling Results. *Research Journal of Environmental Sciences* 5 (8): 691-702, ISSN 1819-3412 / DOI: 10.3923/rjes.2011.691.702.
- Gray. D. M. (1961). Synthetic Unit Hydrograph for Small Watersheds. *Am. Soc. Civil Eng. Proc.* 87(HY4) : 33-54
- Haan, C.T., Johnson, H.P., & Brakensiek, D. L. (1982). *Hydrologic Modeling of Small Watershed*. The American Society of Agricultural Engineers. Michigan, USA.
- Hardjowigeno, S. (1995). *Ilmu Tanah*. Jakarta :AkademikaPresindo Press.
- Harto, S. (1993). *Hidrograf Satuan Sintetik Gamma I*. Departemen Pekerjaan Umum. Yogyakarta.
- Herdianto, R., Syofyan, E. R., Aguskamar. (2013). Pemanfaatan Informasi Topografi dan Indeks Vegetasi untuk Studi Dinamika Proses Hidrologi Daerah Aliran. *Jurnal Ilmiah. POLI REKAYASA*. Volume 8 Nomor 2, April 2013. ISSN : 1858-3709.
- Herdianto, R., Istijono, B., Syofyan, E. R., Dalrino. (2018). Investigation of Pangkalan Floods: Possible Reasons and Future Directions. *International Journal on Advanced Science, Engineering and Information Technology*, Vol.8 (2018) No. 6 , pp. 2510- 2515.
- Herdianto, R., Syofyan, E. R., Hanwar, S., Istijono, B., & Dalrino. (2017). The Investigation of 1997 and 2015 El Nino Events in West Sumatera, Indonesia. *International Journal on Advanced Science, Engineering and Information Technology*, Vol. 7 (2017) No. 2, pp. 418-423.
- Herdianto, R., Paik, K., Smettem, K., & Coles, N. (2010). Coupling vegetation index and terrain information for better representation of spatial and temporal dynamics of hydrological processes. *Proceedings of 8 th International Symposium on Ecohydraulics*. Seoul, September 2010. In CDROM.

- Harto, S. (1993). Analisis Hidrologi, Jakarta: P.T.Gramedia Pustaka Utama.
- Indarto (2014). Dasar Teori dan Contoh Aplikasi Model Hidrologi, Jakarta: P.T.Bumi Aksara.
- Indharto, Y. (2004). Operator Hidrologi Untuk Penyusunan Sistem Informasi Kebutuhan Air Tanaman. Jurnal Pertanian Vol. 14 No. 1.
- Istijono, B., Musri, A., Rizaldi, A., & Umar, Z. (2013). Disaster Management On Construction of Debris Flow Lessons From Batang Kuranji River In West Sumatra Indonesia. International Conference on Challenges in Disaster Mitigation and Management 15-17 February, 2013 at Centre of Excellence in Disaster Mitigation and Management, Indian Institute of Technology Roorkee – 247 667, INDIA
- Junaidi, Rasyid, Y., Ferdinand, A. (2012).” Pemodelan Erosi Serta Prediksi Angkutan Sedimen dan Hara pada Sub DAS Bukit Tindawan DAS Kuranji Kota Padang”. J. Solum. Vol. IX. No. 1. pp. 1-14.
- Jaya, INS. (2014). Analisis Citra Digital. Bogor: IPB Press.
- Kalin, L., Govindaraju, R.S., & Hantush, M. M. (2003). Effect of geomorphologic resolution on modeling of hydrograph and sediment to graph over small watersheds, J. Hydrol., 276 : 89-111.
- Kerle, N and Zhang. Y. (2008). Satellite Remote Sensing for Near Real Time Data Collection, in Zlatanova, S. and Li, J. eds, Geospatial Information Technology for Emergency Response. London, UK. Taylor & Francis, pp. 75-102.
- Kwangmin, K., Merwade, V. (2011). Development and application of a storage–release based distributed hydrologic model using GIS. Journal of Hydrology 403 (2011) 1-13.
- Kienzle, S. (2004). The effect of DEM raster resolution on first order, second order and compound terrain derivatives. Trans. Geographical Inform. Sci., 8: 83-111.
- Kironoto, B.A., & Yulistiyanto, B. (2000). Konservasi Lahan. Yogyakarta: Universitas Gadjah Mada.
- Kusnaedi. (2011). Sumur Resapan Untuk Pemukiman Perkotaan Dan Pedesaan. Jakarta : Penebar Swadaya.
- Kobatake. E., Onada, K., Yanagida, Y., & Aizawa, M. (2000). Design and Gene Eginering Synthesis of an Extremely Thermostable Protein with Biological Activity. Biomacromolecules I. 382-386.
- Linsley, K.R., Kohler, M.A., & Paulus, J.L.H. (1982). Hydrology for Engineers. Third Edition International Student Edition. Mc Graw-Hill International Book Company Auckland.

- Liu, Y.B., Gebremeskel, S., Smedt, F., Hoffmann, L., Pfister, L. (2003). A diffusive transport approach for flow routing in GIS-based flood modeling. *Journal of Hydrology* 283 (1–4), 91–106.
- Lin, S.C., Jing, V., Chaplot, X.Y., Zhang, Z., Moore, N., Wu, J. (2010). Effect of DEM resolution on SWAT outputs of runoff, sediment and nutrients. *Hydro Earth Syst* 2010; 7: 4411-4435.
- Maidment, D.R. (1993). GIS and hydrologic modeling. In: Goodchild, M., Parks, B., Steyaert, L. (Eds.), *Environmental Modeling with GIS*. Oxford University Press, New York, USA.
- Maidment, D.R., Olivera, J.F., Calver, A., Eatherall, A., & Fraczek, W. (1996). A Unit Hydrograph Derived From a Spatially Distributed Velocity Field. *Hydrologic Processes* 10, 831–844.
- Mehcram, Siti. (2011). *Prediksi Limpasan Permukaan, Erosi, dan Sedimentasi Menggunakan Model AVSWAT2000 (Studi Kasus Di Sub DAS Bengawan SoloHulu)*. Tesis. Program Studi Teknik Pertanian Fakultas Teknologi Pertanian UGM. Yogyakarta.
- Melesse, A.M., Graham, W.D. (2004). Storm runoff prediction based on a spatially distributed travel time method utilizing remote sensing and GIS. *Journal of the American Water Resources Association* 40 (4), 863–879.
- Muzic, I. (1995). GIS derived distributed unit hydrograph, a new tool for flood modeling. In: Topping, B. (Ed.), *Developments in Computer Aided Design and Modeling for Civil Engineering*. Civil-Component Press, Edinburgh, UK, pp.243–247.
- Mogal. (1993). Digital terrain modelling. [https://docplayer.info /31336648-Oleh-taufik-hery-purwanto-s-si-m-si.html](https://docplayer.info/31336648-Oleh-taufik-hery-purwanto-s-si-m-si.html).
- Murtiono, U.H. (2008). Kajian Model Estimasi Volume Limpasan Permukaan, Debit Puncak Aliran, dan Erosi Tanah Dengan Model Soil Conservation Service (SCS), Rasional dan Modified Universal Soil Loss Equation (MUSLE) (Studi Kasus di Das Keduang, Wonogiri). *Jurnal Forum Geografi Volume* (22, No. 2, Desember 2008: 169-185).
- Nash, J. E. (1958). The Form of The Instantaneous Unit Hydrograph. *General Assembly of Toronto. Internatl. Assoc. Sci. Hydrol. (Gentbrugge) Pub. 42. Compt. Rend.* 3:114-118.
- Natakusumah, D.K., Hatmoko, W., Harlan, D. (2011), *Prosedur Umum Perhitungan Hidrograf Satuan Sintetis dengan Cara ITB dan Beberapa Contoh Penerapannya*. <http://journals.itb.ac.id/index.php/jts/article/view/2806/1399>
- Nursidah. (2012). *Pengembangan Institusi Untuk Membangun Kemandirian Dalam Pengelolaan Daerah Aliran Sungai Terpadu (Studi Kasus Pada*

Satuan Wilayah Pengelolaan Daerah Aliran Sungai Arau Sumatera Barat).
Disertasi. IPB.

- Nurunnisa, U., & Okan, K. (1997). Obtaining SCS Synthetic Unit Hydrograph by GIS Techniques. Middle East Technical University, Civil Engineering Department, Water Resources Laboratory Inonu Bulv, Ankara, Turkey.
- Utama, L., Saidi, A., Berd, I., & Mizwar, Z. (2018). Kajian Morphometri Pada Daerah Aliran Sungai (DAS) Batang Kuranji Terhadap Debit Banjir. *Jurnal Sains dan Teknologi*, Universitas Negeri Manado <http://ejournal.unima.ac.id/index.php/efrontiers>.
- Olivera, F., Maidment, D. (1999). Geographic Information System (GIS)-based spatially distributed model for runoff routing. *Water Resources Research* 35(4), 1155–1164.
- Park, D., Fan, H.J., Zhu, J.J., Oh, S.E., Um, M.J., & Jung, K. (2019). Evaluation of Reliable Digital Elevation Model Resolution for TOPMODEL in Two Mountainous Watersheds, South Korea. *Appl. Sci.* 9, 3690; doi:10.3390/app9183690.
- Pawitan, H. (1998). Hidrologi Daerah Aliran Sungai Teknik Pemodelan dan Simulasi Sistem DAS, Makalah Pelatihan Agroklimat. Bogor: Jurusan Geofisika dan Meteorologi, FMIPA, IPB.
- Pradhan NR, Ogden FR, Tachikawa Y, Takara K. (2008). Scaling of slope, upslope area, and soil water deficit: Implications for transferability and regionalization in topographic index modeling. *Water Resources Res* 2008; 44: W12421.
- Purwadhi, Sri. H. (2001). *Interpretasi Citra Digital*. Jakarta: Gramedia.
- Putri, Y. P., Barlian, E., Dewata, I., & Tanto, T. A. (2018). Arahan Kebijakan Mitigasi Bencana Banjir Bandang di Daerah Aliran Sungai (DAS) Kuranji, Kota Padang. *Majalah Ilmiah Globe* Volume 20 No 2 Oktober 2018: 87-98.
- Raharjo, P. D., Winduhutomo, S., Widayanto, K., & Puswanto, E. (2016). Analisa Hidrologi Permukaan Dalam Hubungannya Dengan Debit Banjir Das Lukulo Hulu Dengan Menggunakan Data Penginderaan Jauh. *Jurnal Geografi* Volume 13 No 2 (164 dari 224)
- Ren, P., Meng, Q., Zhang, Y., Lihua, Z., Yuan, X., & Feng, X. (2015). An Unmanned Airship Thermal Infrared Remote Sensing System for Low-Altitude and High Spatial Resolution Monitoring of Urban Thermal Environments: Integration and an Experiment. *Remote Sens.* 2015, 7(10), 14259-14275; <https://doi.org/10.3390/rs71014259>
- Ren, X. Y., Zhang, X. S., Hao, F. H., Cheng, H. G., & Yang, Z. F. (2004). Influence of DEM resolution on runoff and sediment yield simulation, *Res. Soil Water Conserv.*, 11 : 1-4. (In chinese)

- Reddy, A. S., & Reddy, M. J. (2015). Valuating the Influence of Spatial Resolutions of DEM on Watershed Runoff and Sediment Yield Using SWAT. *J. Earth Syst. Sci.* 124, No. 7, October 2015, pp. 1517–1529.
- Sharabian, M. N., Karakouzian, M., & Ahmad, S. (2019). Effect of DEM Resolution on Runoff Yield, and 2 Sensitivity of Parameters Contributing to Runoff in a 3 Watershed. Preprints (www.preprints.org) doi:10.20944/preprints201901.0192.v1
- Schwab, G. et al. (1981) *Soil and Water Conservation Engineering*. John Wiley Inc., New York.
- Sucipto. (2008). *Kajian Sedimentasi di Sungai Kaligarang Dalam Upaya Pengelolaan Daerah Aliran Sungai Kaligarang–Semarang*. Tesis Program Magister Ilmu Lingkungan Program Pascasarjana Universitas Diponegoro. Semarang
- Soemarto, C.D. (1987). *Hidrologi Teknik*. Penerbit : Usaha Nasional, Surabaya
- Soil Conservation Service. (1972). Section 4: Hydrology In National Engineering handbook. USA.
- Suyono. (1986). *Analisa Hidrograf Sungai Cimanuk Bagian Atas Leuwigong Kabupaten Garut Jawa Barat*, Tesis, Fakultas Pascasarjana IPB, Bogor.
- Seyhan, E. (1975). *Fundamentals of Hidrology*. Georafisch Instituut der Rijksuniversiteit te Utrecht, Utrecht.
- Seyhan, E. (1977). *Mathematical Simulation of Watershed Hidrologic Processes*. Georafisch Instituut der Rijksuniversiteit te Utrecht, Utrecht.
- Simon, D.B., & Senturk, F. (1992). *Sediment Transport Technology: Water and Dynamics*. Water Resources Publication 1992.
- Sunjoto, S. (1988). *Optimasi Sumur Resapan Air Hujan Sebagai Salah Satu Usaha Pencegahan Intrusi Air Laut*. Yogyakarta : Fakultas Teknik Universitas Gadjah Mada
- Suripin. (2003). *Sistem Drainase Perkotaan yang Berkelanjutan*. Yogyakarta: Penerbit Andi.
- Sutapa, I. W. (2005). *Kajian Hidrograf Satuan Sintetik Nakayasu Untuk Perhitungan Debit Banjir Rancangan Di Daerah Aliran Sungai Kodina*. *Mektrik*, vol. 7, no. 1,
- Sosrodarsono, S. & Takeda, K. (1987). *Hidrologi Untuk Pengairan*. PT Pradya Sukarmadijaya, Harun., R. Harjoko, Soepangat., Soetiman, M. Masduki, B. Chatib, Munsyir A., 1978. *Draft Guidelines for Design and Construction of Public Water Supply In Indonesia*. Departemen Teknik Penyehatan, Institut Teknologi Bandung Paramita, Jakarta 10340.

- Sherman, L.K. (1932). A Stream Flow from Rainfall by the Unit-Graph Method. *Engineering News- Record*, 108:501-505.
- Solanki, H., and Suau, S. (1996). Reconciliation of Hydraulic Models to Coastal Flatland Watersheds. *Journal of Water Management Modeling* RI91-04. doi : 10.14796/JWMM.RI91-04.
- Snyder, F. F. (1938). Synthetic Unit Graphs. *Amer. Geophys. Union Trans.* 19 (1) : 447-454
- Song, X., Zhen Q., Liping, D., & Changlin K. (2012). The Influence of DEM Resolution on Hydrological Simulation in the Huangshui River Basin. *Trans Tech Publications, Switzerland* doi:10.4028/www.scientific.net /AMR.518-523.4299
- Sriartha, I. P., (2015). Penggunaan Citra Landsat 8 dan Sistem Informasi Geografis Untuk Estimasi Debit Puncak Di Daerah Aliran Sungai Unda Provinsi Bali. *Jurnal Sains dan Teknolog.* Vol. 4, No. 2, Oktober 2015.
- Syofyan, E. R., Saidi, A., Istijono, B., & Herdianto, R. (2018). The Hidrologic Impacts Of Land Use Changes In The Middle And Upper Catchment. *International Journal of Civil Engineering and Technology* Volume 9, Issue 11, November 2018, pp. 997–1005, Article ID: IJCIET_09_11_094
- Syofyan, E. R., Saidi, A., Istijono, B., & Herdianto, R. (2017). Model Hidrograf Akibat Perubahan Tataguna Lahan DAS Batang Kuranji (Studi Kasus Sub DAS Danau Limau Manis). *POLI REKAYASA* Volume 13, Nomor 1, Oktober 2017.
- Syofyan, E. R., Saidi, A., Istijono, B., & Herdianto, R. (2016). Kajian Model Hidrograf Akibat Perubahan Tataguna Lahan dengan Menggunakan Data Lapangan DAS Batang Air Dingin . *POLI REKAYASA* Volume 12, Nomor 1, Oktober 2016.
- Tempfli, K. (1991). DTM and differential modelling In: *Proceedings ISPRS and OEEPE jointworkshop on updating data by photogrammetric records.* Oxford, England / ed. By P.R.T. Newby . – (OEEPE publication :27), pp. 193-200.
- Tripathi, M. P., Panda, R. K., & Raghuvanshi, N. S. (2005). Development of effective management plan for critical subwatersheds using SWAT model. *Hydrol. Process.*, 19: 809-826.
- Tim IPB. (2002). Studi Pembinaan Model Pengelolaan Wilayah Daerah Aliran Sungai. Laporan untuk BAPPENAS RI. Pusat Studi Pengelolaan Sumberdaya dan Lingkungan. IPB, Bogor.
- Thompson, J.A., Bell, J.C. & Butler, C.A. (2001). Digital elevation model resolution: Effects on terrain attribute calculation and quantitative soil-landscape modeling. *Geoderma*, 100: 67-89.

- Viesman, W.Jr., Knapp, J.W., Lewis, G.L., Harbaugh, F.E.(1989). Introduction to Hydrology. Second edition. Harper & Row Publisher, New York.
- Vieux, B.E. and Needham, S. (1993). Nonpoint-pollution model sensitivity to grid-cell size J. Water Resour. Plann. Managem., 119: 141-157.
- Ward, R.C. (1975). Principles of Hydrology. Second Edition. Mc Graw-Hill Book Company Ltd. London.
- Wilson, E. M. (1990). Engineering Hydrology. McMillan and Co Ltd. London.
- Wilson, E. M. (1969). Enggining Hydrology. Second Ed. Macmillan. London.
- Williams, J.R. and Berndt, H.D. (1977). Sediment yield prediction based on watershed hydrology, Trans. ASAE, 20: 1100-1104.
- Wu, S., Li, J. & Huang, G.H. (2008). A study on DEM-derived primary topographic attributes for hydrologic applications: Sensitivity to elevation data resolution. Applied Geogr., 28: 210-223.
- Wood, E.F., Sivapalan, M., Beven, K. J., & Band, L. (1988). Effect of Spatial Variability and Scala With Implications to Hydrological Modelling. J. Hydrology, 102, 29-47.
- Wood EF. 1995. Heterogeneity and scaling land-atmospheric water and energy fluxes in climate systems. In Space and TimeScale Variability and Interdependencies in Hydrological Processes, Feddes RA (ed.). Cambridge University Press: 3-19.
- Woodward, D.E., et. al. (1980). Coastal Plains Unit Hydrograph Studies, Urban Stormwater Management in Coastal Areas, ASCE, New York, New York.

