DAFTAR PUSTAKA

Abbasi, M.A., Ghulam, H., Rahman, A., and Viqar, U.A. 2014. Flavonoids from Rhynchosia pseudo-cajan as suitable α-glucosidase inhibitors and free radical scavengers. *Int Res J Pharm.*, 5, 636-641.

Al-Ghudani, M.K.N., and Hossain, M.A. 2015. Determination of total phenolics, flavonoids and antioxidant activity of root crude extracts of *Adenium obesum* traditionally used for the treatment of bone dislocations and rheumatism. *Asian Pac J Trop Dis*, 5 (1), S155-S158.

Amic, D., Amic, D.D., Beslo, D., Rastija, V., Lucic, B., and Trinajstic, N. 2007. SAR and QSAR of the Antioxidant Activity of Flavonoids. *Current Medicinal Chemistry*, 14, 827-845.

Arihan, O., and Güvenç, A. 2011. Studies on the anatomical structure of stems of willow (*Salix* L.) species (Salicaceae) growing in Ankara province, Turkey. *Turk J Bot*, 35, 535-551.

Arora, M., and Kalia, A.N. 2013. Isolation and characterization of stigmasterol and *β*-sitosterol-*D*-glycoside from ethanolic extract of the stems of *Salvadora persica* Linn. *Int J Pharm Pharm Sci*, 5 (1), 245-249.

Ayinde, B.A., Onwukaeme, D.N., and Omogbai, E.K. 2007. Isolation and characterization of two phenolic compounds from the stem bark of *Musanga cecropioides* r. brown (MORACEAE). *Acta Poloniae Pharmaceutica N Drug Research*, 64 (2), 183-185.

Banjarnahor, S.D.S., and Artanti, N. 2014. Antioxidant properties of flavonoids. *Med J Indones*, 23 (4), 239-244.

Beer, A.M., and Wegener, T. 2008. Willow bark extract (*Salicis cortex*) for gonarthrosis and coxarthrosis – Results of a cohort study with a control group. *Phytomedicine*, 15, 907–913.

Bubols, G.B., Vianna D.R., Remón, A.M., Poser, G.V., Raventos, R.M.L., Lima, V.L.E., and Garcia, S.C. 2013. The Antioxidant Activity of Coumarins and Flavonoids. *Mini-Reviews in Medicinal Chemistry*, 13, 1-18.

Buchan, A., Collier, L.S., Neidle, E.L., and Moran, M.A. 2000. Key Aromatic-Ring-Cleaving Enzyme, Protocatechuate 3,4-Dioxygenase, in the Ecologically Important Marine *Roseobacter* Lineage. *Applied and Environmental Microbiology*, 66 (11), 4662–4672.

Carvalho, P.R.F., Silva, D.H.S., Bolzani, V.S., and Furlan, M. 2005. Antioxidant quinonemethide triterpenes from *Salacia campestris*. *Chemistry & biodiversity*, 2, 367-372.

UNIVERSITAS ANDALAS
UNTUK KEDJAJAAN BANGSA

Chang, X., and Kang, W. 2012. Antioxidant and α-glucosidase inhibitory compounds from *Pimpinella candolleana* Wight et Arn. *Med Chem Res*, 21 (12), 4324-29.

Cheng, I.F., and Breen, K. 2000. On the ability of four flavonoids, baicilein, luteolin, naringenin, and quercetin, to suppress the Fenton reaction of the iron-ATP complex. *Biometals*, 13, 77-83.

Chhetree, R.R., Dash, G.K., Mondal, S., and Parhi, R. 2010. Studies on the hypoglycaemic activity of the bark of *Salix tetrasperma* Roxburgh. *Int J Drug Dev & Res*, 2 (4), 799-805.

Choi, B.M., Lim, D.W., Lee, J.A., Gao, S.S., Kwon, D.Y., and Kim, B.R. 2008. Luteolin suppresses Cisplatin-induced apoptosis in auditory cells: possible mediation through induction of heme oxygenase-1 expression. *J. Med. Food.*, 11, 230-236.

Dang, P.H., Nguyen, H.X., Nguyen, N.T., Le, H.N.T., and Nguyen, M.T.T. 2014. α-Glucosidase Inhibitors from the Stems of *Embelia ribes*. *Phytother. Res.*, 28 (11), 1632-1636.

David, J.M., Barreiros, A.L.B.S., and David, J.P. 2004. Antioxidant Phenylpropanoid Esters of Triterpenes from *Dioclea lasiophylla.* Pharmaceutical Biology, 42 (1), 36-38.

Deepak, M., Dipankar, G., Prashanth, D., Asha, M.K., Amit, A., and Venkataraman, B.V. 2002. Tribulosin and beta-sitosterol-D-glucoside, the anthelmintic principles of Tribulus terrestris. *Phytomedicine*, 9 (8), 753-756.

Dewi, R. T., Tachibana, S., Fajriah, S., Hanaf, M. 2015. α-Glucosidase inhibitor compounds from *Aspergillus terreus* RCC1 and their antioxidant activity. *Med Chem Res*, 24, 737-743.

Dewi, R.T., and Faiza, M. 2015. Antioxidant and α-Glucosidase Inhibitory Compounds of *Centella asiatica*. *Procedia Chemistry*, 17, 147-152.

El-Shazly, A., El-Sayed, A., and Fikrey, E. 2012. Bioactive Secondary Metabolites from *Salix tetrasperma* Roxb. *Zeitschrift Fur Naturforschung Section C-A Journal of Biosciences Verlag Z Naturforsc*, 67, 353-359.

El-Shemy, H.A., Aboul-Enein, A.M., Aboul-Enein, K.M., and Fujita, K. 2007. Willow Leaves' Extracts Contain Anti-Tumor Agents Effective against Three Cell Types. *PLoS ONE*, 2 (1), e178.

Elya, B., Handayani, R., Sauriasari, R., Azizahwati, Hasyyati, U.S., Permana, I.T., and Permatasari, Y.I. 2015. Antidiabetic Activity and Phytochemical Screening of Extracts from Indonesian Plants by Inhibition of Alpha Amylase, Alpha Glucosidase and Dipeptidyl Peptidase IV. *Pakistan Journal of Biological Sciences*, 18 (6), 279-284.

UNIVERSITAS ANDALAS
UNTUK KEDJAJAAN BANGSA

Enayat, S., and Banerjee, S. 2009. Comparative antioxidant activity of extracts from leaves, bark and catkins of *Salix aegyptiaca* sp. *Food Chemistry*, 116, 23-28.

Fahrimal, Y., Eliawardani, Rafina, A., Al Azhar, dan Asmilia, N. 2014. Profil Darah Tikus Putih (*Rattus Norvegicus*) Yang Diinfeksikan *Trypanosoma Evansi* Dan Diberikan Ekstrak Kulit Batang Jaloh (*Salix tetrasperma* Roxb). *Jurnal Kedokteran Hewan*, 8 (2), 164-168.

Faustina, F.C., and Santoso, F. 2014. Extraction of fruit peels of *Pometia pinnata* and its antioxidant and antimicrobial activities. *J. Pascapanen*, 11 (2), 80-88.

Feng, W.S., Gao, L., Zheng, X.K., and Wang, Y.Z. 2009. Polyphenols of Euphorbia helioscopia. *Chin. Nat. Med. 7*, 37-39.

Freischmidt, A., Jürgenliemk, G., Kraus, B., Okpanyi, S.N., Müller, J., Kelber, O., Weiser, D., and Heilmann, J. 2012. Contribution of flavonoids and catechol to the reduction of ICAM-1 expression in endothelial cells by a standardised Willow bark extract. *Phytomedicine*. 19 (3-4), 245-252.

Gao, H. and Kawabata, J. 2004. Importance of the B Ring and Its Substitution on the α-Glucosidase Inhibitory Activity of Baicalein, 5,6,7-Trihydroxyflavone. *Bioscience, Biotechnology, and Biochemistry*, 68 (9), 1858-1864.

Gao, H., Huang, Y.N., Gao, B. and Kawabata, J. 2008. Chebulagic acid is a potent α-glucosidase inhibitor. *Biosci. Biotechnol. Biochem*., 72, 6012–6013.

Gao, H., Nishioka, T., Kawabata, J., and Kasai, T. 2004. Structure-activity Relationships for α-Glucosidase Inhibition of Baicalein, 5,6,7-Trihydroxyflavone: the Effect of A-Ring Substitution. *Bioscience, Biotechnology, and Biochemistry*, 68 (2), 369-375.

Global Biodivesity Information Facility. 2016. *Salix tetrasperma* Roxb. https://www.gbif.org/species/5582578. diakses tanggal 26 April 2016.

Global Biodivesity Information Facility. 2019. *Pometia pinnata* Forst. https://www.gbif.org/species/5577338. diakses tanggal 18 Februari 2019.

Gopi, K., Anbarasu, K., Renu, K., Jayanthi, S., Vishwanath, B.S., and Jayaraman, G. 2016. Quercetin-3-*O*-rhamnoside from *Euphorbia hirta* protects against snake Venom induced toxicity. *Biochim et Biophys Acta*, 1860,1528–1540.

Gorobets, A.V., Bandyukova, V.A., and Shapiro, D.K. 1982. Flavonoid Composition of The Pollen (Pollen Pellets) FROM *Salix caprea* and *S. alba*. *Chem Nat Compd*., 18, 747-748.

Hakamata, W., Nakanishi, I., Masuda, Y., Shimizu, T., Higuchi, H., Naka-mura, Y., Saito, S., Urano, S., Oku, T., Ozawa, T., Ikota, N., Miyata, N.,Okuda, H., and Fukuhara, K. 2006. Planar catechin analogues with alkylside chains: A potent antioxidant and an α-Glucosidase Inhibitor. *J. Am. Chem.Soc.*, 128 (20), 6524–6525.

Harborne, J.B. 1987. Metode Fitokimia*:* Penuntun Cara Modern Menganalisis Tumbuhan. Kosasih P. dan Iwang S., penerjemah; Sofia M., penyunting. Bandung: Penerbit ITB.Terjemahan dari: Phytochemical methods. 354 hal.

Harris, G.K., Qian, Y., Leonard, S.S., Sbarra, D.C., and Shi, X. 2006. Luteolin and chrysin differentially inhibit cyclooxygenase-2 expression and scavenge reactive oxygen species but similarly inhibit prostaglandin- E2 formation in RAW 264.7 cells. *J. Nutr.*, 136, 1517-1521.

Heim, K.E., Tagliaferro, A.R., and Bobilya, D.J. 2002. Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *J Nutr Biochem*. 13 (10), 572-584.

Hernandez, P.M., Salem, A.Z.M, Elghandour, M.M.M.Y., Moisés C.S., Blas C.L., and Luis, M.C. 2014. Anthelmintic effects of *Salix babylonica* L. and Leucaena leucocephala Lam. extracts in growing lambs. *Trop Anim Health Prod*, 46 (1), 173–178.

Heyne, K., 1950. Tumbuhan Berguna Indonesia, Jilid III, diterjemahkan oleh Badan Litbang Kehutanan Jakarta. Jakarta: Penerbit Yayasan Sarana Wanaraja. 1698-1699.

Horvathova, K., Chalupa, I., Sebova, L., Tothova, D., and Vachalkova, A. 2005. Protective effect of quercetin and luteolin in human melanoma HMB-2 cells. *Mutat. Res.*, 565, 105-112.

Hostanska, K., Jürgenliemk, G., Abel, G., Nahrstedt, A., and Saller, R. 2007. Willow bark extract (BNO1455) and its fractions suppress growth and induce apoptosis in human colon and lung cancer cells. *Cancer Detection and Prevention*, 31 (2), 129–139.

Hsu, F.L., Nonaka, G.I., and Itsuo, N. 1985. Acylated flavanols and procyanidins from *Salix sieboldiana. Phytochemistry*, 24 (9), 2089-2092.

Hu, C., and Kitts, D.D. 2004. Luteolin and luteolin-7-O-glucoside from dandelion flower suppress iNOS and COX-2 in RAW264.7 cells. *Mol. Cell Biochem.*, 265, 107-113.

Hussain, H., Badawy, A., Elshazly, A., Elsayed, A., Krohn, K., Riaz, M., and Schulz, B. 2011. Chemical Constituents and Antimicrobial Activity of *Salix subserrata*. *Rec. Nat. Prod*. 5 (2), 133-137.

Ikhwan, Y., Nazaruddin, dan Aliza, D. 2013. Gambaran Histopatologis Hati Ikan Nila *(Oreochromis Niloicus*) yang Diberi Cekaman Panas dan Tepung Daun Jaloh (*Salix tetrasperma* Roxb). *Jurnal Medika Veterinaria*, 7 (2), 130-134.

Indrianingsih, A.W., and Tachibana, S. 2016. Bioactive constituents from the leaves of Quercus phillyraeoides A. Gray for α-glukosidase inhibitor activity with concurrent antioxidant activity. *Food science and human wellness*, 5, 85-94.

Irawan, C., Hanafi, Sulistiawaty, L., Rochaeni, H., and Lestari, P.S. 2017. Evaluation of DPPH free radical scavenging activity of *Pometia pinnata* from Indonesia. *The Pharma Innovation Journal*, 6 (8), 403-406.

Islam, M.S., Zahan, R., Nahar, L., Alam, M.B., Naznin, M., Sarkar, G.C., Mosaddik, M.A., and Haque, M.E. 2011. Antibacterial, Insecticidal And *In Vivo* Cytotoxicity Activities of *Salix tetrasperma. International Journal of Pharmaceutical Sciences and Research*, 2 (8), 2103-2108.

Jacobs, M. 1962. Pometia (Sapindaceae), a study in variability. *Reinwardtia*, 6 (2), 109-144.

Jang, S., Kelley, K.W., and Johnson, R.W. 2008. Luteolin reduces IL-6 production in microglia by inhibiting JNK phosphorylation and activation of AP-1. *Proc. Natl. Acad. Sci. USA*, 105, 7534-7539.

Januarti, R., Santoni, A., and Efdi, M. 2019. Isolation of Flavonoid Compound and Antioxidant Activity of *Salix tetrasperma* Roxb. Leaves. *Indones. J. Fundam. Appl. Chem.*, 4 (2), 42-46.

Jayaprakasha, G.K., Jadegoud, Y., Gowda, G.A.N., and Patil, B.S. 2010. Bioactive compounds from sour orange inhibit colon cancer cell proliferation and induce cell cyle arrest. *J. Agric. Food Chem*. 58, 180-186.

Jayasinghe, U.L.B., and Fujimoto, Y. 1999. Insecticidal saponin from *Pometia eximia. Fitoterapia*, 70, 87-88.

Jayasinghe, U.L.B., Fujimoto, Y., and Hostettmann, K. 1998. Molluscicidal saponins from *Pometia eximia*. *Natural Product Letters*, 12 (2), 135-138.

Jayasinghe, U.L.B., Wannigama, G.P., and Fujimoto, Y. 2000. Chemistry and bioactivity of saponins from some Sri Lankan plants. In: Oleszek W, Marston A (Eds.) Saponins in Food. *Kluwer Academic. The Netherlands, Feedstuffs and Medicinal Plants*, 45, 113–119.

Jiménez-Escrig, A., Jiménez-Jiménez, I., Sánchez-Moreno, C., and Saura-Calixto, F. 2000. Evaluation of free radical scavenging of dietary carotenoids by the stable radical 2, 2-diphenyl-1-picrylhydrazyl. *J.Sci. Food Agric*., 80, 1686-1690.

Joshi, S.R., Standl, E., Tong, N., Shah, P., Kalra, S., Rathod, R. 2015. Therapeutic potential of α-glucosidase inhibitors in type 2 diabetes mellitus: an evidence-based review. *Expert Opin Pharmacother*, 16 (13), 1959-1981.

Kabouche, A., Kabouche, Z., Ozturk, M., Kolak, U., and Topcu, G. 2007. Antioxidant abietane diterpenoids from *Salvia barrelieri*. *Food Chemistry*, 102, 1281–1287.

Kakumu, A., Ninomiya, M., Efdi, M., Adfa, M., Hayashi, M., Tanaka, K., and Koketsu, M. 2014. Phytochemical analysis and antileukemic activity of polyphenolic constituents of *Toona sinensis*. *Bioorganic & Medicinal Chemistry Letters*, 24 (17), 4286-4290.

Karl, C., Muller, G., and Pedersen, P.A. 1976. Flavonoide aus *Salix alba*. Die struktur des terntflorins und eines weiteren acylflavonoides, *Phytochemistry*, 15, 1084-1085.

Karl, C., Pedersen, P.A., and Schwarz, C. 1977. Ein Neues Flavonolacetylglucosid Aus *Salix viminalis*. *Phytochemistry*, 16, 11-17.

Kawamura, F., Shaharuddin, N.A., Sulaiman, O., Hashim, R., and Ohara, S. 2010. Evaluation antioxidant activity, antifungal activity and total phenols of 11 selected commercial Malaysian timber species. *Jpn Agr Res Quart*, 44, 319-324.

Kekuda, T.R.P., Vinayaka, K.S., and Raghavendra, H.L. 2017. Ethnobotanical uses, phytochemistry and biological activities of *Salix tetrasperma* Roxb. (Salicaceae). *Journal of Medicinal Plants Studies*, 5 (5), 203-208.

Khalid, M., Bilal, M., Hassani, D., Zaman, S., and Huang, D. 2017. Characterization of ethno-medicinal plant resources of karamar valley Swabi, Pakistan. *Journal of Radiation Research and Applied Sciences*. 10, 152-163

Khan, N.M.M.U., and Hossain, M.S. 2015. Scopoletin and β-sitosterol glucoside from roots of *Ipomoea digitata*. *Journal of Pharmacognosy and Phytochemistry*, 4 (2), 05-07.

Khatoon, F., Khabiruddin, M., and Ansari W.H. 1988. Phenolic glycosides from *Salix babylonica*. *Phytochemistry*, 27 (9), 3010- 3011.

Kim, C.S., Kwon, O.W., Kim, S.Y., Choi, S.U., Kim, J.Y., Han, J.Y., Choi, S.I., Choi, J.G., Kim, K.H., and Lee, K.R. 2014. Phenolic Glycosides from the Twigs of *Salix glandulosa*. *J. Nat. Prod.* 77 (8), 1955-1961.

Kim, C.S., Subedi, L., Park, K.J., Kim, S.Y., Choi, S.U., Kim, K.H., and Lee, K.R. 2015. Salicin derivatives from *Salix glandulosa* and their biological activities. *Fitoterapia*, 106, 147–152.

Kim, J.H., Ryu, Y.B., Kang, N.S., Lee, B.W., Heo, J.S., Jeong, I.Y., and Park, K.H. 2006. Glycosidase inhibitory flavonoids from *Sophora flavescens*. *Biol Pharm Bull.*, 29 (2), 302-305.

Kim, J.S., and Jobin, C. 2005. The flavonoid luteolin prevents lipopolysaccharide-induced NF-kappaB signalling and gene expression by blocking IkappaB kinase activity in intestinal epithelial cells and bone-marrow derived dendritic cells. *Immunology*, 115, 375-387.

Kim, J.S., Kwon, C.S., and Son, K.H. 2000. Inhibition of α-glucosidase and amylase by luteolin, a flavonoid. *Biosci. Biotechnol. Biochem.*, 64 (11), 2458-2461.

Kishore, R.N., Mangilal, T., Anjaneyulu, N., Abhinayani, G., and Sravya, N. 2014. Investigation of Anti-Inflammatory and In vitro Antioxidant Activities of Hydroalcoholic Extract of Bark of *Salix tetrasperma* Roxb. *International Journal Pharm Anal*, 2 (5), 506-509.

Knuth, S., Schübel, H., Hellemann, M., and Jürgenliemk, G. 2011. Catechol, a Bioactive Degradation Product of Salicortin, Reduces TNF-α Induced ICAM-1 Expression in Human Endothelial Cells. *Planta Med*., 77, 1024–1026.

Kore, K.J., Bramhakule, P.P., Rachhadiya, R.M., and Shete, R.V. 2011. Evaluation of antiulcer activity of protocatechuic acid ethyl ester in rats. *Int. J. of Pharm. & Life Sci.*, 2 (7), 909-915.

Kumar, C.G., Mongolla, P., Pombala, S., Bandi, S., Babu, K.S., and Ramakrishna, K.V.S. 2017. Biological evaluation of 3-hydroxybenzyl alcohol, an extrolite produced by *Aspergillus nidulans* strain KZR-132. *Journal of Applied Microbiology*, 122, 1518-1528.

Kumar, D.E.K., and Janardhana, G.R. 2012. Ethno botanical polypharmacy of traditional healers in Wayanad (Kerala) to treat type 2 diabetes. *Indian Journal of Traditional Knowledge*, 11 (4), 667-673.

Lalitha, S., Parthipan, B., and Mohan, V.R. 2015. Determination of Bioactive Components of *Psychotria nilgiriensis* Deb & Gang (Rubiaceae) by GC-MS Analysis. International Journal of Pharmacognosy and Phytochemical Research, 7 (4), 802-809.

Laloo, R.C., Kharlukhi, L., Jeeva, S., and Mishra, B.P. 2006. Status of medicinal plants in the disturbed and the undisturbed sacred forests of Meghalaya, northeast India: population structure and regeneration efficacy of some important species. *Current Science*. 90 (2), 225-232.

Lee, M.J., Chou, F.P., Tseng, T.H., Hsieh, M.H., Lin, M.C., and Wang, C.J. 2002. *Hibiscus* Protocatechuic Acid or Esculetin Can Inhibit Oxidative LDL Induced by Either Copper Ion or Nitric Oxide Donor. *J. Agric. Food Chem.* 50, 2130-2136.

Lemanska, K., van der, W.H., Szymusiak, H., Boersma, M.G., Gliszczynska-Swiglo, A., Rietjens, I.M., and Tyrakowska, B. 2004. The effect of catechol O-methylation on radical scavenging characteristics of quercetin and luteolin--a mechanistic insight. *Free Radic. Res.*, 38, 639-647.

Lende, A.B., Kshirsagar, A.D., Deshpande, A.D., Muley, M.M., Patil, R.R., Bafna, P.A., Naik, S.R. 2011. Anti-inflammatory and analgesic activity of protocatechuic acid in rats and mice. *Inflammopharmacol*, 19, 255–263.

Lense, O. 2012. The wild plants used as traditional medicines by indigenous people of Manokwari, West Papua. *Biodiversitas*, 13, 98-106.

Li, H.J., Wu, Y.Y., Wu, Q.X., Wang, R., Dai, C.Y., Shen, Z.L., Xie, C.L., and Wu, Y.C. 2014. Water-promoted ortho-selective monohydroxymethylation of phenols in the NaBO2 system. *Org Biomol Chem*., 12 (19), 3100-3107.

Li, X., Wang, X., Chen, D., and Chen, S. 2011. Antioxidant Activity and Mechanism of Protocatechuic Acid *in vitro*. *Functional Foods in Health and Disease*, 7, 232-244 .

Li, Y.Q., Zhou, F.C., Gao, F., Bian, J.S., and Shan, F. 2009. Comparative evaluation of quercetin, isoquercetin and rutin as inhibitors of α-glucosidase.*J Agric. Food Chem.*, 57 (24), 11463–11468.

Lim, J.H., Park, H.S., Choi, J.K., Lee, I.S., and Choi, H.J. 2007. Isoorientin induces Nrf2 pathway-driven antioxidant response through phosphatidylinositol 3-kinase signaling. *Arch. Pharm. Res.*, 30, 1590-1598.

Lin, L.C., Pai, Y.F., and Tsai, T.H. 2015. Isolation of Luteolin and Luteolin-7-*O*-glucoside from *Dendranthema morifolium* Ramat Tzvel and Their Pharmacokinetics in Rats. *J. Agric. Food Chem*, 63 (35), 7700-7706.

Liu, A.L., Liu, B., Qin, H.L., Lee, S.M., Wang, Y.T., and Du, G.H. 2008. Anti-Influenza Virus Activities of Flavonoids from the Medicinal Plant Elsholtzia rugulosa. *Planta Med.*, 74, 847-851.

Liu, K.S., Tsao, S.M., and Yin, M.C. 2005. *In vitro* Antibacterial Activity of *Roselle Calyx* and Protocatechuic Acid. *Phytother. Res.* 19, 942–945.

Luis J.C., and Johnson, C.B. 2005. Seasonal variations of rosmarinic and carnosic acids in rosemary extracts. Analysis of their *in vitro* antiradical activity. *Spanish Journal of Agricultural Research*, 3(1), 106-112.

Ma, Q., and Kinneer, K. 2002. Chemoprotection by phenolic antioxidant. Inhibition of tumor necrosis factor α induction in macrophages. *J Biol Chem*, 277: 2477–2484.

Mahdi J.G. 2014. Biosynthesis and metabolism of β-D-salicin: A novel molecule that exerts biological function in humans and plants. Biotechnology Reports 4 (2014) 73–79.

Maliya, S.D., and Singh, S.M. 1997. Herbaceous flora of district Mainpuri, Uttar Pradesh, India. *Journal of Economic and Taxonomic Botany*, 32 (1), 220-266.

Malterud, K.E., Bremnes, T.E., Faegri, A., Moe, T., and Dugstad, E.K.S. 1985. Flavonoids from the wood of *Salix caprea* as inhibitors of wood-destroying fungi. *Journal of Natural Product*, 48 (4), 559-563.

Markham, K.R. 1988. Cara Mengidentifikasi Flavonoid. Kosasih P., penerjemah; Sofia N., penyunting. Bandung: Penerbit ITB. Terjemahan dari: Identification of flavonoid. 117 hal.

Masika, P.J., Sultana, N., Afolayan, A.J., and Houghton, P.J. 2005. *South African Journal of Botany*, 71 (3&4), 441-443.

Megawati and Darmawan, A. 2017. Resorcinol Compounds Isolated form The Bark of *Myristica fatua* Houtt. *Indonesian J. Pharm.*, 28 (2), 82-90.

Mira, L., Fernandez, M.T., Santos, M., Rocha, R., Florencio, M.H., and Jennings, K.R. 2002. Interactions of flavonoids with iron and copper ions: a mechanism for their antioxidant activity. *Free Radic. Res.*, 36, 1199-1208.

Moalin, M., Strijdonck, G.P.F., Beckers, M., Hagemen, G.J., Borm, P.J., Bast, A., and Haenen, G.R.M.M. 2011. A Planar Conformation and the Hydroxyl Groups in the B and C Rings Play a Pivotal Role in the Antioxidant Capacity of Quercetin and Quercetin Derivatives. *Molecules*, 16, 9636-9650.

Mohammad, F.V., Noorwala, M., Ahmad, V.U., Lajis, N.H.J. 2010. A new triterpenoid saponin from the stem bark of *Pometia pinnata*. *Natural Product Communications*, 5, 191-195.

Mohammad, F.V., Noorwala, M., Ahmad, V.U., Zahoor, A., and Lajis, N.H.J. 2012. A New Monodesmosidic Triterpenoid Saponin from the Leaves of *Pometia pinnata. Natural Product Communication, 7* (11), 1423-1426.

Molyneux, P. 2004. The Use of The Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin J. Sci. Technol.*, 26 (2), 211-221.

Mondal, S., Hechhu, R., Suresh, P., and Chhetree, R.R. 2010. Studies on diuretic and laxative activity of the bark of *Salix tetrasperma* Roxburgh. *International Research Journal of Pharmacy*, 1 (1), 145-149.

Narukawa, Y., Shimizu, N., Shimotohno, N., and Takeda, T. 2001. Two New Diterpenoids from *Plectranthus nummularius* BRIQ. *Chem. Pharm. Bull.*, 49 (9), 1182-1184.

Nguyen, H.X., Le, T.C., Do, T.N.V., Le, T.H., Nguyen, N.T., and Nguyen, M.T.T. 2016. α-Glucosidase inhibitors from the bark of *Mangifera mekongensis. Chemistry Central Journal*, 10 (45), 1-6.

Nguyen, T.P., Le, T.D., Phan, N.M., Bui, T.D., and Mai, D.T. 2015a. Triterpene saponins with α-glucosidase inhibition and cytotoxic activity from the leaves of *Schefflera sessiliflora. Journal of Asian Natural Products Research*, 18 (6), 542-549.

Nguyen, X.H., Naing, K.W., Lee, Y.S., Moon, J.H., Lee, J.H., and Kim, K.Y. 2015b. Isolation and characteristics of protocatechuic acid from *Paenibacillus elgii* HOA73 against *Botrytis cinerea* on strawberry fruits. *J Basic Microbiol*, 55 (5), 625-634.

Nichols-Orians, C.M., Clausen, T.P., Fritz, R.S., Reichardt P.B., and Wu, J.J. 1992. 2'-innamoylsalicortin, a phenolic glycoside from *Salix sericea. Phytochemistry*, 31 (6), 2180 - 2181.

Nishina, A., Itagaki, M., Suzuki, Y., Koketsu, M., Ninomiya, M., Sato, D., Suzuki, T., Hayakawa, S., Kuroda, M., Kimura, H. 2017. Effects of flavonoids and triterpene analogues from leaves of *Eleutherococcus sieboldianus* (Makino) Koidz. 'Himeukogi' in 3T3-L1 preadipocytes. *Molecules*, 22, 671-679.

Nurdiniyah, Nazaruddin, Sugito, M. Nur Salim, Yudha Fahrimal, dan Siti Aisyah. 2015. Pengaruh pemberian ekstrak kulit batang jaloh terhadap gambaran

UNIVERSITAS ANDALAS

mikroskopis ginjal tikus putih *(rattus novergicus)* yang diinfeksi *trypanosoma evansi*. *Jurnal Medika Veterinaria*, 9 (2), 88-92.

Ode, O.J., and Asuzu, I.U. 2014. Luteolin isolate from the methanol extract identified as the single-carbon compound responsible for broad antiulcer activities of *Cassia singueana* Leaves. *IOSR Journal of Pharmacy*, 4 (10), 17-23.

Odontuya, G., Hoult, J.R., and Houghton, P.J. 2005. Structure-activity relationship for anti-inflammatory effect of luteolin and its derived glycosides. *Phytother. Res.*, 19, 782-786.

Okai, N., Masuda, T., Takeshima, Y., Tanaka, K., Yoshida, K.,and Miyamoto, M. Ogino, C., and Kondo, A. 2017. Biotransformation of ferulic acid to protocatechuic acid by *Corynebacterium glutamicum* ATCC 21420 engineered to express vanillate *O*-demethylase. *AMB Express*, 7 (130), 1-10.

Ouyang, J.K., Dong, L.M., Xu, Q.L., Wang, J., Liu, S. B., Qian, T., Yuan, Y. F., and Tan, J. W. 2018. Triterpenoids with a-glucosidase inhibitory activity and cytotoxic activity from the leaves of *Akebia trifoliata*. *RSC Adv*., 8, 40483–40489.

Pardede, A. and Koketsu, M. 2017. Antioxidant and antileukemic activity of chemical compounds from bark of *Mangifera casturi*. *Comp Clin Pathol*, 26, 499-504.

Pardede, A., Adfa, M., Kusnanda, A.J., Ninomiya, M., and Koketsu, M. 2017. Flavonoid rutinosides from *Cinnamomum parthenoxylon* leaves and their hepatoprotective and antioxidant activity. *Med Chem Res*, 26 (9), 2074-2079.

Peshin, T., and Kar, H. 2017. Isolation and Characterization of β-Sitosterol-3-O-β-D-glucoside from the extract of the flowers of *Viola odorata*. *British Journal of Pharmaceutical Research*, 16 (4), 1-4.

Pohjamo, S.P., Hemming, J.E., Willfor, S.M., Reunanen, M.H.T., and Holmbom, B.R. 2003. Phenolic extractives in *Salix capreawood* and knots. *Phytochemistry*, 1, 165–169.

Prashith, K.T.R., Vinayaka, K.S., and Praveen, K.S.K. 2017. Antimicrobial activity of *Salix tetrasperma* Roxb. (Salicaceae). *International Journal of Herbal Medicine*, 5 (5), 192-195.

Proenca, C., Freitas, M., Ribeiro, D., Oliveira, E.F.T., Sousa, J.L.C., Tome, S.M., Ramos, M.J., Silva, A.M.S., Fernandes, P.A., and Fernandes, E. 2017. α-Glucosidase inhibition by flavonoids: an in vitro and in silico structure–activity relationship study. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 32, 1216-1228.

Purwidyaningrum, I., Sukandar, E.Y., and Fidrianny, I. 2016. Diuretic Activity of Different Organs of Matoa (*Pometia pinnata*) Extracts and its Influence on

Potassium and Sodium Levels. *International Journal of Pharmacognosy and Phytochemical Research*, 8 (2), 244-247.

Purwidyaningrum, I., Sukandar, E.Y., and Fidrianny, I. 2017. Antihypertensive activity of extract and fractions of matoa (*Pometia pinnata* J. R & G Forts) leaves. *Asian J Pharm Clin Res*, 10 (3), 323-328.

Quang, T.H., Ngan, N.T.T., Minh, C.V., Kiem, P.V., Tai, B.H., Thao, N.P., Kwon, S.U., Lee, Y.M., Kang, H.K., and Kim, Y.H. 2012. α-Glucosidase Inhibitors from the Roots of *Sophora flavescens*. *Bull. Korean Chem. Soc*. 33 (5), 1791-1793.

Rahman, A., Zareen, S., Choudhary, M.I., Akhtar, M.N., and Khan, S.N. 2008. alpha-Glucosidase inhibitory activity of triterpenoids from Cichorium intybus. *J Nat Prod.*, 71 (5), 910-913.

Ramadhani, S., Santoni, A., and Efdi, M. 2019. Antibacterial Activity and Structure Elucidation of Salicin from Stem Bark of *Salix tetrasperma* ROXB. *Indones. J. Fundam. Appl. Chem.*, 4(2), 47-52.

Reis, B., Martins, M., Barreto, B., Milhazes, N., Garrido, E.M., Silva, P., Garrido, J., and Borges, F. 2010. Structure-Property-Activity Relationship of Phenolic Acids and Derivatives. Protocatechuic Acid Alkyl Esters. *J. Agric. Food Chem.*, 58, 6986–6993.

Reveglia, P., Savocchia, S., Baaijens, R.B. 2018. Cimmino A, Evidente A. Isolation of phytotoxic phenols and characterization of a new 5-hydroxymethyl-2-isopropoxyphenol from *Dothiorella vidmadera*, a causal agent of grapevine trunk disease. *J Agric Food Chem*, 66 (8), 1760-1764.

Rho, T., and Yoon, K.D. 2017. Chemical Constituents of *Nelumbo nucifera* Seeds. *Natural Product Sciences*, 23 (4), 253-257.

Rice-Evans C.A., Miller, N.J., and Paganga, G. 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radic Biol Med*. 20 (7), 933-956.

Rohmawati, D., and Sutoyo, S. 2018. Steroid Isolated from the Dichlorometane Extract of Matoa's Stem Bark (*Pometia pinnata*) and Toxicity Tests Against Artemia salina Leach. *Proceedings of the Seminar Nasional Kimia - National Seminar on Chemistry (SNK 2018). Advances in Engineering Research*, 171, 103-105.

Romagnoli, C., Baldisserotto, A., Vicentini C.B., Mares, D., Andreotti, E., Vertuani, S., and Manfredini, S. 2016. Antidermatophytic Action of Resorcinol Derivatives: Ultrastructural Evidence of the Activity of Phenylethyl Resorcinol against *Microsporum gypseum*. *Molecules*, 21 (1306), 1-12.

UNIVERSITAS ANDALAS
UNTUK KEDJAJAAN BANGSA

Rusak, G., Gutzeit, H.O., and Mqller, J.L. 2005. Structurally related flavonoids with antioxidative properties differentially affect cell cycle progression and apoptosis of human acute leukemia cells. *Nutrition Research*, 25, 141–153.

Ruuhola T. M and Julkunen M. R. 2000. Salicylates of Intact Salix myrsinifolia Plantlets Do Not Undergo Rapid Metabolic Turnover. *Plant Physiology*, 122, 895–905.

Ruuhola, T.M., and Julkunen-Tiitto, M.R.K. 2000. Salicylates of intact *Salix myrsinifolia* plantlets do not undergo rapid metabolic turnover. *Plant Physiol*, 122 (3), 895-905.

Sadik, C.D., Sies, H., and Schewe, T. 2003. Inhibition of 15-lipoxygenases by flavonoids: structure-activity relations and mode of action. *Biochem. Pharmacol.*, 65, 773-781.

Sagareishvili, T.G., Alaniya, M.D., and Kemerelidze, E.P. 1990. Phenols in leaves of *Salix caprea*. *Khim. Prir. Soed.*, 1, 119–120.

Sang, S., Lapsley, K., Jeong,W., K., Lachance, P.A., Ho, C.T., and Rosen, R.T. 2002. Antioxidative Phenolic Compounds Isolated from Almond Skins (*Prunus amygdalus* Batsch). *J. Agric. Food Chem*, 50, 2459-2463.

Sarian, M.N., Ahmed, Q.U., Mat-So'ad, S.Z., Alhassan, A.M., Murugesu, S., Perumal, V., Syed Mohamad, S.N.A., Khatib, A., and Latip, J. 2017. Antioxidant and Antidiabetic Effects of Flavonoids: A Structure-Activity Relationship Based Study. *Biomed Res Int.*, 2017, 8386065.

Sarian, M.N., Ahmed, Q.U., So'ad, S.Z.M., Alhassan, M.A., Murugesu, S., Perumal, V., Mohamad, S.N.A.S., Khatib, A., Latip, J. 2017. Antioxidant and Antidiabetic Effects of Flavonoids: A Structure-Activity Relationship Based Study. *BioMed Research International*, 2017, 8386065.

Sati, S.C., Sati, M.D., and Singh, P. 2013. Evaluation of insecticidal activity of *Salix babylonica* and *Triumfetta pillosa*. *International Journal of Pharma Sciences*, 3 (3), 234-235.

Sauriasari, R., Azizah, N., and Basah, K. 2017 Tyrosinase inhibition, 2,2-diphenyl-1-picrylhydrazyl radical scavenging activity, and phytochemical screening of fractions and ethanol extract from leaves and stem bark of matoa (*Pometia pinnata*). *Asian J Pharm Clin Res*, 10, 85-89.

Semaming, Y., Kumfu, S., Pannangpetch, P., Chattipakorn, S.C., and Chattipakorn, N. 2014. Protocatechuic acid exerts a cardioprotective effect in type 1 diabetic rats. *Journal of Endocrinology*, 223, 13–23.

Sen, S., De, B., Devanna, N., and Chakraborty, R. 2013. Total phenolic, total flavonoid content, and antioxidant capacity of the leaves of *Meyna spinosa* Roxb, an Indian medicinal plant. *Chin. J. Nat. Med.*, 11 (2), 149-157.

Seyoum, A., Asres, K., and El-Fiky, F.K. 2006. Structure–radical scavenging activity relationships of flavonoids. *Phytochemistry*, 67, 2058–2070.

Shah, Y.M. 2016. Dasar-dasar penentuan struktur molekul berdasarkan data spectrum ^{1}H & ^{13}C NMR. Bandung: Laboratorium Spektroskopi Massa dan NMR FMIPA, ITB. 145 hal.

Shah, Z.A., Hameed, A., Ahmed, A., Simjee, S.U., Jabeen, A., Ullah, A., and Shaheen, F. 2016. Cytotoxic and anti-inflammatory salicin glycosides from leaves of *Salix acmophylla. Phytochemistry Letters*,17, 107–113.

Shahinozzaman, M., Ishii, T., Halim, M.A., Hossain, M.A., Islam, M.T., and Tawata, S. 2019. Cytotoxic and anti-inflammatory resorcinol and alkylbenzoquinone derivatives from the leaves of *Ardisia sieboldii. Z Naturforsch C J Biosci.* 74 (11-12), 303-311.

Sharma, S., Sahu, D., Das, H.R., and Sharma, D. 2011. Amelioration of collagen-induced arthritis by *Salix nigra* bark extract via suppression of pro-inflammatory cytokines and oxidative stress. *Food and Chemical Toxicology*, 49 (12), 3395–3406.

Sheliya, M.A., Rayhana, B., Ali, A., Pillai, K.K., Aeri, V., Sharma, M., Mir, S.R. 2015. Inhibition of α-glucosidase by new prenylated flavonoids from *Euphorbia hirta* L. herb. *J Ethnopharmacol*, 176, 1-8.

Sheng, Z., Ai, B., Zheng, L., Zheng, X., Xu, Z., Shen, Y., and Jin, Z. 2017. Inhibitory activities of kaempferol, galangin, carnosic acid and polydatin against glycation and α-amylase and α-glucosidase enzymes. *International Journal of Food Science and Technology*, 53, 755-766.

Shi, G.F., An, L.J., Jiang, B., Guan, S., Bao, Y.M. 2006. *Alpinia* protocatechuic acid protects against oxidative damage in vitro and reduces oxidative stress in vivo. *Neuroscience Letters*, 403, 206–210.

Sihotang, Y.M., Windiasfira, E., Barus, H.D.G., Herlina, and Novita, R.P. 2017. Hepatoprotective effect of ethanol extract of matoa leaves (Pometia pinnata) against paracetamol-induced liver disease in rats . *Sci. Technol. Indonesia*, 2, 92-95.

Silverstein, R.M., Webster, F.X., and Kiemle, D.J. 2005. Spectrometric identification of organic compounds, 7th ed. New York: John Wiley & Sons, Inc. p: 512.

Stahl, E. 1985. Analisis Obat Secara Kromatografi dan Mikroskopi. Kosasih P. dan Iwang S., penerjemah; Sofia N., penyunting. Bandung: Penerbit ITB. Terjemahan dari: Drug analysis by chromatography and microscopy : a practical supplement to pharmacopoeias. 267 hal.

Suedee, A., Tewtrakul, S., and Panichayupakaranant, P. 2013. Anti-HIV-1 integrase compound from *Pometia pinnata* leaves. *Pharm Biol*, 51 (10), 1256-1261.

Sugito, Manalu, W., Astuti, D.A., Handharyani, E., dan Chairul. 2007. Morfometrik Usus dan Performa Ayam Broiler yang Diberi Cekaman Panas

dan Ekstrak n-Heksana Kulit Batang “Jaloh" (*Salix tetrasperma* Roxb). *Media Peternakan*, Vol 3 (3), 198-206.

Sukiman, M., Margaretha, J.A., Irawan, C., Hanafi, and Sulistiawaty, L. 2018. Evaluation of antidiabetes activity of matoa seed extract (*Pometia pinnata*) using enzym α-glucosidase. *The Pharma Innovation Journal*, 7(5), 10-12.

Sultana, S., and Saleem, M. 2004. *Salix caprea* inhibits skin carcinogenesis in murine skin: inhibition of oxidative stress, ornithine decarboxylase activity and DNA synthesis. *Journal of Ethnopharmacology*, 91 (2-3), 267–276.

Surya, A. 2018. Toksisitas Ekstrak Daun Matoa (Pometia pinnata) terhadap Larva (*Artemia Salina* L) dengan Metode Brine Shrimp Lethality Test. *Jurnal Analis Kesehatan Klinikal Sains* 6 (1), 13-17.

Tabopda, T.K., Ngoupayo, J., Awoussong, P.K., Mitaine-Offer, A.C., Ali, M.S., Ngadjui, B.T., and Lacaille-Dubois, M.A. 2008. Triprenylated flavonoids from *Dorstenia psilurus* and their α-glucosidase inhibition properties. *J Nat Prod*., 71 (12), 2068-2072.

Tadera, K., Minami, Y., Takamatsu, K., and Matsuoka, T. 2006. Inhibition of α-glucosidase and α-amylase by flavonoids. *J Nutr Sci Vitaminol*, 52, 149-153.

Tanaka, T., Tanaka, T., and Tanaka, M. 2011. Potential Cancer Chemopreventive Activity of Protocatechuic Acid. *J Exp Clin Med.*, 3 (1), 27-33.

Tawfeek, N., Sobeh, M., Hamdan, D. I., Farrag, N., Roxo, M., El-Shazly., A. M., and Wink M. 2019. Phenolic Compounds from *Populus alba* L. and *Salix subserrata* Willd. (Salicaceae) Counteract Oxidative Stress in *Caenorhabditis elegans. Molecules*, 24 (10), E1999.

Thangam, R., Gokul, S., Sathuvan, M., Suresh, V., and Sivasubramanian, S. 2019. A novel antioxidant rich compound 2-hydoxy 4-methylbenzaldehyde from *Decalepis arayalpathra* induces apoptosis in breast cancer cells. *Biocatalysis and Agricultural Biotechnology*, 21, 101339, 1-10.

Thomson, L.A.J., and Thaman, R.R. 2006. *Pometia pinnata* G.R. Forst & G.Forst (tava). ver. 2.1. In: Elevitch, C.R. (ed.). Species Profiles for Pacific Island Agroforestry. Permanent Agriculture Resources (PAR) Publishers, Holualoa, Hawai‘i 1-17.

Trimedona, N., Nurdin, H., Darwis, D., and Efdi, M. 2015. Isolation of triterpenoid from stem bark of *Pometia pinnata*, Forst & Forst. *Journal of Chemical and Pharmaceutical Research*, 7 (11), 225-227.

Ueda, H., Yamazaki, C., and Yamazaki, M. 2003. Inhibitory effect of Perilla leaf extract and luteolin on mouse skin tumor promotion. *Biol. Pharm. Bull.*, 26, 560-563.

Utari, F., Itam, A., Syafrizayanti, and Efdi, M. 2020. Chemical constituents and antioxidant activity of *Salix tetrasperma* Roxb. *Rasayan Journal of Chemistry*, 13 (2), 796-802.

Utari, F., Itam, A., Syafrizayanti, Putri, W.H., Ninomiya, M., Koketsu, M., Tanaka, K., and Efdi, M. 2019. Isolation of flavonol rhamnosides from *Pometia pinnata* leaves and investigation of α-glucosidase inhibitory activity of flavonol derivatives. *Journal of Applied Pharmaceutical Science,* 9 (8), 53-65.

Villasenor, I.M., Angelada, J., Canlas, A.P., and Echegoyen, D. 2002. Bioactivity Studies on *β*-Sitosterol and its Glucoside. *Phytother. Res.* 16, 417–421.

Virupaksha, J.H., Nadendla, R.R., and Satishkumar, M. 2016. Evaluation of Antinociceptive and Antipyretic Activities of *Salix tetrasperma* Roxburg. *Int J Pharm Bio Sci*, 7 (3), 89-94.

Voutquenne, L., Guinot, P., Thoison, O., Sevenet, T., and Lavaud, C. 2003. Oleanolic glycosides from *Pometia ridleyi*. *Phytochemistry*, 64 (3), 781-789.

Wahab, A., Tahira, Begum, S., Ayub, A., Mahmood, I., Mahmood, T., Ahmad, A., and Fayyaz, N. 2014. Luteolin and kaempferol from *Cassia alata*, antimicrobial and antioxidant activity of its methanolic extracts. *FUUAST J BIOL*, 4 (1), 1-5.

Wang, S.Y., Wu, J.H., Shyur, L.F., Kuo, Y.H., and Chang, S. 2002. Antioxidant activity of abietane-type diterpenes from heartwood of Taiwania cryptomerioides Hayata. *Holzforschung*, 56, 487-492.

Wang, Y., Xiang, L., Wang, C., Tang, C., and He, X. 2013. Antidiabetic and Antioxidant Effects and Phytochemicals of Mulberry Fruit (*Morus alba* L.) Polyphenol Enhanced Extract. *Plos One*, 8 (7), e71144- e71144.

Wen, X. and Walle, T. 2006. Methylated flavonoids have greatly improved intestinal adsorption and metabolic stability. *Drug Metab Dispos*. 34 (10), 1786-1792.

Xiao, J., Kai, G., Yamamoto, K., and Chen, X. 2013. Advance in Dietary Polyphenols as α-Glucosidases Inhibitors: A Review on Structure-Activity Relationship Aspect.*Critical Reviews in Food Science and Nutrition*, 53, 818-836.

Xu, H. 2010. Inhibition kinetics of flavonoids on yeast alpha-glucosidase merged with docking simulations. *Protein Peptide Lett*., 17 (10), 1270-1279.

Yang, J.Y., Kim, M.G., Park, J.H., Hong, S.T., and Lee, H.S. 2014. Evaluation of benzaldehyde derivatives from *Morinda officinalis* as anti-mite agents with dual function as acaricide and mite indicator. *Sci. Rep*. 4, 7149.

Ying, Y.M., Zhang, L.Y., Zhang, X., Bai, H.B., Liang, D.E., Ma, L.F., Shan, W.G., and Zhan, Z.J. 2014. Terpenoids with alpha-glucosidase inhibitory activity from the submerged culture of *Inonotus obliquus*. *Phytochemistry*, 108, 171-176.

Yoshida, K., Hishida, A., Iida, O., Hosokawa, K., and Kawabata, J. 2008. Flavonol Caffeoylglycosides as α-Glucosidase Inhibitors from *Spiraea cantoniensis* Flower. *J Agric Food Chem.*, 56 (12), 4367-4371.

Zaiter, A., Becker, L., Petit, J., Zimmer, D., Karam, M.C., Baudelaire, E., Schar, J., and Dicko, A. 2016. Antioxidant and antiacetylcholinesterase activities of different granulometric classes of *S. alba* (L) bark powders. *Powder Technology*, 301, 649-659.

Zereen, A., and Khan, Z. 2012. A survey of ethnobotanically important trees of Central Punjab, Pakistan. *Biologia (Pakistan)*, 58 (1&2), 21-30.

Zhang, Y., Jiang, X., Wang, J.M., Chen, J.L., and Zhu, Y.M. 2015. Palladium-Catalyzed Synthesis of Aldehydes from Aryl Halides and *tert*-Butyl Isocyanide using Formate Salts as a Hydride Donor. *RSC Ad.*, 5 (22), 17060-17063.

Zhao, B., Shang, R., Cheng, W.M., and Fu, Y. 2018. Decarboxylative Formylation of Aryl Halides with Glyoxylic Acid by Merging Organophotoredox with Palladium Catalysis. *Org Chem Front.*, 5 (11), 1782-1786.

Zheng, L.T., Ryu, G.M., Kwon, B.M., Lee, W.H., and Suk, K. 2008. Anti-inflammatory effects of catechols in lipopolysaccharide-stimulated microglia cells: inhibition of microglial neurotoxicity. *Eur J Pharmacol*, 588, 106-113.

Zhu, X., Zhang, H., and Lo, R. 2004. Phenolic compounds from the leaf extract of artichoke (Cynara scolymus L.) and their antimicrobial activities. *J. Agric. Food Chem.*, 52, 7272-7278.

UNIVERSITAS ANDALAS
UNTUK KEDJAJAAN BANGSA