

DAFTAR PUSTAKA

- ABBOTT, R. D., YIN, Y., REED, D. M. & YANO, K. 1986. Risk of stroke in male cigarette smokers. *N Engl J Med.* 315(12), 717-720
<https://www.ncbi.nlm.nih.gov/pubmed/3748080> [diakses 15 Oktober 2019].
- ADAMS, H. P., JR., ADAMS, R. J., BROTT, T., DEL ZOPPO, G. J., FURLAN, A., GOLDSTEIN, L. B., GRUBB, R. L., HIGASHIDA, R., KIDWELL, C., KWIATKOWSKI, T. G., MARLER, J. R. & HADEMENOS, G. J. 2003. Guidelines for the early management of patients with ischemic stroke: A scientific statement from the Stroke Council of the American Stroke Association. *Stroke.* 34(4), 1056-1083
<https://www.ncbi.nlm.nih.gov/pubmed/12677087> [diakses 7 Agustus 2019].
- AHA/ASA. 2014. *Guidlines for the Primary Prevention of Stroke* [Online]. Available: <http://ahajournals.org>
- AL-HAZZAA, H. M. 2004. The public health burden of physical inactivity in saudi arabia. *Journal of family & community medicine.* 11(2), 45-51
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3410089/> [diakses 15 Oktober 2019].
- ALDOORI, M. & RAHMAN, S. 1998. Smoking and stroke: a causative role. Heavy smokers with hypertension benefit most from stopping/ *BMJ.* 317, 962-3
https://www.researchgate.net/scientific-contributions/7863719_Munther_I_Aldoori [diakses 10 Agustus 2019].
- ANWAR, R. 2005. Meta-analisis. Bandung. Fakultas Universitas Padjajaran. 20 hal.
- ARENILLAS, J. F. 2011. *Intracranial Atherosclerosis* [Online]. Available: <https://ahajournals.org/doi/10.1161/STROKEAHA.110.597278> [diakses 1 April 2019].
- BANDASAK, R., NARKSAWAT, K., TANGKANAKUL, C., CHINVARUN, Y. & SIRI, S. 2011. Association between hypertension and stroke among young Thai adults in Bangkok, Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health*, 42, 1241.
- BERLIN, J. A. & GOLUB, R. M. 2014. Meta-analysis As Evidence : Building A Better Pyramid. *Jama.* 312 (6), 603-605.
<https://www.ncbi.nlm.nih.gov/pubmed/25117128> [diakses 5 April 2019].
- BHAT, V., COLE, JW, SORKIN, JD, WOZNIAC, MA, MALARCHER, AM, GILES, WH, STERN, B & KITTNER, SJ 2008. Dose-response relationship between cigarette smoking and risk of ischemic stroke in young women'. *Stroke*, 39, 2439-2443. .
- BI, Q., WANG, L., LI, X. & SONG, Z. 2010. Risk factors and treatment of stroke in Chinese young adults. *Neurol Res*, 32, 366-70.
- BILLINGER, S. A., ARENA, R., BERNHARDT, J., ENG, J. J., FRANKLIN, B. A., JOHNSON, C. M., MACKAY-LYONS, M., MACKO, R. F., MEAD, G. E., ROTH, E. J., SHAUGHNESSY, M. & TANG, A. 2014. Physical Activity And Exercise Recommendations for Stroke Survivor. *AHA Journal.* 45(8), 3754-3832,
<https://www.ahajournals.org/doi/full/10.1161/STR.0000000000000022> [diakses 1 April 2019].
- BLAIR, S. N., KOHL, H. W., GORDON, N. F. & PAFFENBARGER, R. S., JR. 1992. How much physical activity is good for health? *Annu Rev Public*

- Health. 13, 99-126 <https://www.ncbi.nlm.nih.gov/pubmed/1599603> [diakses 10 Agustus 2019].
- BODEN-ALBALA, B. & SACCO, R. L. 2000. Lifestyle factors and stroke risk: exercise, alcohol, diet, obesity, smoking, drug use, and stress. *Current atherosclerosis reports.* 2(2), 160-166 <https://link.springer.com/article/10.1007/s11883-000-0111-3> [diakses 13 Agustus 2019].
- BONITA, R., DUNCAN, J., TRUELSEN, T., JACKSON, R. T. & BEAGLEHOLE, R. 1999. Passive smoking as well as active smoking increases the risk of acute stroke. *Tob Control.* 8(2), 156-160 <https://www.ncbi.nlm.nih.gov/pubmed/10478399> [diakses 15 Agustus 2019].
- BURKE, T. A. & VENKETASUBRAMANIAN, R. N. 2006. The epidemiology of stroke in the East Asian region: a literature-based review. *Int J Stroke.* 1(4), 208-215 <https://www.ncbi.nlm.nih.gov/pubmed/18706018> [diakses 16 Oktober 2019].
- BUSTAN, N. 2007. *Epidemologi Penyakit Tidak Menular.* Jakarta. PT. Rineka Cipta. 221 hal.
- CAMM, A. J., KIRCHHOF, P., LIP, G. Y., SCHOTTEN, U., SAVELIEVA, I., ERNST, S., VAN GELDER, I. C., AL-ATTAR, N., HINDRICKS, G., PRENDERGAST, B., HEIDBUCHEL, H., ALFIERI, O., ANGELINI, A., ATAR, D., COLONNA, P., DE CATERINA, R., DE SUTTER, J., GOETTE, A., GORENEK, B., HELDAL, M., HOHLOSER, S. H., KOLH, P., LE HEUZEY, J. Y., PONIKOWSKI, P. & RUTTEN, F. H. 2010. Guidelines for the management of atrial fibrillation: the Task Force for the Management of Atrial Fibrillation of the European Society of Cardiology (ESC). *Eur Heart J.* 31(19), 2369-429 <https://www.ncbi.nlm.nih.gov/pubmed/20802247> [diakses 8 Agustus 2019].
- CHEN, X., ZHOU, L., ZHANG, Y., YI, D., LIU, L., RAO, W., WU, Y., MA, D., LIU, X., ZHOU, X. H., LIN, H., CHENG, D. & YI, D. 2014. Risk factors of stroke in Western and Asian countries: a systematic review and meta-analysis of prospective cohort studies. *BMC Public Health.* 14, 776 <http://www.biomedcentral.com/1471-2458/14/776> [diakses 10 Agustus 2019].
- CHIUVE, S. E., REXRODE, K. M., SPIEGELMAN, D., LOGROSCINO, G., MANSON, J. E. & RIMM, E. B. 2008. Primary prevention of stroke by healthy lifestyle. *Circulation.* 118(9), 947-954 <https://www.ncbi.nlm.nih.gov/pubmed/18697819> [diakses 8 Agustus 2019].
- CIPOLLA, M. J., HUANG, Q. & SWEET, J. G. 2011. Inhibition of protein kinase Cbeta reverses increased blood-brain barrier permeability during hyperglycemic stroke and prevents edema formation in vivo. *Stroke.* 42(11), 3252-3257 <https://www.ncbi.nlm.nih.gov/pubmed/21852606> [diakses 6 Agustus 2019].
- DIEP, L., KWAGYAN, J., KURANTSIN-MILLS, J., WEIR, R. & JAYAM-TROUTH, A. 2010. Association of Physical Activity Level And Stroke Outcomes in Men And Women : A Meta-analysis. *Journal of Women's Health.* 19(10), 1815-1822, <https://www.ncbi.nlm.nih.gov/pubmed/20929415> [diakses 2 April 2019].
- DINATA, C. A., SAFRITA, Y. S. & SASTRI, S. 2013. Gambaran faktor risiko dan tipe stroke pada pasien rawat inap di bagian penyakit dalam RSUD Kabupaten Solok Selatan periode 1 Januari 2010-31 Juni 2012. *Jurnal*

- HAIDICH, A.-B. 2010. Meta-analysis in Medical Research. *Hippokratia*. 14 (Suppl 1), 29, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3049418/> [diakses 18 April 2019].
- HAIDICH AB 2010. Meta-analysis in Medical Research. *HIPPOKRATIA*.
- HANDAJANI, A., ROOSIHERMATIE, B. & MARYANI, H. 2010. Faktor-faktor yang Berhubungan dengan Pola Kematian pada Penyakit Degeneratif di Indonesia. *Buletin Penelitian Sistem Kesehatan*. Vol. 13 No. 1 <http://ejournal.litbang.depkes.go.id/index.php/hsr/article/view/2755> [diakses 10 April 2019].
- HARSONO. 2005. *Buku Ajar Neurologi Klinis*. Yogyakarta. Gadjah Mada University Press. 373 hal.
- HE, J., KLAG, M. J., WU, Z. & WHELTON, P. K. 1995. Stroke in the People's Republic of China. II. Meta-analysis of hypertension and risk of stroke. *Stroke*, 26(12). 2228-32, <https://www.ncbi.nlm.nih.gov/pubmed/7491641> [diakses 10 April 2019].
- HU, F. B., STAMPFER, M. J., COLDITZ, G. A., ASCHERIO, A., REXRODE, K. M., WILLETT, W. C. & MANSON, J. E. 2000. Physical Activity And Risk of Stroke in Women. *Jama*. 283(2), 2961-2967, <https://www.ncbi.nlm.nih.gov/pubmed/10865274> [diakses 1 Mei 2019].
- HU, G., SARTI, C., JOUSILAHTI, P., SILVENTOINEN, K., BARENGO, N. C. & TUOMILEHTO, J. 2005. Leisure time, occupational, and commuting physical activity and the risk of stroke. *Stroke*. 36(9), 1994-1999, <https://www.ncbi.nlm.nih.gov/pubmed/16081862> [diakses 2 Mei 2019].
- IDRIS, I., THOMSON, G. A. & SHARMA, J. C. 2006. Diabetes mellitus and stroke. *Int J Clin Pract*. 60(1), 48-56 <https://www.ncbi.nlm.nih.gov/pubmed/16409428> [diakses 8 Agustus 2019].
- ISMAIL, K., AL-TAWIL, N. & AL-HADITHI, T. 2010. Risk Factors for Stroke in Erbil City: A Case-Control Study. *Zanco J Med Sci*, 14, 90-96.
- ISO, H., IMANO, H., KITAMURA, A., SATO, S., NAITO, Y., TANIGAWA, T., OHIRA, T., YAMAGISHI, K., IIDA, M. & SHIMAMOTO, T. 2004. Type 2 diabetes and risk of non-embolic ischaemic stroke in Japanese men and women. *Diabetologia*, 47, 2137-44.
- IVEY, F. M., RYAN, A. S., HAFER-MACKO, C. E., GOLDBERG, A. P. & MACKO, R. F. 2007. Treadmill aerobic training improves glucose tolerance and indices of insulin sensitivity in disabled stroke survivors: a preliminary report. *Stroke*. 38(10), 2752-2758 <https://www.ncbi.nlm.nih.gov/pubmed/17702957> [diakses 14 Agustus 2019].
- JANGHORBANI, M., HU, F. B., WILLETT, W. C., LI, T. Y., MANSON, J. E., LOGROSCINO, G. & REXRODE, K. M. 2007. Prospective Study of Type 1 And Type 2 Diabetes And Risk of Stroke Subtypes: The Nurses' Health Study. *Diabetes Care*. 30(7), 1730-1735, <https://www.ncbi.nlm.nih.gov/pubmed/17389335> [diakses 3 Mei 2019].
- JOHNSON, R. C. & SCHOENI, R. F. 2011. Early-life origins of adult disease: national longitudinal population-based study of the United States. *American journal of public health*. 101(12), 2317-2324 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3222421/> [diakses 5 Agustus 2019].
- KAMADA, H., YU, F., NITO, C. & CHAN, P. H. 2007. Influence of hyperglycemia on oxidative stress and matrix metalloproteinase-9 activation after focal cerebral ischemia/reperfusion in rats: relation to blood-brain barrier

- dysfunction. *Stroke*. 38(3), 1044-1049
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1828129/> [diakses 10 Agustus 2019].
- KANETO, H., KATAKAMI, N., MATSUHISA, M. & MATSUOKA, T.-A. 2010. Role of reactive oxygen species in the progression of type 2 diabetes and atherosclerosis. *Mediators of inflammation*. 2010, 453892-453892
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2825658/> [diakses 8 Agustus 2019].
- KANNEL, W. B. & MCGEE, D. L. 1979. Diabetes and cardiovascular disease. The Framingham study. *Jama*, 241, 2035-8.
- KEARNEY, P. M., WHELTON, M., REYNOLDS, K., MUNTNER, P., WHELTON, P. K. & HE, J. 2005. Global Burden of Hypertension : Analysis of Worldwide Data. *The Lancet*. 365(9455), 217-223,
<https://www.ncbi.nlm.nih.gov/pubmed/15652604> [diakses 5 Mei 2019].
- KELLY, T. N., GU, D., CHEN, J., HUANG, J.-F., CHEN, J.-C., DUAN, X., WU, X., CHEN, C.-S. & HE, J. 2008. Cigarette smoking and risk of stroke in the chinese adult population. *Stroke*, 39, 1688-1693.
- KEMBUAN, I. Y., KANDOU, G. & KAUNANG, W. P. 2016. Hubungan obesitas dengan penyakit hipertensi pada pasien Poliklinik Puskesmas Touluaan Kabupaten Minahasa Tenggara. *Paradigma*. 4(2), 16-35
<http://www.ejournalhealth.com/index.php/paradigma/article/download/23/>
[13 Agustus 2019]
- KEMENTERIAN KESEHATAN, R. I. 2013. *Perilaku Merokok Masyarakat Indonesia*, Jakarta.
- KEMENTERIAN KESEHATAN, R. 2014. *Profil Kesehatan Indonesia 2014*. Jakarta. 382 hal
- KHODABANDEHLOU, M., MANSOURNIA, M.-A., MEHRPOUR, M. & NAIENI, K. H. 2016. Risk factors associated with ischemic stroke: A case-control study. *Journal of Biostatistics and Epidemiology*, 2, 111-117.
- KIM, H. C. & OH, S. M. 2013. Noncommunicable diseases: current status of major modifiable risk factors in Korea *Journal of preventive medicine and public health*. 46(4), 165-172
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3740221/> [diakses 15 Oktober 2019].
- KISJANTO, J., BONNEUX, L., PRIHARTONO, J., RANAKUSUMA, T. A. & GROBBEE, D. E. 2005. Risk factors for stroke among urbanised Indonesian women of reproductive age: a hospital-based case-control study. *Cerebrovasc Dis*, 19, 18-22.
- KITCHENHAM, B. 2004. *Procedures for Performing Systematic Reviews*, UK, Keele University.
- KONDO, T., OSUGI, S., SHIMOKATA, K., HONJO, H., MORITA, Y., MAEDA, K., YAMASHITA, K., MURAMATSU, T., SHINTANI, S., MATSUSHITA, K. & MUROHARA, T. 2011. Smoking and smoking cessation in relation to all-cause mortality and cardiovascular events in 25,464 healthy male Japanese workers. *Circ J*. 75(12), 2885-2892
<https://www.ncbi.nlm.nih.gov/pubmed/21979146> [diakses 15 Oktober 2019].
- LEE, C. D., FOLSOM, A. R. & BLAIR, S. N. 2003. Physical Activity And Stroke Risk : A Meta-analysis. *Stroke*. 34(10), 2475-2481,
<https://www.ncbi.nlm.nih.gov/pubmed/14500932> [diakses 5 Mei 2019].

- LIANG, W., LEE, A. H., BINNS, C. W., ZHOU, Q., HUANG, R. & HU, D. 2009. Habitual Physical Activity Reduces the Risk of Ischemic Stroke: A Case-Control Study in Southern China. *Cerebrovascular Diseases*. 28(5), 454-459 <https://www.karger.com/Article/Abstract/235990#> [diakses 15 Oktober 2019].
- LINDGREN, A. 2014. Risk Factors. In: NORVING, B. (ed.) *Oxford Textbook of Stroke And Cerebrovascular Disorder*. United Kingdom: Oxford University Press.
- MABE, M. 2015. *The STM Report: An Overview of Scientific and Scholarly Journal Publishing*. Fourth Edition ed. Netherlands: International Association of Scientific, Technical and Medical Publisher.
- MANNAMI, T., ISO, H., BABA, S., SASAKI, S., OKADA, K., KONISHI, M. & TSUGANE, S. 2004. Cigarette smoking and risk of stroke and its subtypes among middle-aged Japanese men and women: the JPHC Study Cohort I. *Stroke*, 35, 1248-53.
- MARKIDAN, J., COLE, J. W., CRONIN, C. A., MERINO, J. G., PHIPPS, M. S., WOZNIAK, M. A. & KITTNER, S. J. 2018. Smoking and Risk of Ischemic Stroke in Young Men. *Stroke*, 49, 1276-1278.
- MARWAT, M. A., USMAN, M. & HUSSAIN, M. 2009. Stroke And Its Relationship to Risk Factors. *Gomal J Med Sci*. Vol. 7 No. 1, 17-21, <http://www.gjms.com.pk/ojs24/index.php/gjms/article/view/151> [diakses 5 Mei 2019].
- MEHNDIRATTA, M. M., KHAN, M., MEHNDIRATTA, P. & WASAY, M. 2014. Stroke in Asia: geographical variations and temporal trends. *Journal of Neurology, Neurosurgery & Psychiatry*, 85(12), 1308
- MORRIS, C. D., PUSKAS, J. D., PUSCA, S. V., LATTOUF, O. M., COOPER, W. A., VASSILIADES, T. A., CHEN, E. P., THOURANI, V. H., KILGO, P. D. & GUYTON, R. A. 2007. Outcomes after off-pump reoperative coronary artery bypass grafting. *Innovations*. 2(1), 29-32 <https://journals.sagepub.com/doi/abs/10.1177/155698450700200106> [diakses 12 Agustus 2019].
- O'DONNELL, M. J., XAVIER, D., LIU, L., ZHANG, H., CHIN, S. L., RAO-MELACINI, P., RANGARAJAN, S., ISLAM, S., PAIS, P., MCQUEEN, M. J., MONDO, C., DAMASCENO, A., LOPEZ-JARAMILLO, P., HANKEY, G. J., DANS, A. L., YUSOFF, K., TRUELSSEN, T., DIENER, H. C., SACCO, R. L., RYGLEWICZ, D., CZLONKOWSKA, A., WEIMAR, C., WANG, X. & YUSUF, S. 2010. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *Lancet*, 376, 112-23.
- OKI, I., NAKAMURA, Y., OKAMURA, T., OKAYAMA, A., HAYAKAWA, T., KITA, Y. & UESHIMA, H. 2006. Body mass index and risk of stroke mortality among a random sample of Japanese adults: 19-year follow-up of NIPPON DATA80. *Cerebrovasc Dis*. 22(5), 409-415 <https://www.ncbi.nlm.nih.gov/pubmed/16888384> [diakses 15 Oktober 2019].
- PAN, B., JIN, X., JUN, L., QIU, S., ZHENG, Q. & PAN, M. 2019. The Relationship Between Smoking And Stroke : A Meta-analysis. *Medicine*. 98(12), e14872
- PANTER, A. T. & STERBA, S. K. 2011. *Handbook of Ethics in Quantitative Methodology*, London, Taylor and Francis Group. 541 hal.
- PERKENI 2011. *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. PB. PERKENI.

- PETERS, S. A., HUXLEY, R. R. & WOODWARD, M. 2013. Smoking As A Risk Factor for Stroke in Women Compared With Men: A systematic Review And Meta-analysis of 81 Cohorts, Including 3.980.359 Individuals And 42.401 Strokes. *Stroke*. 44(10), 2821-2828, <https://www.ncbi.nlm.nih.gov/pubmed/23970792> [diakses 7 April 2019].
- PINZON, R. & ASANTI, L. 2010. *Awas Stroke! Pengertian, Gejala, Tindakan, Perawatan Dan Pencegahan*. Yogyakarta, Andi. 68 hal
- PURWATI, S., SUTJAHJO, S. R. & SALIMAR 2001. *Perencanaan Menu Untuk Penderita Kegemukan*, Jakarta. Penebar Swadaya. 112 hal.
- ROBERT, A. A. & ZAMZAMI, M. M. 2014. Stroke in Saudi Arabia: a review of the recent literature. *The Pan African medical journal*. 17, 14 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4048673/> [diakses 15 Oktober 2019].
- SHAH, S. M., SHAH, S. M., KHAN, S., REHMAN, S., KHAN, Z., AHMED, W. & ZUBAIR 2013. "Addressing the impact of stroke risk factors in a case control study in tertiary care hospitals": a case control study in Tertiary Care Hospitals of Peshawar, Khyber Phuktoonkhwa (KPK) Pakistan. *BMC Res Notes*, 6, 268.
- SHARMIN, N., RAHMAN, Z., YUSUF, D. M. A. & RAHMAN, N. 2017. Risk of Smoking in the Causation of Ischemic Stroke: Experience of 100 Cases in Bangladesh. *European Journal of Preventive Medicine*, 4, 132-135.
- SHINTON, R. & BEEVERS, G. 1989. Meta-analysis of relation between cigarette smoking and stroke. *BMJ*. 298, 789-794 <https://www.ncbi.nlm.nih.gov/pubmed/2496858> [diakses 5 Agustus].
- SINGH, N. N., PAN, Y., MUENGTAWEEPONSA, S., GELLER, T. J. & CRUZ-FLORES, S. 2012. Cannabis-related stroke: case series and review of literature. *J Stroke Cerebrovasc Dis*. 21(7), 555-560 <https://www.ncbi.nlm.nih.gov/pubmed/21367621> [diakses 7 Agustus 2019].
- SISWANTO 2010. *Systematic Review sebagai Metode Penelitian untuk Mensintesis Hasil-hasil Penelitian (Sebuah Pengantar)*. *Buletin Penelitian Sistem Kesehatan*, 13, 326-333.
- SMELTZER, S. C. & BARE, B. G. 2001. *Buku Ajar Keperawatan Medikal Bedah*. Edisi 8, Jakarta. EGC.
- SOFYAN, A. M., SIHOMBING, I. Y. & HAMRA, Y. 2015. Hubungan Umur, Jenis Kelamin, dan Hipertensi dengan Kejadian Stroke. *Medula*. Vol. 1 No. 1 <http://ojs.uho.ac.id/index.php/medula/article/view/182> [diakses 10 April 2019].
- SORGANVI, V., KULKARNI, M., KADELI, D. & ATHARGA, S. 2014. Risk factors for stroke: A case control study. *International Journal of Current Research and Review*, 6, 46.
- STRAZZULLO, P., D'ELIA, L., CAIRELLA, G., GARBAGNATI, F., CAPPUCCIO, F. P. & SCALFI, L. 2010. Excess Body Weight And Incidence of Stroke : Meta-analysis of Prospective Studies with 2 Million Participants. *Stroke*. 41(5), e418-e426 <https://www.ncbi.nlm.nih.gov/pubmed/20299666> [diakses 5 April 2019].
- STROUP, D. F., BERLIN, J. A., MORTON, S. C., OLKIN, I., WILLIAMSON, G. D., RENNIE, D., MOHER, D., BECKER, B. J., SIPE, T. A. & THACKER, S. B. 2000. Meta-analysis of Observational Studies in Epidemiology : A Proposal for Reporting. *Jama*. 283(15), 2008-2012 <https://www.ncbi.nlm.nih.gov/pubmed/10789670> [diakses 6 April 2019].

- SUK, S. H., SACCO, R. L., BODEN-ALBALA, B., CHEUN, J. F., PITTMAN, J. G., ELKIND, M. S. & PAIK, M. C. 2003. Abdominal obesity and risk of ischemic stroke: the Northern Manhattan Stroke Study. *Stroke*. 34(7), 1586-1592 <https://www.ncbi.nlm.nih.gov/pubmed/12775882> [diakses 9 Agustus 2019].
- TAMBAYONG, J. Patofisiologi. 2001. Jakarta. EGC.
- TANDRA, H. 2003. *Merokok dan Kesehatan* [Online]. Available: https://scholar.googleusercontent.com/scholar?q=cache:zE55jW6bXoMJ:scholar.google.com/&hl=id&as_sdt=0,5 [Accessed 1 Mei 2019].
- TELMAN, G., SPRECHER, E., NAMESTNIKOV, O. & KOUPEMBERG, E. 2010. Comparison of risk factors and work-up in young and middle-aged patients with TIA and ischaemic stroke. *Eur J Neurol*. 17(4), 567-571 <https://www.ncbi.nlm.nih.gov/pubmed/19922452> [diakses 15 Oktober 2019].
- TOSHIFUMI, M., HIROYASU, I. & SHOICHIRO, B. 2004. Cigarette Smoking and Risk of Stroke and Its Subtypes among Middle-Aged Japanese Men and Women. *AHA Journal*. 35(6), 1248-1243
- TRAON, A. 2002. Dynamics of cerebral blood flow autoregulation in hypertensive patients. *J Neurol Sci*. 30(195).
- TUOMILEHTO, J., RASTENYTE, D., JOUSILAHTI, P., SARTI, C. & VARTIAINEN, E. 1996. Diabetes mellitus as a risk factor for death from stroke. Prospective study of the middle-aged Finnish population. *Stroke*, 27, 210-5.
- UDJIANTI, W. J. 2010. Keperawatan Kardiovaskular, Jakarta: Salemba Medika.
- VENKETASUBRAMANIAN, N., YOON, B. W., PANDIAN, J. & NAVARRO, J. C. 2017. Stroke Epidemiology in South, East, and South-East Asia: A Review. *Journal of stroke*. 19(3), 286-294 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5647629/> [diakses 20 Agustus 2019].
- WASAY, M., KHATRI, I. A. & KAUL, S. 2014. Stroke in South Asian countries. *Nat Rev Neurol*, 10, 135-43.
- WENDEL-VOS, G. C., SCHUIT, A. J., FESKENS, E. J., BOSHUIZEN, H. C., VERSCHUREN, W. M., SARIS, W. H. & KROMHOUT, D. 2004. Physical activity and stroke. A meta-analysis of observational data. *Int J Epidemiol*. 33(4), 787-798 <https://www.ncbi.nlm.nih.gov/pubmed/15166195> [diakses 9 Agustus 2019].
- WESTOVER, A. N., MCBRIDE, S. & HALEY, R. W. 2007. Stroke in young adults who abuse amphetamines or cocaine: a population-based study of hospitalized patients. *Arch Gen Psychiatry*. 64(4), 495-502 <https://www.ncbi.nlm.nih.gov/pubmed/17404126> [diakses 6 Agustus 2019].
- WHO 2004a. World Report on Knowledge for Better Health. Canada: WHO.
- WHO 2004b. *World Report on Knowledge for Better Health : Strengthening Health Systems*, World Health Organization <https://apps.who.int/iris/handle/10665/43058> [diakses 1 April 2019].
- WHO. 2012. *Global Health Estimates* [Online]. GENEVA. Available: http://www.who.int/healthinfo/global_burden_disease/en/ [Accessed 10 Agustus 2019].
- WHO 2013. Global Health Estimates Summary Tables : Projection of Death by Cause, Age and Sex. *In: GHE_DTHGLOBAL_PROJ_2015_2030* (ed.).

- WHO. 2018a. *Noncommunicable Disease : Key Facts* [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases> [Accessed 5 April 2019].
- WHO 2018b. *Noncommunicable Disease : Country Profile 2018*.
- WHO. 2019. *Hypertension : Key Facts* [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/hypertension> [Accessed 12 July 2019].
- WIRAMIHARDJA, K. 2000. *Obesitas Dan Penanggulangannya*, Bandung. Granada.
- YAMAGISHI, K., ISO, H., KITAMURA, A., SANKAI, T., TANIGAWA, T., NAITO, Y., SATO, S., IMANO, H., OHIRA, T. & SHIMAMOTO, T. 2003. Smoking raises the risk of total and ischemic strokes in hypertensive men. *Hypertens Res*, 26, 209-17.
- YONATA, A. & PRATAMA, A. S. P. 2016. Hipertensi sebagai Faktor Pencetus Terjadinya Stroke. *Majority*. 5(3), 17-21 <https://pdfs.semanticscholar.org/0590/d29fcb55d8ad643973c5afb9015135f1e428.pdf> [diakses 11 Agustus 2019].
- YONEMOTO, K., DOI, Y., HATA, J., NINOMIYA, T., FUKUHARA, M., IKEDA, F., MUKAI, N., IIDA, M. & KIYOHARA, Y. 2011. Body Mass Index And Stroke Incidence in A Japanese Community : The Hisayama Study. *Hypertension Research*. 34(2), 274 <https://www.ncbi.nlm.nih.gov/pubmed/21107333> [diakses 12 April 2019].
- YU, J.-G., ZHOU, R.-R. & CAI, G.-J. 2011. From hypertension to stroke: mechanisms and potential prevention strategies. *CNS neuroscience & therapeutics*. 17(5), 577-584 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6493871/> [diakses 9 Agustus 2019].
- YULIANTO, A. 2011. *Mengapa stroke menyerang usia muda : Penyebab, Gejala, dan Pencegahan Stroke Yang Menyerang Usia Muda*. Jogjakarta: Javalitera
- ZHANG, L. F., YANG, J., HONG, Z., YUAN, G. G., ZHOU, B. F., ZHAO, L. C., HUANG, Y. N., CHEN, J. & WU, Y. F. 2003. Proportion of different subtypes of stroke in China. *Stroke*. 34(9), 2091-2096 <https://www.ncbi.nlm.nih.gov/pubmed/12907817> [diakses 5 Agustus 2019].
- ZHANG, X.-F., ATTIA, J., D'ESTE, C. & YU, X. H. 2004. Prevalence and Magnitude of Classical Risk Factors for Stroke in a Cohort of 5092 Chinese Steelworkers Over 13.5 Years of Follow-up. *AHA Journal*. 35(5), 1052-1056 <https://www.ahajournals.org/doi/10.1161/01.STR.0000125305.12859.ff> [diakses 15 Oktober 2019].