

## DAFTAR PUSTAKA

- Adeniyi AG, Ighalo JO. Biosorption of pollutants by plant leaves: An empirical review. *J Environ Chem Eng.* 2019;7(3):103100.
- Aini, M. K.: Pemanfaatan Cangkang Pensi (Corbicula Moltkiana) Sebagai Bahan Penyerap Zat Warna Rhodamin B Dalam Larutan, Skripsi. Padang. Jurusan Kimia FMIPA Universitas Andalas, 2017.
- Anbia M, Hariri SA, Ashrafizadeh SN. Adsorptive removal of anionic dyes by modified nanoporous silica SBA-3. *Appl Surf Sci.* 2010;256(10):3228-3233. doi:10.1016/j.apsusc.2009.12.010
- Anjaneya O, Souche SY, Santoshkumar M, Karegoudar TB. Decolorization of sulfonated azo dye *Metanil yellow* by newly isolated bacterial strains: *Bacillus* sp. strain AK1 and *Lysinibacillus* sp. strain AK2. *J Hazard Mater.* 2011;190(1-3):351-358. doi:10.1016/j.jhazmat.2011.03.044
- Azat S, Korobeinyk A V., Moustakas K, Inglezakis VJ. Sustainable production of pure silica from rice husk waste in Kazakhstan. *J Clean Prod.* 2019;217:352-359. doi:10.1016/j.jclepro.2019.01.142
- Bakatula EN, Richard D, Neculita CM, Zagury GJ. Determination of point of zero charge of natural organic materials. *Environ Sci Pollut Res.* 2018;25(8):7823-7833. doi:10.1007/s11356-017-1115-7
- Boumchita S, Lahrichi A, Benjelloun Y, Lairini S, Nenov V, Zerrouq F. Application of peanut shell as a low-cost adsorbent for the removal of anionic dye from aqueous solutions. *J Mater Environ Sci.* 2017;8(7):2353-2364.
- Brouwer P. *Theory of XRF.*; 2010.
- Bulut Y, Aydin H. A kinetics and thermodynamics study of methylene blue adsorption on wheat shells. *Desalination.* 2006;194(1-3):259-267.
- Chadir Z, Zein R, Sagita DT, Munaf E. Bioremoval of methyl orange dye using durian fruit ( Durio zibethinus ) Murr seeds as biosorbent. *J Chem Pharm Res.* 2015;7(1):589-599.
- Chatterjee S, Chatterjee S, Chatterjee BP, Das AR, Guha AK. Adsorption of a model anionic dye, eosin Y, from aqueous solution by chitosan hydrobeads. *J Colloid Interface Sci.* 2005;288(1):30-35. doi:10.1016/j.jcis.2005.02.055
- Crini G, Badot PM. Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature. *Prog Polym Sci.* 2008;33(4):399-447.
- Daffalla SB, Mukhtar H, Shaharun MS. Characterization of adsorbent developed

- from rice husk: Effect of surface functional group on phenol adsorption. *J Appl Sci.* 2010;10(12):1060-1067. doi:10.3923/jas.2010.1060.1067
- Dallel R, Kesraoui A, Seffen M. Biosorption of cationic dye onto »phragmites australis» fibers: Characterization and mechanism. *J Environ Chem Eng.* 2018;6(6):7247-7256. doi:10.1016/j.jece.2018.10.024
- Daneshvar N, Oladegaragoze A, Djafarzadeh N. Decolorization of basic dye solutions by electrocoagulation: An investigation of the effect of operational parameters. *J Hazard Mater.* 2006;129(1-3):116-122.
- Eren Z, Acar FN. Adsorption of Reactive Black 5 from an aqueous solution: equilibrium and kinetic studies. *Desalination.* 2006;194(1-3):1-10.
- Fan L, Zhou Y, Yang W, Chen G, Yang F. Electrochemical degradation of Amaranth aqueous solution on ACF. *J Hazard Mater.* 2006;137(2):1182-1188. doi:10.1016/j.jhazmat.2006.04.008
- Fauzia S, Aziz H, Dahlan D, Zein R. The feasibility of Sago Bark (*Metroxylon sagu*) IN Cu(II) removal: Batch and fixed bed column evaluation. *Rasayan J Chem.* 2019;12(4):1889-1900. doi:10.31788/RJC.2019.1245444
- Fauzia S, Furqani F, Zein R, Munaf E. Adsorption and reaction kinetics of tetrazine by using *Annona muricata* L seeds. *J Chem Pharm Res.* 2015;7(1):573-582.
- Fleming BA, Crerar DA. Silicic acid ionization and calculation of silica solubility at elevated temperature and pH application to geothermal fluid processing and reinjection. *Geothermics.* 1982;11(1):15-29. doi:10.1016/0375-6505(82)90004-9
- Garg D, Kumar S, Sharma K, Majumder CB. Application of waste peanut shells to form activated carbon and its utilization for the removal of Acid Yellow 36 from wastewater. *Groundw Sustain Dev.* 2019;8(December 2018):512-519. doi:10.1016/j.gsd.2019.01.010
- Genieva SD, Turmanova SC, Dimitrova AS, Vlaev LT. Characterization of rice husks and the products of its thermal degradation in air or nitrogen atmosphere. *J Therm Anal Calorim.* 2008;93(2):387-396. doi:10.1007/s10973-007-8429-5
- Gniadek M, Dąbrowska A. The marine nano- and microplastics characterisation by SEM-EDX: The potential of the method in comparison with various physical and chemical approaches. *Mar Pollut Bull.* 2019;148(August):210-216.
- Gupta NK, Gupta A, Ramteke P, Sahoo H, Sengupta A. Biosorption-a green method for the preconcentration of rare earth elements (REEs) from waste solutions: A review. *J Mol Liq.* 2019;274:148-164.
- Gupta VK, Jain R, Mittal A, Mathur M, Sikarwar S. Photochemical degradation of the hazardous dye Safranin-T using TiO<sub>2</sub> catalyst. *J Colloid Interface Sci.*

2007;309(2):464-469. doi:10.1016/j.jcis.2006.12.010

Han R, Zhang J, Zou W, Xiao H, Shi J, Liu H. Biosorption of copper(II) and lead(II) from aqueous solution by chaff in a fixed-bed column. *J Hazard Mater.* 2006;133(1-3):262-268. doi:10.1016/j.jhazmat.2005.10.019

Hidayu AR, Mohamad NF, Matali S, Sharifah ASA K. Characterization of activated carbon prepared from oil palm empty fruit bunch using BET and FT-IR techniques. *Procedia Eng.* 2013;68:379-384.

Ho YS, Ofomaja AE. Kinetic studies of copper ion adsorption on palm kernel fibre. *J Hazard Mater.* 2006;137(3):1796-1802.

Ikpong AA, Okpala DC. Strength characteristics of medium workability ordinary Portland cement-rice husk ash concrete. *Build Environ.* 1992;27(1):105-111. doi:10.1016/0360-1323(92)90014-G

Isiuku B., Jr MH. Packed-Bed Column Adsorption of *Metanil yellow* ( MY ) from Simulated Wastewater using Granular NaOH-Activated Carbon from Cassava ( *Manihot esculenta* ) Peels. *World News Nat Sci.* 2017;14:11-35.

Isiuku BO, Onyeokoro JO. Batch biosorption of *metanil yellow* from aqueous solution on egg membrane: Kinetics and mechanism. *Int J Chem Mater Environ Res.* 2018;5(2):154-164.

Jena BB, Satish L, Mahanta CS, et al. Interaction of carborane-appended trimer with *bovine serum albumin*: A spectroscopic investigation. *Inorganica Chim Acta.* 2019;491:52-58. doi:10.1016/j.ica.2019.03.035

Kannan N, Sundaram MM. Kinetics and mechanism of removal of methylene blue by adsorption on various carbons - A comparative study. *Dye Pigment.* 2001;51(1):25-40. doi:10.1016/S0143-7208(01)00056-0

Khosa MA, Ullah A. Mechanistic insight into protein supported biosorption complemented by kinetic and thermodynamics perspectives. *Adv Colloid Interface Sci.* 2018;261:28-40. doi:10.1016/j.cis.2018.09.004

M GFA, Sy MRH, Mardina P. Ekstraksi Silika Dari Abu Sekam Padi Dengan Pelarut Koh. *Konversi.* 2013;2(1):28-31. doi:10.1111/ij.s.12479

Majeed S, Aripin FHB, Shoeb NSB, Danish M, Ibrahim MNM, Hashim R. Bioengineered silver nanoparticles capped with *bovine serum albumin* and its anticancer and apoptotic activity against breast, bone and intestinal colon cancer cell lines. *Mater Sci Eng C.* 2019;102:254-263. doi:10.1016/j.msec.2019.04.041

Meng, L., Cho, K.-S. & Park, S.-J. CO<sub>2</sub> Adsorption of Amine Functionalized Activated Carbons. *Carbon Lett.* **10**, 221–224 (2009).

Mittal A, Gupta VK, Malviya A, Mittal J. Process development for the batch and

- bulk removal and recovery of a hazardous, water-soluble azo dye (*Metanil yellow*) by adsorption over waste materials (Bottom Ash and De-Oiled Soya). *J Hazard Mater.* 2008;151(2-3):821-832.
- Moraes CAM, Fernandes IJ, Calheiro D, et al. Review of the rice production cycle: By-products and the main applications focusing on rice husk combustion and ash recycling. *Waste Manag Res.* 2014;32(11):1034-1048.
- Munaf E, Zein R. The use of rice husk for removal of toxic metals from waste water. *Environ Technol (United Kingdom)*. 1997;18(3):359-362.
- Nikolaidis A, Moschakis T. Studying the denaturation of *bovine serum albumin* by a novel approach of difference-UV analysis. *Food Chem.* 2017;215(July):235-244. doi:10.1016/j.foodchem.2016.07.133
- Önal Y, Akmil-Başar C, Eren D, Sarıcı-Özdemir Ç, Depci T. Adsorption kinetics of malachite green onto activated carbon prepared from Tunçbilek lignite. *J Hazard Mater.* 2006;128(2-3):150-157. doi:10.1016/j.jhazmat.2005.07.055
- Pandiangan KD, Arief S, Jamarun N, Simanjuntak W. Synthesis of zeolite-X from rice husk silica and aluminum metal as a catalyst for transesterification of palm oil. *J Mater Environ Sci.* 2017;8(5):1797-1802.
- Pashai Gatabi M, Milani Moghaddam H, Ghorbani M. Point of zero charge of maghemite decorated multiwalled carbon nanotubes fabricated by chemical precipitation method. *J Mol Liq.* 2016;216:117-125.
- Peters T. Serum Albumin. *Adv Protein Chem.* 1985;37(C):161-245.
- Rajkumar D, Kim JG. Oxidation of various reactive dyes with in situ electro-generated active chlorine for textile dyeing industry wastewater treatment. *J Hazard Mater.* 2006;136(2):203-212. doi:10.1016/j.jhazmat.2005.11.096
- Reddy, M. C. .; Sivaramakrishna, L.; Reddy, A. .: The Use of an Agricultural Waste Material , Jujuba Seeds for the Removal of Anionic Dye ( Congo Red ) from Aqueous
- Shamsudin, M. S. & Shahadat, M. Cellulose/bentonite-zeolite composite adsorbent material coating for treatment of N-based antiseptic cationic dye from water. *J. Water Process Eng.* **29**, 100764 (2019)
- Salleh MAM, Mahmoud DK, Karim WAWA, Idris A. Cationic and anionic dye adsorption by agricultural solid wastes: A comprehensive review. *Desalination.* 2011;280(1-3):1-13. doi:10.1016/j.desal.2011.07.019
- Sharma R, Patel KS, Lata L, Milosh H. Characterization of Urban Soil with SEM-EDX. *Am J Anal Chem.* 2016;07(10):724-735.

Singh TS. Investigations on reduction of colour from pulp and paper mill effluent by activated coconut jute carbon. *J Water Supply Res Technol - AQUA*. 2006;55(1):57-63. doi:10.2166/aqua.2005.020

Sundarajan M, Fernandis AZ, Subrahmanyam G, Prabhudesai S, Krishnamurthy SC, Rao KVK. Overexpression of G1/S cyclins and PCNA and their relationship to tyrosine phosphorylation and dephosphorylation during tumor promotion by *metanil yellow* and malachite green. *Toxicol Lett*. 2000;116(1-2):119-130. doi:10.1016/S0378-4274(00)00216-2

Szygula A, Ruiz M, Guibal E, Sastre AM. Removal of an Anionic Reactive Dye by Chitosan and its Regeneration. *Energy Environ Eng Ser*. 2008;(1):24-30.

Takeuchi T, Zein R, Munaf E, Miwa T. Indirect photometric detection of inorganic anions in microcolumn ion chromatography using octadecylsilica immobilized with *bovine serum albumin* as stationary phase. *J Chromatogr A*. 1996;755(1):37-42. doi:10.1016/S0021-9673(96)00570-5

Takeuchi T, Zein R, Munaf E, Miwa T. Indirect photometric detection of inorganic anions in microcolumn ion chromatography using octadecylsilica immobilized with *bovine serum albumin* as stationary phase. *J Chromatogr A*. 1996;755(1):37-42. doi:10.1016/S0021-9673(96)00570-5

Takeuchi T, Zein R, Munaf E, Miwa T. Indirect photometric detection of inorganic anions in microcolumn ion chromatography using octadecylsilica immobilized with *bovine serum albumin* as stationary phase. *J Chromatogr A*. 1996;755(1):37-42. doi:10.1016/S0021-9673(96)00570-5

Thirunavukkarasu A, Muthukumaran K, Nithya R. Adsorption of acid yellow 36 onto green nanoceria and amine functionalized green nanoceria: Comparative studies on kinetics, isotherm, thermodynamics, and diffusion analysis. *J Taiwan Inst Chem Eng*. 2018;93:211-225.

Varnier K, Vieira T, Wolf M, Belfiore LA, Tambourgi EB, Paulino AT. Polysaccharide-based hydrogels for the immobilization and controlled release of *bovine serum albumin*. *Int J Biol Macromol*. 2018;120:522-528. doi:10.1016/j.ijbiomac.2018.08.133

Vázquez G, Alonso R, Freire S, González-Álvarez J, Antorrena G. Uptake of phenol from aqueous solutions by adsorption in a *Pinus pinaster* bark packed bed. *J Hazard Mater*. 2006;133(1-3):61-67.

Vlasova NN, Markitan O V., Golovkova LP. Adsorption of biogenic amines on albumin-modified silica surface. *Colloid J*. 2011;73(1):24-27.

Wangpradit R, Chitprasert P. Chitosan-coated *Lentinus polychrous* Lév.: Integrated biosorption and biodegradation systems for decolorization of anionic reactive dyes. *Int Biodeterior Biodegrad*. 2014;93:168-176.

- Wong YC, Szeto YS, Cheung WH, McKay G. Equilibrium studies for acid dye adsorption onto chitosan. *Langmuir*. 2003;19(19):7888-7894.
- Yuan S, Zhang Y, Liu J, et al. Structure-affinity relationship of the binding of phenolic acids and their derivatives to *bovine serum albumin*. *Food Chem*. 2019;278(August 2018):77-83. doi:10.1016/j.foodchem.2018.11.060
- Zein R, Astuti AW, Wahyuni D, Firda Furqani K, Munaf E. Removal of methyl red from aqueous solution by Neplhelium lappaceum. *Res J Pharm Biol Chem Sci*. 2015;6(3):86-97.
- Zein, R.; Muhammad, M.; Pratiwi, I.; Yutaro, D. R.: The Ability Of Pensi (Corbicula Moltkiana ) Shell to Adsorb Cd(II) and Cr(VI) Ions. In *International Symposium on Current Progress in Mathematics and Sciences 2017 July 26-27*; American Institute Proceeding: Bali, 2017; p Accepted.
- Zein R, Munaf E, Takeuchi T, Miwa T. Application of microcolumn ion chromatography using octadecylsilica immobilized with *bovine serum albumin* as stationary phase for the determination of inorganic anions. *Fresenius J Anal Chem*. 1997;(Table 3):466-468.
- Zein R, Munaf E, Takeuchi T, Miwa T. Microcolumn ion chromatography of inorganic UV-absorbing anions using *bovine serum albumin* as stationary phases. *Anal Chim Acta*. 1996;335(3):261-266.
- Zein R, Ramadhani P, Aziz, Suhaili R. Biosorben cangkang pensi (Corbicula moltkiana) sebagai penyerap zat warna metanil. *J Litbang Ind*. 2019;8(June):11-16. doi:10.24960/jli.v8i1.3844.23-30
- Zein, R.; Suhaili, R.; Earnestly, F.; Indrawati; Munaf, E.: Removal of Pb(II), Cd(II) and Co(II) from Aqueous Solution Using Garcinia Mangostana L. Fruit Shell. *Journal of Hazardous Materials* 2010, 181 (1–3), 52–56.
- Zhang X, Li G, Wang Y. Microwave assisted photocatalytic degradation of high concentration azo dye Reactive Brilliant Red X-3B with microwave electrodeless lamp as light source. *Dye Pigment*. 2007;74(3):536-544.
- Zhong ZY, Yang Q, Li XM, Luo K, Liu Y, Zeng GM. Preparation of peanut hull-based activated carbon by microwave-induced phosphoric acid activation and its application in Remazol Brilliant Blue R adsorption. *Ind Crops Prod*. 2012;37(1):178-185. doi:10.1016/j.indcrop.2011.12.015