

DAFTAR PUSTAKA

- Amador, X., & David, A. (2004). *Insight and Psychosis* (Second Edi). New York: Oxford University Press.
- Amador, X. F., Strauss, D. H., Yale, S. A., & Gorman, J. M. (1991). Awareness of illness in schizophrenia. *Schizophrenia Bulletin*, 17(1). Retrieved from isi:000228241201089
- Amelia, D. R., & Anwar, Z. (2013). *Relaps Pada Pasien skizofrenia*. 01 No 01 J(ISSN 2301-8267).
- APA. (2017). What Is Schizophrenia? Retrieved June 13, 2019, from <https://www.psychiatry.org/patients-families/schizophrenia/what-is-schizophrenia>
- Arifin, M. (2019). *Pengantar Ilmu Pendidikan*. Guepedia.com.
- Arikunto, S. (2014). *Prosedur Penelitian : Suatu Pendekatan Praktik*. Jakarta: Rineka Cipta.
- Astuti, A. P., Susilo, T., & Putra, S. M. A. (2017). Hubungan kepatuhan minum obat dengan periode kekambuhan pada pasien Skizofrenia: Halusinasi di Rumah Sakit Jiwa Prof. Dr. Soeroyo Magelang. *Jurnal Keperawatan Dan Kesehatan Masyarakat*.
- Ayano, G., & Duko, B. (2017). Relapse and hospitalization in patients with schizophrenia and bipolar disorder at the St Amanuel Mental Specialized Hospital, Addis Ababa, Ethiopia: A comparative quantitative cross-sectional study. *Neuropsychiatric Disease and Treatment*, 13, 1527–1531. <https://doi.org/10.2147/NDT.S139075>
- Barcelo, J. S., Morinigo, J. D. L., Rios, R. R., Zanabria, E. A., & David, antony S. (2016). Insight assessment in psychosis and psychopathological correlates: Validation of the Spanish version of the Schedule for Assessment of Insight – Expanded Version. *Eur J Psychiat*, 30(1), 55–65.
- Barnett, I., Torous, J., Staples, P., Sandoval, L., Keshavan, M., & Onnela, J. P. (2018). Relapse prediction in schizophrenia through digital phenotyping: A pilot study. *Neuropsychopharmacology*, 43(8), 1660–1666. <https://doi.org/10.1038/s41386-018-0030-z>
- Bergé, D., Mané, A., Salgado, P., Cortizo, R., Garnier, C., Gomez, L., ... Pérez, V. (2016). Predictors of Relapse and Functioning in First-Episode Psychosis: A Two-Year Follow-Up Study. *Psychiatric Services*, 67(2), 227–233. <https://doi.org/10.1176/appi.ps.201400316>
- Bowtell, M., Eaton, S., Thien, K., Bardell-Williams, M., Downey, L., Ratheesh, A., ... O'Donoghue, B. (2017). Rates and predictors of relapse following discontinuation of antipsychotic medication after a first episode of psychosis.

Schizophrenia Research, 195, 231–236.
<https://doi.org/10.1016/j.schres.2017.10.030>

Choudhury, S., Khes, C. R., Bhattacharyya, R., & Sanyal, D. (2010). Insight in schizophrenia and its association with executive functions. *Indian Journal of Psychological Medicine*, 31(2), 71. <https://doi.org/10.4103/0253-7176.63576>

David, A. S. (1990). Insight and psychosis. *British Journal of Psychiatry*, 156(JUNE), 798–808. <https://doi.org/10.1192/bjp.156.6.798>

David, Anthony S. (1990). Insight and psychosis. *The British Journal of Psychiatry*, 156(6), 798–808.

Emsley, R., Chiliza, B., Asmal, L., & Harvey, B. . (2013). The nature of relapse in schizophrenia. *BMC Psychiatry*, 13, 1–8. Retrieved from <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L52439295%5Cnhttp://www.biomedcentral.com/1471-244X/13/50%5Cnhttp://dx.doi.org/10.1186/1471-244X-13-50>

Erwina, I., Putri, D. E., & Wenny, B. P. (2015). Faktor-Faktor Yang Berhubungan Dengan Kepatuhan Minum Obatpasien Skizofrenia. *Ners Jurnal Keperawatan*, 11(1), 72–78.

Fadli, S. M., & Mitra. (2013a). Pengetahuan dan Ekspresi Emosi Keluarga serta Frekuensi Kekambuhan Penderita Skizofrenia. *Kesmas: National Public Health Journal*, 7(10), 466. <https://doi.org/10.21109/kesmas.v7i10.6>

Fadli, S. M., & Mitra. (2013b). Pengetahuan dan Ekspresi Emosi Keluarga serta Frekuensi Kekambuhan Penderita Skizofrenia. *Jurnal Kesehatan Masyarakat*, 7(5), 466–470. <https://doi.org/10.21109/kesmas.v7i10.6>

Gleeson, J. F. M., Alvarez-Jimenez, M., Cotton, S. M., Parker, A. G., & Hetrick, S. (2010). A systematic review of relapse measurement in randomized controlled trials of relapse prevention in first-episode psychosis. *Schizophrenia Research*, 119(1–3), 79–88. <https://doi.org/10.1016/j.schres.2010.02.1073>

Gómez-de-Regil, L., Kwapis, T. R., Blanqué, J. M., Vainer, E., Montoro, M., & Barrantes-Vidal, N. (2010). Predictors of outcome in the early course of first-episode psychosis. *The European Journal of Psychiatry*, 24(2), 87–97. <https://doi.org/10.4321/s0213-61632010000200004>

Gonterman, A. R. (2005). The structure of insight in patients with psychosis. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 65(12-B), 6651. Retrieved from http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&D=psyc4&AN=2005-99012-140%0Ahttp://impprimo.hosted.exlibrisgroup.com/openurl/44IMP/44IMP_services_page?sid=OVID&isbn=&issn=0419-4217&volume=65&issue=12-B&date=2005&title=Dissertation+Abst

- Jacob, K. (2011). The assessment of insight across cultures. *Indian Journal of Psychiatry*, 52(4), 373. <https://doi.org/10.4103/0019-5545.74316>
- Kazadi NJB, Moosa MYH, J. F. (2008). Factors associated with relapse in schizophrenia. *Factors Associated with Relapse in Schizophrenia*, 14 No. 2 J(2), 7.
- Keogh, J. (2014). *Psychiatric and Mental Health Nursing*. New York: McGraw-Hill Education.
- Khan, A., Lindenmayer, J. P., Ojog, V., & Thanju, A. (2018). *Predictors Of Relapse: Patient Disease, Cognitive, And Functional Characteristics With COMT In 2 Year Follow Up*. S274–S275. <https://doi.org/10.1093/schbul/sby017.674>
- Kim, Y., Sakamoto, K., Kamo, T., Sakamura, Y., & Miyaoka, H. (1997). Insight and clinical correlates in Schizophrenia. *Comprehensive Psychiatry*, 38(2), 117–123. [https://doi.org/10.1016/S0010-440X\(97\)90091-2](https://doi.org/10.1016/S0010-440X(97)90091-2)
- Konstantakopoulos, G., Ploumpidis, D., Oulis, P., Soumani, A., Nikitopoulou, S., Pappa, K., ... David, A. S. (2013). Is insight in schizophrenia multidimensional? Internal structure and associations of the Greek version of the Schedule for the Assessment of Insight-Expanded. *Psychiatry Research*, 209(3), 346–352. <https://doi.org/10.1016/j.psychres.2013.02.016>
- Kretchy, I. A., Osafu, J., Agyei, S., & Appiah, B. (2018). Psychological burden and caregiver-reported non-adherence to psychotropic medications among patients with schizophrenia. *Psychiatry Research*, 259(April 2017), 289–294. <https://doi.org/10.1016/j.psychres.2017.10.034>
- Kurnia, F. Y. P. (2015). *Analisis Faktor-Faktor yang Mempengaruhi Terjadinya Kekambuhan pada Pasien Skizofrenia di Poli Psikiatri RSD dr. Soebandi Jember*.
- Li, M., & Spaulding, W. (2016). The Neuropsychopathology of Schizophrenia. In *Current Behavioral Neuroscience Reports* (Vol. 63). <https://doi.org/10.1007/s40473-016-0082-5>
- Lysaker, P., Bell, M., Milstein, R., Bryson, G., & Beam-Goulet, J. (2016). Insight and Psychosocial Treatment Compliance in Schizophrenia. *Psychiatry*, 57(4), 307–315. <https://doi.org/10.1080/00332747.1994.11024695>
- Marcisin, J. M., Jason, B. R., & Jessica, M. G. (2017). *Schizophrenia and Related Disorders*. Oxford University Press.
- Marthoenis, M., Yessi, S., Aichberger, M. C., & Schouler-Ocak, M. (2016). Mental health in Aceh - Indonesia: A decade after the devastating tsunami 2004. *Asian Journal of Psychiatry*, 19, 59–65. <https://doi.org/10.1016/j.ajp.2016.01.002>
- McNally, K. (2016). A Critical History of Schizophrenia. In *A Critical History of*

Schizophrenia. <https://doi.org/10.1057/9781137456816>

Meiantari, N. N. H., & Herdiyanto, Y. K. (2018). *PERAN KELUARGA TERHADAP MANAJEMEN RELAPSE (KEKAMBUHAN) PADA ORANG DENGAN SKIZOFRENIA (ODS)*. 5(3), 536–549.

Möller, H. J. (2016). The relevance of negative symptoms in schizophrenia and how to treat them with psychopharmaceuticals? *Psychiatria Danubina*, 28(4), 435–440.

Morinigo, J. D. L., David, J., Di Forti, M., Ajnakina, O., Wiffen, B. D., Morgan, K., ... David, A. S. (2019). Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. *Schizophrenia Research*, 204(xxxx), 80–89. <https://doi.org/10.1016/j.schres.2018.09.016>

NAMI. (2019). Schizophrenia. Retrieved June 13, 2019, from <https://www.nami.org/Learn-More/Mental-Health-Conditions/Schizophrenia>

NIMH. (2019). Schizophrenia. Retrieved June 14, 2019, from <https://www.nimh.nih.gov/health/topics/schizophrenia/index.shtml>

Norman, I., & Ryrie, I. (2013a). *The Art and Science Of Mental Health Nursing* (Third Edit). USA First Publised.

Norman, I., & Ryrie, I. (2013b). The art and science of mental health nursingThe art and science of mental health nursing. In *Nursing Standard* (Vol. 19). <https://doi.org/10.7748/ns2004.11.19.10.29.b273>

Nuraenah, Mustikasari, & Putri, Y. S. E. (2012). Hubungan Dukungan Keluarga dan Beban Keluarga dalam merawat anggota keluarga dengan riwayat perilaku kekerasan di RS. Jiwa Islam Klender Jakarta Timur. *Jurnal Keperawatan Jiwa*, 2, 41–50.

Olivares, J. ., Sermon, J., Hemels, M., & Schreiner, A. (2013). Definitions and drivers of relapse in patients with schizophrenia: A systematic literature review. *Annals of General Psychiatry*, 1–11. <https://doi.org/10.1186/1744-859X-12-32>

Pardede, J. A., Sirait, D., Riandi, R., Emanuel, P., & Laia, R. (2016). *EKSPRESI EMOSI KELUARGA DENGAN FREKUENSI KEKAMBUHAN PASIEN SKIZOFRENIA Emotional Expression Family With The Frequency Of Recurrence Of Patients With Schizophrenia*. VII(3), 53–61.

Porcelli, S., Bianchini, O., De Girolamo, G., Aguglia, E., Crea, L., & Serretti, A. (2016). Clinical factors related to schizophrenia relapse. *International Journal of Psychiatry in Clinical Practice*, 20(2), 54–69. <https://doi.org/10.3109/13651501.2016.1149195>

Pousa, E., Ochoa, S., Cobo, J., Nieto, L., Usall, J., Gonzalez, B., ... Usall, J. (2017). A deeper view of insight in schizophrenia: Insight dimensions,

- unawareness and misattribution of particular symptoms and its relation with psychopathological factors. *Schizophrenia Research*, 189, 61–68. <https://doi.org/10.1016/j.schres.2017.02.016>
- Prof, A., & Rao, S. (n.d.). *Management of relapse in schizophrenia*. (5).
- Rahmayani, & Hanum, F. (2018). ANALYSIS OF FAMILY SOCIAL SUPPORT ON THE PREVENTION OF RECURRENT MENTAL DISORDERS IN THE WORK AREA OF. *Jurnal Penelitian Kesehatan*, Vol. 2.
- Rakitzi, S., & Georgila, P. (2016). *Insight and Rehabilitation of Patients with Schizophrenia*.
- Rhoads, J., & Murphy, P. J. M. (2015). *Clinical consult to psychiatric nursing for advanced practice*.
- Rikesdas, 2018. (2018). *Prevalensi Skizofrenia Psikosis Rikesdas 2018.pdf*.
- RSKJ. (2017). *Profil Rumah Sakit Khusus Jiwa Bengkulu*. Bengkulu.
- RSKJ. (2019). *Medical Record Rumah Sakit Khusus Jiwa Bengkulu*. Bengkulu.
- Sadock, B. j. (2009). *Sign And Symptoms in Psychiatry* (9th ed., Vol. 9). Retrieved from <https://www.worldcat.org/title/kaplan-sadocks-comprehensive-textbook-of-psychiatry/oclc/297801787>
- Sapara, A., Cooke, M., Fannon, D., Francis, A., Buchanan, R. W., Anilkumar, A. P. P., ... Kumari, V. (2007). Prefrontal cortex and insight in schizophrenia: A volumetric MRI study. *Schizophrenia Research*, 89(1–3), 22–34. <https://doi.org/10.1016/j.schres.2006.09.016>
- Saravanan, B., David, A., Bhugra, D., Prince, M., & Jacob, K. S. (2005). Insight in people with psychosis: The influence of culture. *International Review of Psychiatry*, 17(2), 83–87. <https://doi.org/10.1080/09540260500073596>
- Schultz, J. M., & Videbeck, S. L. (2013). *Psychiatric Nursing Care Plans* (9th ed.). philadelphia: Lippincott-Raven Publisher.
- Softic, R., Becirovic, E., & Mirkovic Hajdukov, M. (2016). Rehospitalization rate of first episode and chronic schizophrenia patients one year after discharge. *European Psychiatry*, 33, S587. <https://doi.org/10.1016/j.eurpsy.2016.01.2179>
- Stuart, G. W. (2016). *Keperawatan Kesehatan Jiwa Stuart* (Indonesia; B. A. Keliat, Ed.).
- Stuart, Gail W. (2016). *Prinsip dan Praktek Keperawatan Kesehatan Jiwa Stuart* (Indonesia; B. Keliat, Ed.). Singapura: Elsevier.
- Sugiyono. (2018). *Metode Penelitian Kuantitatif*. Bandung: Alfabeta Bandung.
- Swearingen, P. . (2016). *All In One Nursing Care Planing Resource* (Fourth Edi).

St. Louis: Elsevier.

- Taufik, Y. (2014). Hubungan Dukungan Keluarga dengan Tingkat Kekambuhan pada Pasien Skizofrenia di Poliklinik Rumah Sakit Jiwa Grhasia Diy. *STIKes Aisyiyah Yogyakarta*, 1–15.
- Townsend, M. . (2015). *Psychiatric Nursing: assesessment, Care Plans and Medications* (9th ed.). Philadelpia: F.A. Davis Company.
- Üçok, A., Polat, A., Çakir, S., & Genç, A. (2006). One year outcome in first episode schizophrenia: Predictors of relapse. *European Archives of Psychiatry and Clinical Neuroscience*, 256(1), 37–43. <https://doi.org/10.1007/s00406-005-0598-2>
- UI. (2016). *Standar Asuhan Keperawatan Jiwa*. Jakarta.
- Videbeck, S. L. (2011). Psychiatric Mental Health Nursing. In *Advances in Agronomy* (5th ed., Vol. 64). [https://doi.org/10.1016/S0065-2113\(08\)60505-2](https://doi.org/10.1016/S0065-2113(08)60505-2)
- Vohs, J. L., George, S., Leonhardt, B. L., & Lysaker, P. H. (2016). An integrative model of the impairments in insight in schizophrenia: emerging research on causal factors and treatments. *Expert Review of Neurotherapeutics*, 16(10), 1193–1204. <https://doi.org/10.1080/14737175.2016.1199275>
- Wardani, I. Y. (2009). *Pengalaman keluarga menghadapi ketidakpatuhan anggota keluarga dengan skizofrenia dalam mengikuti regimen terapeutik: pengobatan*.
- Wong, Y. L. I., Kong, D., Tu, L., & Frasso, R. (2018). “My bitterness is deeper than the ocean”: Understanding internalized stigma from the perspectives of persons with schizophrenia and their family caregivers. *International Journal of Mental Health Systems*, 12(1), 1–15. <https://doi.org/10.1186/s13033-018-0192-4>
- Xiao, J., Mi, W., Li, L., Shi, Y., & Zhang, H. (2015). High relapse rate and poor medication adherence in the chinese population with schizophrenia: Results from an observational survey in the people’s Republic of China. *Neuropsychiatric Disease and Treatment*, 11, 1161–1167. <https://doi.org/10.2147/NDT.S72367>
- Yalcin, N., Celiker, A., Gurel, S. C., Ak, S., & Yazici, M. K. (2018). *THE ROLE OF THE CLINICAL PHARMACIST IN DRUG EDUCATION FOR INCREASING COMPLIANCE WITH DRUG THERAPY IN THE PERIOD OF DISCHARGE WITH THE DIAGNOSIS TEMPORAL TRANSCRANIAL DIRECT CURRENT STIMULATION ON AUDITORY VERBAL HALLUCINATION IN SCHIZOPHRENIA : A MEDIATIO.*