

DAFTAR PUSTAKA

1. RISKESDAS. Riset Kesehatan Dasar (RISKESDAS). Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia Jakarta: Kementerian Kesehatan RI; 2013. p. 384.
2. Go AS, Mozaffarian D, Roger VL, Benjamin EJ, Berry JD, Borden WB. Heart disease and stroke statistics--2013 update: a report from the American Heart Association. *Circulation*. 2013;127(1):e6-e245.
3. Nagy E, Jermendy AL, Merkely B, Maurovich-Horvat P. Clinical importance of epicardial adipose tissue. *Archives of Medical Science*. 2016;13(4):858.
4. Iacobellis G, Willens HJ. Echocardiographic Epicardial Fat: A Review of Research and Clinical Applications. *Journal of the American Society of Echocardiography*. 2009;22:1313-14.
5. Montalescot G, Sechtem U, Achenbach S, Andreotti F, Arden C, Budaj A, et al. ESC guidelines on the management of stable coronary artery disease. The Task Force on the management of stable coronary artery disease of the European Society of Cardiology. *European Heart Journal* 2013;34:2963.
6. Jeong J-W, Jeong MH, Yun KH, Oh SK, Park EM, Kim YK, et al. Echocardiographic Epicardial Fat Thickness and Coronary Artery Disease. *Circulation Journal*. 2007;71:537-38.
7. Nabati M, Saffar N, Yazdani J, Parsaee MS. Relationship between Epicardial Fat Measured by Echocardiography and Coronary Atherosclerosis: A Single-Blind Historical Cohort Study. *Echocardiography*. 2013;30:506, 8-9.
8. Sinha SK, Thakura R, Jha MJ, Goela A, Kumara V, Kumara A, et al. Epicardial Adipose Tissue Thickness and Its Association With the Presence and Severity of Coronary Artery Disease in Clinical Setting: A Cross-Sectional Observational Study. *Journal of Clinical Medicine Research*. 2016;8(5):412-17.
9. Kamal D, ElMoteleb AMA, Samir R, Saeed M. Epicardial fat thickness can predict severity and multivessel distribution in Egyptian patients with atherosclerotic coronary artery stenosis. *The Egyptian Heart Journal*. 2018;70:324-26.
10. Patel VB, Shah S, Verma S, Oudit GY. Epicardial adipose tissue as a metabolic transducer: role in heart failure and coronary artery disease. *Heart Failure Reviews*. 2017:4-8.
11. Sherwood L. Human Physiology: From Cells to Systems. In: Sherwood L, editor. *Energy Balance and Temperature Regulation*. 9 ed. Boston: Cengage Learning; 2016. p. 618-37.

12. Sarantopoulos CN, Banyard DA, Ziegler ME, Sun B, Shaterian A, Widgerow AD. Elucidating the Preadipocyte and Its Role in Adipocyte Formation: a Comprehensive Review. *Stem Cell Review and Report* 2017;1-16.
13. Iacobellis G, Sharma AM. Epicardial Adipose Tissue As New Cardio-Metabolic Risk Marker and Potential Therapeutic Target in the Metabolic Syndrome. *Current Pharmaceutical Design*. 2007;13(21):2180-4.
14. Gaborit Bee, Sengenès C, Ancel P, Jacquier A, Dutour A. Role of Epicardial Adipose Tissue in Health and Disease: A Matter of Fat? *Comprehensive Physiology*. 2017;11:1060-69.
15. Ouchi N, Parker JL, Lugus JJ, Walsh K. focus on metabolism and immunology: Adipokines in inflammation and metabolic disease. *Immunology*. 2011;11:84-94.
16. Matloch Z, Kotulak T, Haluzik M. The role of epicardial adipose tissue in heart disease. *Physiology Research*. 2016;65(1):23-32.
17. Iacobellis G, Assael F, Ribaudo MC, Zappaterreno A, Alessi G, Mario UD, et al. Epicardial Fat from Echocardiography: A New Method for Visceral Adipose Tissue Prediction. *Obesity Research and Clinical Practice*. 2003;11(2):304 –9.
18. Eroğlu S. How do we measure epicardial adipose tissue thickness by transthoracic echocardiography? *Anatolian Journal of Cardiology* 2015;15:416-19.
19. Bornachea O, Veaa A, Llorente-Cortesa V. Interplay between epicardial adipose tissue, metabolic and cardiovascular diseases. *Clinical Investigation of Arteriosclerosis*. 2018:3-7.
20. Sastroasmoro S, Ismael S. perkiraan Besar Sampel. In: Madiyono B, Mz SM, Sastroasmoro S, Budiman I, Purwanto SH, editors. *Dasar-dasar Metodologi Penelitian Klinis*. 5 ed. Jakarta: Sagung Seto; 2014. p. 370-3.
21. Firdaus I. Angina pectoris dalam Panduan Praktik Klinis (PPK) dan Clinical Pathway (CP) Penyakit jantung dan Pembuluh darah. 1 ed. Jakarta: PERKI; 2016.
22. Fox K, Chairperson, Garcia MAA, Ardissino D, Buszman P, Camici PG, et al. Guideline on the management of stable angina pectoris : executive summary : The Task Force on the Management of Stable Angina Pectoris of the European Society of Cardiology. . *European Heart Journal*. 2006;27(11):1341-81.
23. Piepoli MF, Hoes AW, Agewall S, Albus C, Brotons C, Catapano AL, et al. 2016 European Guidelines on cardiovascular disease prevention in clinical practice. *European Heart Journal*. 2016;37:2315–81.

24. Kang MJ, Oh Y-M, Lee JC, Kim DG, Park MJ, Lee MG, et al. Lung Matrix Metalloproteinase-9 Correlates with Cigarette Smoking and Obstruction of Airflow. *Journal of Korean Medical Science*. 2003;18:821–27.
25. Soelistijo SA, Novida H, Rudijanto A, Soewondo P, Suastika K, Manaf A, et al. Definisi, Patogenesis, Klasifikasi Diabetes Melitus Tipe 2. 2015 July, 2015. In: *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. Jakarta: PB PERKENI; 6-11.
26. Consultation WHOE. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*. 2004;363(9403):157-63.
27. Survey NHaNE. Anthropometry procedures manual. National Health and Nutrition Examination Survey (NHNES). United States: National Center for Health Statistics; 2011. p. 19.
28. Cheng V, Berman D, Rozanski A, Dunning A, Achenbach A, Al-Mallah M, et al. Performance of the Traditional Age, Sex, and Angina Typicality–Based Approach for Estimating Pretest Probability of Angiographically Significant Coronary Artery Disease in Patients Undergoing Coronary Computed Tomographic Angiography. *Circulation*. 2011;124:2423-32.
29. Jousilahti P, Vartiainen E, Tuomilehto J, Puska P. Sex, Age, Cardiovascular Risk Factors, and Coronary Heart Disease A Prospective Follow-Up Study of 14 786 Middle-Aged Men and Women in Finland. *Circulation*. 1999;99:1165-72.
30. Rahajeng E, Tuminah S. Prevalensi Hipertensi dan Determinannya di Indonesia. *Maj Kedokt Indon*. 2009;59:580-7.
31. Subbiah MT. Estrogen replacement therapy and cardioprotection: mechanisms and controversies. *Brazilian Journal of Medical and Biological Research*. 2002;35(3):271-6.
32. Shemirani H, Khoshavi M. Correlation of echocardiographic epicardial fat thickness with severity of coronary artery disease-an observational study. *Anadolu Kardiyol Derg*. 2012;12:200-5.
33. Shurin S. *Morbidity and Mortality: 2012 Chart Book on Cardiovascular, Lung, and Blood*. Maryland, United States: National Heart, Lung, and Blood Institute; 2012.
34. Çağlar F, Çağlar L, Akturk F, Demir B, Yüksel Y, Firatli I. The Association between QT Dispersion-QT Dispersion Ratio and the Severity-Extent of Coronary Artery Disease in Patients with Stable Coronary Artery Disease. *İstanbul Med J* 2014;15: 95-100.

35. Banks E, Joshy G, Korda RJ, Stavreski B, Soga K, Egger S, et al. Tobacco smoking and risk of 36 cardiovascular disease subtypes: fatal and non-fatal outcomes in a large prospective Australian study. *BMC Medicine*. 2019;17(128):1-18.
36. Ambrose JA, Barua RS. The Pathophysiology of Cigarette Smoking and Cardiovascular Disease An Update. *Journal of the American College of Cardiology*. 2004;43(10):1731-7.
37. Linton MRF, Yancey PG, Davies SS, Jerome WG, Linton EF, Song WL, et al. The Role of Lipids and Lipoproteins in Atherosclerosis. In: Feingold KR, Anawalt B, Boyce A, Chrousos G, Dungan K, Grossman A, et al., editors. *Endotext*. South Dartmouth (MA)2000. 1-70.
38. Patani S, Nayak M, Sharma R. ISCHEMIC HEART DISEASE: Role of Total Cholesterol: HDL C Ratio as an Important Indicator Compared to LDL C. *International Journal of Biotechnology and Biochemistry*. 2018;14(1):13-7.
39. Edwards MK, Blaha MJ, Loprinzi PD. Atherogenic Index of Plasma and Triglyceride/High-Density Lipoprotein Cholesterol Ratio Predict Mortality Risk Better Than Individual Cholesterol Risk Factors, Among an Older Adult Population. *Mayo Clinic proceedings*. 2017;92(4):680-1.
40. Alberti SG, Zimmet P, Shaw J, Grundy SM. The IDF consensus worldwide definition of the METABOLIC SYNDROME. *International Diabetes Federation*. 2006:1-3.
41. Blackburn P, Lemieux I, Alméras N, Bergeron J, Côté M, Tremblay A, et al. The hypertriglyceridemic waist phenotype versus the National Cholesterol Education Program-Adult Treatment Panel III and International Diabetes Federation clinical criteria to identify high-risk men with an altered cardiometabolic risk profile. *Metabolism: clinical and experimental*. 2009;58(8):1123-30.
42. Li Z, Deng ML, Tseng C-H, Heber D. Hypertriglyceridemia Is a Practical Biomarker of Metabolic Syndrome in Individuals with Abdominal Obesity. *Metabolic Syndrome and Related Disorders*. 2013;11(2):87-91.
43. Ginsberg HN, Zhang Y-L, Hernandez-Ono A. Metabolic Syndrome: Focus on Dyslipidemia. *Obesity*. 2012;14(S2):41S-49S.
44. Sugden M, Holness M. Pathophysiology of diabetic dyslipidemia: implications for atherogenesis and treatment. *Clinical Lipidology*. 2011;6(4):401-11.
45. Faghihi S, Vasheghani-Farahani A, Parsaee M, Saedi S, Ghadrdoost B. Association Between Epicardial Fat Thickness and Premature Coronary Artery Disease: A Case Control Study. *Research of Cardiovascular Medicine*. 2015;4(2):1-6.

46. Erkan AF, Tanindi A, Kocaman SA, Ugurlu M, Tore HF. Epicardial Adipose Tissue Thickness Is an Independent Predictor of Critical and Complex Coronary Artery Disease by Gensini and Syntax Scores. *Texas Heart Institute Journal* 2016;43(1):29-37.
47. Akbartabartoori M, Lean MEJ, Hankey CR. Relationships between cigarette smoking, body size and body shape. *International Journal of Obesity*. 2005;29(2):236-43.
48. Clair C, Chiolero A, Faeh D, Cornuz J, Marques-Vidal P, Paccaud F, et al. Dose-dependent positive association between cigarette smoking, abdominal obesity and body fat: cross-sectional data from a population-based survey. *BMC public health*. 2011;11:23.
49. Tankó LB, Christiansen C. An update on the antiestrogenic effect of smoking: a literature review with implications for researchers and practitioners. *Menopause (New York, NY)*. 2004;11(1):104-9.
50. Chiolero A, Wietlisbach V, Ruffieux C, Paccaud F, Cornuz J. Clustering of risk behaviors with cigarette consumption: A population-based survey. *Prev Med*. 2006;42(5):348-53.
51. Yañez-Rivera TG, Baños-Gonzalez MA, Ble-Castillo JL, Torres-Hernandez ME, Torres-Lopez JE, Borrayo-Sanchez G. Relationship between epicardial adipose tissue, coronary artery disease and adiponectin in a Mexican population. *Cardiovascular Ultrasound*. 2014;12(35):1-6.
52. Park J-S, Ahn S-G, Hwang J-W, Lim H-S, Choi B-J, Choi S-Y, et al. Impact of Body Mass Index on the relationship of epicardial adipose tissue to metabolic syndrome and coronary artery disease in an Asian population. *Cardiovascular Diabetology*. 2010;9(29):1-8.
53. Ahn SG, Lim HS, Joe DY, Kang SJ, Choi BJ, Choi SY, et al. Relationship of epicardial adipose tissue by echocardiography to coronary artery disease. *Heart*. 2008;94(3):1-7.
54. Chaowalit N, Somers VK, Pellikka PA, Rihal CS, Lopez-Jimenez F. Subepicardial adipose tissue and the presence and severity of coronary artery disease. *Atherosclerosis* 2006;186:354-9.
55. Park J-H, Park YS, Kim YJ, Lee IS, Kim JH, Lee J-H, et al. Effects of Statins on the Epicardial Fat Thickness in Patients with Coronary Artery Stenosis Underwent Percutaneous Coronary Intervention: Comparison of Atorvastatin with Simvastatin/Ezetimibe. *Journal of Cardiovascular Ultrasound*. 2010;18(4):121-6.

56. Khazaal FAK, Haji GF, Hussein MQ, RaheemMD YA. Epicardial Fat Thickness Obese Patients an Observational Echocardiographic Study. THE IRAQI POSTGRADUATE MEDICAL JOURNAL. 2013;12(3):416-20.
57. Eroglu S, Sade LE, Yildirir A, Bal U, Ozbicer S, Ozgul AS, et al. Epicardial adipose tissue thickness by echocardiography is a marker for the presence and severity of coronary artery disease. Nutrition, metabolism, and cardiovascular diseases : NMCD. 2009;19(3):211-7.
58. El-Aziz WA, Ahmed M, Badr W. Association of echocardiographic epicardial fat with the extent of coronary artery disease. Menoufia Medical Journal. 2017;30:842-9.
59. Despre's J-P. Body Fat DIstribution and Risk of Cardiovascular Disease: An Update. Circulation. 2012;126:1301-13.
60. Willens HJ, Gomez-Marin O, Chirinos JA, Goldberg R, Lowery MH, Iacobellis G. Comparison of epicardial and pericardial fat thickness assessed by echocardiography in African American and non-Hispanic White men: a pilot study. Ethnicity & disease. 2008;18(3):311-6.
61. Adams DB, Narayan O, Munnur RK, Cameron JD, Wong DT, Talman AH, et al. Ethnic differences in coronary plaque and epicardial fat volume quantified using computed tomography. The international journal of cardiovascular imaging. 2017;33(2):241-9.
62. Fox CS, White CC, Lohman K, Heard-Costa N, Cohen P, Zhang Y, et al. Genome-wide association of pericardial fat identifies a unique locus for ectopic fat. PLoS genetics. 2012;8(5):1-8.
63. Jain S, Mahadevaiah M, Shivanagappa M. A Comparative Study of Epicardial Fat Thickness and its Association with Abdominal Visceral Fat Thickness in Obese and Nonobese Type 2 Diabetes Subjects. Journal of Cardiovascular Echography. 2015;25(4):103-7.