

DAFTAR PUSTAKA

1. Sameraro N, Ammollo CT, Sameraro F. Sepsis, Thrombosis and Organ Dysfunction, Thrombosis Research, Elseivers. 2012; 129: 290-5.
2. Mervyn Singer,clifford . The Third International Consensus Definitions for Sepsis and Septic Shock. JAMA. 2016.
3. Angus DC, Walter T, Zwirble L, et all, Epidemiologi of severe sepsis and septic shock in United State : Analysis of Incidence, Outcome and Associated Cost of Care, Crit care Med, 2001; 29:7:1303-10.
4. Yanti WS, Loehoeri S. Profil pasien yang di Diagnosis Sepsis di RS Dr.Sardjito. Dalam Ilmu kedokteran Berkala, Yogyakarta, 2003; 35:4:225-30.
5. Hari sankar, philips . Developing a New Definition and Assessing New Clinical Criteria for Septic Shock: For the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). Jama. 2016.
6. Louis J Vincent, Greg S. Martin and Mitchell M. Levy. qSOFA does not replace SIRS in Septic. Critical care. 2016.
7. Singer M, Deutschman CS, Seymour CW, Hari MS, Annane D, Bauer M, et al. The third international concensus definitions for sepsis and septic shock (sepsis-3). JAMA. 2016: 315 (8): 801-10.
8. Chen K dan Pohan H.T. 2007. Penatalaksanaan Syok Septik dalam Sudoyo, Aru W. Setiyohadi, Bambang. Alwi, Idrus. Simadibrata K, Marcellus. Setiati, Siti. *Buku Ajar Ilmu Penyakit Dalam Jilid I Edisi IV*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI. Pp: 187-9
9. Fishman AP, Elias JA, Fishman JA, Grippi MA, Senior RM, Pack AI. Fishman's Pulmonary Diseases and Disorders. Edisi IV. New York. McGraw-Hill Companies. 2008.
10. Dahlan Z. Pneumonia. Dalam: Sudoyo AW, Setyowati B, Alwi I, K Simadibrata M, Setiati S, Buku ajar ilmu penyakit dalam, edisi IV. Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, Jakarta. 2009:974-81.
11. Nagis W, Ahamed BU. Procalcitonin Versus C-Reactive Protein: Usefulness As Biomarker of Sepsis in ICU Patient. International Journal of Critical Illness and Injury Science 2014; 4(3):195-9.
12. Z Fadhil. Definition, Incidence and Evolution of Sepsis & Septic Shock. Open Acces. 2016.
13. Madhusudan P. Fluid resuscitation in sepsis: Reexamining the paradigm. Biomed Research International. 2014.

14. Martin GS. Sepsis, Severe sepsis and Septic Shock: Changes in Incidence, Pathogens and Outcomes, *Expert Rev Anti Infect Ther* 2012;10(6):701-6.
15. National Clinical Effectiveness Committee (NCEC). Sepsis Management National Clinical Guideline 2014; No.6, An Roinne Slainte Departement of Health, Ireland.
16. Christopher W Seymour, Matthew R. Rosengart. Septic shock Advances in Diagnosis and Treatment. *Jama*. 2015.
17. Jeffrey E, Michael A. Sepsis pathophysiological and clinical management. *BMJ*. 2016.
18. Mossie A. Pathofisiology of septic. *World Journal of Medicine and Medical Science*. 2013.
19. Munford RS, Severe Sepsis and Septic Shock. In A.Feluci, et al Harrison's Principle of Internal Medicine, 17th ed. New York 2008 : Mc Graw-Hill Medical, Ch .265.
20. Meissner M, Update on Procalcitonin Measurement, *Ann Lab Med*;2014: 34:263-273.
21. Shiferaw B, Bekele E, Kumar K, Boutin A, Frieri M. The Role of Procalcitonin as A Biomarker in Sepsis, 2016: *J.Infect Dis Epidemiol*, vol 2(1);2: 006.
22. Seymour CW, Liu VX, Iwashyna TJ, et al. Assessment clinical criteria of sepsis for the third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA* 2016; 315(8): 762-74).
23. Ms Mortz. US patent 714,803,2004 pulse oximeter probe off detection system.
24. Jubran A, Tobin MJ. Reliability of pulse oximetry in titrating supplemental oxygen therapy in ventilator-dependent patients. *Chest*. 1990;97:1420–1425. doi: 10.1378/chest.97.6.1420. [[PubMed](#)] [[CrossRef](#)]
25. Chan YL, Tseng CP, Tsay PK. Procalcitonin as a marker of bacterial infection in the emergency department: An Observational Study. *Critical Care* 2004;8(1).
26. O'Connor EO, Venkatesh B, Lipman J, Mashongonyika C, Hall J. Procalcitonin in critical illness. *Crit Care Res* 2001;3: hal 236-43.
27. Hatherill M, Tibby SM, Sykes K, Turner C, Murdoch. Diagnosis markers of infection. Comparison of procalcitonin and C-Reactive Protein and leucocyte count *Arch Dis Child* 1999;8:hal 417-21.
28. Picariello C, Lazzeri C, Chiostrri M, Gensini G, Valente S. Procalcitonin in acute cardiac patients. *Internal Emergency Medicine*. 2011;6:245-52.
29. El Maraghi S, Yehia A, Mahmoud O, El Hamid A, 2014, Procalcitonin Versus C reaktif protein at Different SOFA Scores in I.C.U. Sepsis Diagnosis Value and Therapeutic Implications, *Med.J.Cairo Univ*, Vol 82, No 1, 29-36.

30. Finkelsztein EJ, Jones DS, Ma KC, Pabón MA, Delgado T, Nakahira K, et al. Comparison of qSOFA and SIRS for predicting adverse outcomes of patients with suspicion of sepsis outside the intensive care unit. *Crit Care*. 2017 ; 21:1658-65.
31. Ben J Wilson, Hamish J Cowan, Jason A Lord, Dan J Zuege, David A Zygun. The accuracy of pulse oximetry in emergency department patients with severe sepsis and septic shock: a retrospective cohort study. *BMC Emerg Med*. 2010; 10: 1471-7.
32. Martin GS, Mannino DM, Eaton S, Moss M. The Epidemiology of sepsis in the United States from 1979 through 2000. *N Engl J Med*. 2003 ; 348 : 1546-54.
33. Angela MK, Pratscke S, Hubbard WJ, Chaudry IH. Gender Differences in Sepsis, Cardiovascular and immunological Aspects. *Virulence*. 2014 ; 5 : 12-9.
34. Nakayama I, Izawa J, Mouri H, Kitamura T, Shiotsuka J. Mortality and detailed characteristics of pre-ICU qSOFA-negative patients with suspected sepsis: an observational study. *Ann Intensive Care*. 2018 ; 8: 13613- 18
35. Szederjesi J, Almasy E, Lazar A, Hutanu A, Badea I, Georgescu A. An Evolution of Serum Procalcitonin and C- Reactive Protein Levels as Diagnostic and Prognostic Biomarkers of Severe Sepsis. *The Journal of Critical Care Medicine*. 2015; 2 (1);2:006.
36. Steel HC, Rianna C, Ronald A, Charles F, Overview of Community Acquired Pneumonia and the role of Inflammatory mechanism in the immunopathogenesis of severe pneumococcal disease. *Hindawi Publ Corp Pulm Med*[internet]. 2013:1-18
37. Nasa P, Juneja D, Singh O. Severe sepsis and Septic Shock in the Elderly: An overview. *Word J Crit Care Med*. 2014;1 (1): 23-30
38. Chevie W, Bachtı A, Uun S. Kesesuaian terhadap Prosedur Standar *Resuscitation Bundle* 6 Jam pada Pelaksanaan Penderita Sepsis Berat dan Syok Sepsis. *Majalah Kedokteran Bandung*. 2018 ; 50 (1) : 29-35.
39. Kurosawa DJS, Osuchowski MF, Valentine C, Kurosawa S, Remick DG. The Pathogenesis of Sepsis. *Annu Rev Pathol*. 2011 ;6 : 19-48.
40. Harbarth S, Holeckova K, Froidevaux C, Pittet D, Ricou B, Grau GE, et al. Diagnostic Value Procalcitonin, Interleukin-6, and Interleukin-8 in Critically Ill Patients Admitted with Suspected Sepsis. *Am J Respir Crit Care Med*. 2011;164:396-402
41. Bayram H, Tunger O, Civi M, Yuceyar MH, Ulman C, Horason GD, et al. Diagnostic and Prognostic value of Procalcitonin and sTREM-1 level in Sepsis. *Turk J Med Sci*. 2015;45:578-86.
42. Sudhir U, Venkatachalaiah RK, Kumar TA, Rao MY, Kempegowda P. Significance of serum procalcitonin in sepsis. *Indian J Crit Care Med*. 2011;15(1):1-5.

43. Leclefc F, Leteurtre S, Noizet O, Dorkenoo A, Sadik A, Cremer R et al. Procalcitonin as a Prognostic Marker in Children with Meningococcal Septic Shock. *Arch Dis Child* 2002;87:450-65
44. Ilham A, Edi W, Mukhamad F. Faktor Dominan dalam Memprediksi Mortalitas Pasien dengan Sepsis di Unit Gawat Darurat. *Jurnal Kedokteran Brawijaya*.2018;30:153-8.
45. Ronson S, Ling Y, Mikkil B, Chun Y, Suet Y, Cherry C.et al. qSOFA is a Poor Predictor of Short-Term Mortality in All Patients: A Systematic Review of 410,000 Patients Received : *J. Clin. Med.* 2019 ; 8 : 61-112
46. Maitra S, Som A, Bhattacharjee S. Accuracy of quick sequential organ failure assessment (qSOFA) score and systemic inflammatory response syndrome (SIRS) criteria for predicting mortality in hospitalized patients with suspected infection: a meta-analysis of observational studies : *Clin Microbiol Infect.* 2018;24:1123-9.
47. Vrinda S, Prasad D, Dipti C, Vinay M, Mahesh K, Rahul D. SpO2/FiO2 Rasio: a prognostic marker for influenza patients : Research Article: *Int J Res Med Sci.* 2015 ;3: 3830-2
48. Rice TW, Wheeler AP, Bernard GR, Hayden DL. Ware; Comparison of the SpO2/FiO2 Rasio and the PaO2/FiO2 Rasio in Patients with Acute Lung Injury or ARDS. *Chest.* 2007;132:410-17.
49. Mandip SB, Ritu A, Kumar RK, Saurabh CS. Correlation of Quick SOFA Score and Procalcitonin with Mortality in the Emergency Department : *Journal of Advances in Medicine and Medical Research.*2020; 32(6): 64-9.
50. Hua Y, Lu N, Aibo L, Kuihai W, Yenh CH, Debra WY.et al. Combining procalcitonin with the qSOFA and sepsis mortality prediction : *Medicine Baltimore* 2019; 98(23): 11-8.