

DAFTAR PUSTAKA

- Aa, A., & Oo, A. (2017). *CC – BY Relationship between dietary habits and nutritional status among adolescents in Abuja municipal area council of.* 44(3), 128–135.
- Adekoya, A. F. (2017). *Socioeconomic Strain , Crime and Economic Growth : Evidence From Nigeria Doctor of Philosophy.* 1–237.
- Adioetomo & Samosir. (2013). *Dasar-Dasar Demografi.* Jakarta: Salemba Empat
- Al-Mansoob, M. A. K., & Masood, M. S. A. (2018). The Relationship between Stunting and Some Demographic and Socioeconomic Factors among Yemeni Children and Adolescents. *Advances in Public Health,* 2018, 1–6. <https://doi.org/10.1155/2018/5619178>
- Albalawi, N. A. S., Alsabah, B. A. B., & Alrefaei, A. Y. (2018). Short Stature in Children. *The Egyptian Journal of Hospital Medicine,* 70(2), 228–233. <https://doi.org/10.12816/0043081>
- Amare Zelellw, D., & Gebreigziabher, B. G. (2014). Prevalence and Associated Factors of Stunting Among Schoolchildren, in Debre Markos Town and Gozamen Woreda, East Gojjam Zone, Amhara Regional State, Ethiopia, 2013. *Journal of Nutrition & Food Sciences,* s8(December 2015). <https://doi.org/10.4172/2155-9600.s8-007>
- Amin, N. A., & Julia, M. (2016). Faktor sosiodemografi dan tinggi badan orang tua serta hubungannya dengan kejadian stunting pada balita usia 6-23 bulan. *Jurnal Gizi Dan Dietetik Indonesia (Indonesian Journal of Nutrition and Dietetics),* 2(3), 170. [https://doi.org/10.21927/ijnd.2014.2\(3\).170-177](https://doi.org/10.21927/ijnd.2014.2(3).170-177)
- Arage, G., Assefa, M., & Worku, T. (2019). Socio-demographic and economic factors are associated with nutritional status of adolescent school girls in Lay Guyint Woreda, Northwest Ethiopia. *SAGE Open Medicine,* 7, 205031211984467. <https://doi.org/10.1177/2050312119844679>
- Arisman, M. B. (2010). *Buku Ajar Ilmu Gizi Dalam Daur Kehidupan.* Edisi-2. Jakarta: EGC
- BAPPENAS, & UNICEF. (2017). Laporan Baseline SDG tentang Anak-Anak di Indonesia. *Kementerian Perencanaan Pembangunan Nasional (Bappenas) Dan United Nations Children's Fund,* 1–105. https://www.unicef.org/indonesia/id/SDG_Baseline_report.pdf
- Bogale, T. Y., Bala, E. T., Tadesse, M., & Asamoah, B. O. (2018). Prevalence and associated factors for stunting among 6-12 years old school age children from rural community of Humbo district, Southern Ethiopia. *BMC Public*

Health, 18(1), 1–8. <https://doi.org/10.1186/s12889-018-5561-z>

Cooper dan Taylor dalam Mohammad Imam Farisi. 2010. Pengembangan Asesmen Diri Siswa (Student Self-Assessment) sebagai Model Penilaian dan Pengembangan Karakter. Artikel disampaikan pada Konferensi Ilmiah Nasional “Asesmen dan Pembangunan Karakter Bangsa” HEPI UNESA 2012.

CQUniversity Australia (CQU). (2020). *Medical subject headings (MeSH)*. Retrieved from <https://libguides.library.cqu.edu.au/health-databases>

Das, S., & Gulshan, J. (2017). Different forms of malnutrition among under five children in Bangladesh: a cross sectional study on prevalence and determinants. *BMC Nutrition*, 3(1), 1–12. <https://doi.org/10.1186/s40795-016-0122-2>

Degarege, A., Hailemeskel, E., & Erko, B. (2015). Age-related factors influencing the occurrence of undernutrition in northeastern Ethiopia. *BMC Public Health*, 15(1). <https://doi.org/10.1186/s12889-015-1490-2>

Demilew, Y. M., & Emiru, A. A. (2018). Under nutrition and associated factors among school adolescents in Dangila Town, Northwest Ethiopia: A cross sectional study. *African Health Sciences*, 18(3), 756–766. <https://doi.org/10.4314/ahs.v18i3.34>

Kemenkes RI. (2014). Pedoman gizi seimbang. Kemenkes RI, dirjen bina gizi.

Fatmah. (2010). Gizi Usia Lanjut. Erlangga : Jakarta

Gebregyorgis, T., Tadesse, T., & Atenafu, A. (2016). Prevalence of thinness and stunting and associated factors among adolescent school girls in Adwa Town, North Ethiopia. *International Journal of Food Science*, 2016. <https://doi.org/10.1155/2016/8323982>

Getaneh, Z., Melku, M., Geta, M., Melak, T., & Hunegnaw, M. T. (2019). Prevalence and determinants of stunting and wasting among public primary school children in Gondar town, northwest, Ethiopia. *BMC Pediatrics*, 19(1), 1–11. <https://doi.org/10.1186/s12887-019-1572-x>

Gibson, R. S. 2005. Principles of Nutritional Assessment. Second Edition. Oxford University Press Inc, New York

Hardywinoto. (2009). Panduan Gerontologi: Menjaga Keseimbangan Kualitas Hidup Para Lanjut Usia. Jakarta: PT. Gramedia Pustaka Utama.

Herrador, Z., Sordo, L., Gadisa, E., Moreno, J., Nieto, J., Benito, A., Aseffa, A., Cañavate, C., & Custodio, E. (2014). Cross-sectional study of malnutrition and associated factors among school aged children in rural and urban settings of fogera and libo kemkem districts, ethiopia. *PLoS ONE*, 9(9), 1–11.

<https://doi.org/10.1371/journal.pone.0105880>

Hussein, A., Farghaly, H., Askar, E., Metwalley, K., Saad, K., Zahran, A., & Othman, H. A. (2017). Etiological factors of short stature in children and adolescents: experience at a tertiary care hospital in Egypt. *Therapeutic Advances in Endocrinology and Metabolism*, 8(5), 75–80. <https://doi.org/10.1177/2042018817707464>

Irenso, A. A., Dessie, Y., Berhane, Y., Assefa, N., Canavan, C. R., & Fawzi, W. W. (2020). Prevalence and predictors of adolescent linear growth and stunting across the urban–rural gradient in eastern Ethiopia. *Tropical Medicine and International Health*, 25(1), 101–110. <https://doi.org/10.1111/tmi.13341>

Irwan. (2014). *Prinsip-prinsip Ekosistem, Lingkungan dan Pelestariannya*. Jakarta: Bumi Aksara

Iswantoro dan Anastasia (2013). Hubungan demografi, anggota keluarga dan situasi dalam pengambilan keputusan pendanaan pembelian rumah tinggal Surabaya. *Jurnal Finesta*. 1(2), 124–129.

Kawai, K., Spiegelman, D., Shankar, A. H., & Fawzi, W. W. (2011). Maternal multiple micronutrient supplementation and pregnancy outcomes in developing countries: Meta-analysis and meta-regression. *Bulletin of the World Health Organization*, 89(6), 402–411. <https://doi.org/10.2471/BLT.10.083758>

Keino, S., Plasqui, G., Ettyang, G., & Van Den Borne, B. (2014). Determinants of stunting and overweight among young children and adolescents in sub-Saharan Africa. *Food and Nutrition Bulletin*, 35(2), 167–178. <https://doi.org/10.1177/156482651403500203>

Kementerian Kesehatan Republik Indonesia. (2018). Laporan_Nasional_RKD2018_FINAL.pdf. In *Badan Penelitian dan Pengembangan Kesehatan* (p. 198). http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf

Ali khomsan. (2003). Pangan Dan Gizi Untuk Kesehatan. Jakarta: PT.Rajagrafindo. Persada

Maehara, M., Rah, J. H., Roshita, A., Suryantan, J., Rachmadewi, A., & Izwardy, D. (2019). Patterns and risk factors of double burden of malnutrition among adolescent girls and boys in Indonesia. *PLoS ONE*, 14(8), 15–18. <https://doi.org/10.1371/journal.pone.0221273>

Maged, M., Abd El-Fatah, N. K., & Abu-Elenin, M. M. (2019). *Prevalence of Stunting, Overweight and Obesity among Egyptian Primary School Children in Behera Governorate*. 9(3), 84–93.

<https://doi.org/10.5923/j.fph.20190903.02>

- Feskanich, D., ScD., Heike A Bischoff-Ferrari, MD, DrPH, Lindsay Frazier, MD., and Walter C. Willett, MD, DrPH. (2014). Milk Consumption_Estudio. *File:///C:/Users/Npk501/CloudStation/Moji Dokumenti Sl. 21.11.2017/Vegan.Vegetarian Nutrition/Michaëlsson.Milk Intake and Risk of Mortality and Fractures in Women and .Pdf*, 168(1), 54–60. <https://doi.org/10.1001/jamapediatrics.2013.3821.Milk>
- Mazengia, A and Bik, G. (2018). Predictors of Stunting among School-Age Children in Northwestern Ethiopia. Hindawi Journal of Nutrition and Metabolism Volume 2018, Article ID 7521751, pagoh<https://doi.org/10.1155/2018/7521751>
- Melaku, Y. A., Zello, G. A., Gill, T. K., Adams, R. J., & Shi, Z. (2015). Prevalence and factors associated with stunting and thinness among adolescent students in Northern Ethiopia: A comparison to World Health Organization standards. *Archives of Public Health*, 73(1), 1–11. <https://doi.org/10.1186/s13690-015-0093-9>
- Mesfin, F., Worku, A., & Birhane, Y. (2015). Prevalence and associated factors of stunting among primary school children in Eastern Ethiopia. *Nutrition and Dietary Supplements*, 61. <https://doi.org/10.2147/nd.s80803>
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., Antes, G., Atkins, D., Barbour, V., Barrowman, N., Berlin, J. A., Clark, J., Clarke, M., Cook, D., D'Amico, R., Deeks, J. J., Devereaux, P. J., Dickersin, K., Egger, M., Ernst, E., Gøtzsche, P. C., ... Tugwell, P. (2014). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *Revista Espanola de Nutricion Humana y Dietetica*, 18(3), 172–181. <https://doi.org/10.14306/renhyd.18.3.114>
- Mondal, N., & Sen, J. (2010). Prevalence of stunting and thinness among rural adolescents of Darjeeling district, West Bengal, India. *Italian Journal of Public Health*, 7(1), 54–61. <https://doi.org/10.2427/5747>
- Mondal, N., & Sen, J. (2010). Prevalence of stunting and thinness among rural adolescents of Darjeeling district, West Bengal, India. *Italian Journal of Public Health*, 7(1), 54–61. <https://doi.org/10.2427/5747>
- Mushtaq, M. U., Gull, S., Abdullah, H. M., Shahid, U., Shad, M. A., & Akram, J. (2011). Prevalence and socioeconomic correlates of overweight and obesity among Pakistani primary school children. *BMC Public Health*, 11(October). <https://doi.org/10.1186/1471-2458-11-724>
- Nashikhah. (2012). Online di : <http://ejournal-s1.undip.ac.id/index.php/jnc>
- Prevalensi stunting di Jawa Tengah kejadian tertinggi di Kecamatan Semarang Timur. *Journal of Nutrition*, 1, 176–184.
- Nithya, D. J., & Bhavani, R. V. (2018). Dietary diversity and its relationship with nutritional status

- among adolescents and adults in rural India. *Journal of Biosocial Science*, 50(3), 397–413. <https://doi.org/10.1017/S0021932017000463>
- Ogunba, B. O. (2010). Diet Diversity in Complementary Feeding and Nutritional Status of Children Aged 0 to 24 Months in Osun State, Nigeria: A Comparison of the Urban and Rural Communities. *ICAN: Infant, Child, & Adolescent Nutrition*, 2(6), 330–335. <https://doi.org/10.1177/1941406410385451>
- Otuneye, A., Ahmed, P., Abdulkarim, A., Aluko, O., & Shatima, D. (2017). Relationship between dietary habits and nutritional status among adolescents in Abuja municipal area council of Nigeria. *Nigerian Journal of Paediatrics*, 44(3), 128. <https://doi.org/10.4314/njp.v44i3.1>
- Pal, A., Pari, A. K., Sinha, A., & Dhara, P. C. (2017). Prevalence of undernutrition and associated factors: A cross-sectional study among rural adolescents in West Bengal, India. *International Journal of Pediatrics and Adolescent Medicine*, 4(1), 9–18. <https://doi.org/10.1016/j.ijpam.2016.08.009>
- PGS Depkes Pedoman Gizi Seimbang. (2018). Diaskes 17 Juni 2018, dari : <https://www.scribd.com/document/376553066/PGS-Full-BUKU-DEPKESPEDOMAN-GIZI-SEIMBANG-pdf>.
- Pius, G., Moyo, K., Fred, I., & Djomkam, K. (2020). *Factors Associated with Stunting in School Children of an Urban Community in Cameroon*. 6(2), 121–124. <https://doi.org/10.11648/j.ajp.20200602.20>
- Prendergast, A. J., & Humphrey, J. H. (2014). The stunting syndrome in developing countries. *Paediatrics and International Child Health*, 34(4), 250–265. <https://doi.org/10.1179/2046905514Y.0000000158>
- Pusat Data dan Informasi Kemenkes RI. (2018). Situasi Balita Pendek (Stunting) di Indonesia. *Buletin Jendela Data Dan Informasi Kesehatan*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Rahmatia., (2004). Kajian Teoritis dan Empiris Terhadap Pola dan Efisiensi Konsumsi. Makassar: Fakultas Ekonomi UNHAS.
- Rahmawati, R., Fauziah, A., Tanziha, I., Hardinsyah, H., & Briawan, D. (2018). Prevalensi dan Faktor Risiko Kejadian Stunting Remaja Akhir. *Window of Health*, 1(2), 90–96. <https://www.neliti.com/id/publications/233498/prevalensi-dan-faktor-risiko-kejadian-stunting-remaja-akhir>
- Ramadhan, K. F., Simanungkalit, S. F., & Wahyuningtyas, W. (2019). Faktor-faktor yang Berhubungan dengan Kejadian Stunting pada Remaja di SMP Setia Negara Depok. *Nutri-Sains*, 3(1), 1–8.
- Rengma, M. S., Bose, K., & Mondal, N. (2016). Socio-economic and

demographic correlates of stunting among adolescents of Assam, North- east India. *Anthropological Review*, 79(4), 409–425. <https://doi.org/10.1515/anre-2016-0030>

RISKESDAS. (2010). Riset Kesehatan Dasar; Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI Tahun2010. *Laporan Nasional 2010*, 1–446. <https://doi.org/10.1515/anre-2016-0030>

Riskesdas. (2013). *Penyajian Pokok-Pokok Hasil Riset Kesehatan Dasar 2013*.

Riskesdas, K. (2018). Hasil Utama Riset Kesehatan Dasar (RISKESDAS). *Journal of Physics A: Mathematical and Theoretical*, 44(8), 1–200. <https://doi.org/10.1088/1751-8113/44/8/085201>

Rita, M. R., Kusumawati, R., Ariabel, P. V., Demografi, S., Ara, D. A. N. K., Sikap, F. T., Subyektif, N., & Kontrol, D. A. N. (2010). *Maria Rio Rita*. 109–128.

Rohmah, N. S. W. M. S. (2016). *Proses Keperawatan Teori Dan Aplikasi*. Jogjakarta: Ar-Ruzz Media

Saengkaew T, et al. (2017). Etiologies of short stature in a pediatric endocrine clinic in Southern Thailand. *Journal of Pediatric Endocrinology and Metabolism*. Vol 30 (<https://doi.org/10.1515/j pem-2017-0205> diakses 1 Juli 2019).

Sasongko, E. P. S., Ariyanto, E. F., Indraswari, N., Rachmi, C. N., & Alisjahbana, A. (2019). Determinants of adolescent shortness in Tanjungsari, West Java, Indonesia. *Asia Pacific Journal of Clinical Nutrition*, 28(December 2018), S43–S50. [https://doi.org/10.6133/apjn.201901_28\(S1\).0004](https://doi.org/10.6133/apjn.201901_28(S1).0004)

Senbanjo, I. O., Oshikoya, K. A., Odusanya, O. O., & Njokanma, O. F. (2011). *<2011 Risk Fa Stunt Nigeria.Pdf>*. 29(4), 364–370.

Setiawan, E., Machmud, R., & Masrul, M. (2018). Faktor-Faktor yang Berhubungan dengan Kejadian Stunting pada Anak Usia 24-59 Bulan di Wilayah Kerja Puskesmas Andalas Kecamatan Padang Timur Kota Padang Tahun 2018. *Jurnal Kesehatan Andalas*, 7(2), 275. <https://doi.org/10.25077/jka.v7.i2.p275-284.2018>

Sirojammuniro, A. (2015). Kebahagiaan Pada Lanjut Usia Yang Tidak Bekerja (skripsi: tidak dipublikasikan). Fakultas Psikologi, Universitas Muhammadiyah Surakarta

Soekatri, Moesijanti. (2011). *Gizi Seimbang dalam Daur Kehidupan*. Gramedia: Jakarta.

Soetjiningsih. (2004). *Buku Ajar: Tumbuh Kembang Remaja dan Permasalahannya*. Jakarta : Sagung Seto

- Sondang P. Siagian. 2010. Manajemen Sumber Daya Manusia, Bumi Aksara, Jakarta
- Srivastava, A., Mahmood, S. E., Srivastava, P. M., Shrotriya, V. P., & Kumar, B. (2012). Nutritional status of school-age children - A scenario of urban slums in India. *Archives of Public Health*, 70(1), 2–9. <https://doi.org/10.1186/0778-7367-70-8>
- Tamrat, A. (n.d.). *Stunting and its Determinant Factors among Early Adolescent School Girls of Gondar town , northwest Ethiopia : A school based cross - sectional study*. 1–14. <https://doi.org/10.21203/rs.2.11379/v1>
- Teji, K., Dessie, Y., Assebe, T., & Abdo, M. (2016). Anaemia and nutritional status of adolescent girls in Babile District, Eastern Ethiopia. *Pan African Medical Journal*, 24(May). <https://doi.org/10.11604/pamj.2016.24.62.6949>
- Trihono A, DH T, A I, NH U, T T. (2015). Pendek (*Stunting*) di Indonesia, masalah dan solusinya. Jakarta: Lembaga Penerbit Balitbangkes
- UNICEF. (2011). Adolescence An Age of Opportunity. United Nations Children's Fund.
- United Nations-World Health Organization-The World Bank Group. (2019). *UNICEF-WHO-The World Bank: Joint child malnutrition estimates - Levels and trends*. p.1-15. <https://www.who.int/nutgrowthdb/estimates/en/>
- Utami, A. D., Indarto, D., Lanti, Y., & Dewi, R. (2017). *Pengaruh Asupan Nutrisi dan Faktor Sosial Ekonomi terhadap Kejadian Stunting pada Siswa Sekolah Dasar di Surakarta*. 0273, 1–10.
- Vartanian, Lenny R,Marlene B. Schwartz, Kelly D. Brownell. (2007). Effects of Soft Drink Consumption on Nutrition and Health: A Systematic Review and Meta-Analysis. *Am J Public Health*[Internet]. [Cited 6 Desember 2015]97(4): 667–675. Available from : NCBI Journals.
- Victora, C. G., Adair, L., Fall, C., Hallal, P. C., Martorell, R., Richter, L., & Sachdev, H. S. (2008). Maternal and child undernutrition: consequences for adult health and human capital. *The Lancet*, 371(9609), 340–357. [https://doi.org/10.1016/S0140-6736\(07\)61692-4](https://doi.org/10.1016/S0140-6736(07)61692-4)
- WHO. (2007). *Growth reference data for 5-19 years*. Retrieved from<https://www.who.int/growthref/en/>
- WHO. (2010). *Nutrition Landscape Information System (NLIS) Country Profile Indicators*. Retrieved fromhttps://www.who.int/nutrition/nlis_interpretation_guide.pdf
- WHO. (2015). World Health Statistics 2015.

WHO. (2017). *World Health Statistics 2017: Monitoring health for the SDGs*Retrieved from https://www.who.int/gho/publications/world_health_statistics/2017/en/

Woday, A., Menber, Y., & Tsegaye, D. (2018). Prevalence of and Associated Factors of Stunting among Adolescents in Tehuledere District, North East Ethiopia, 2017. *Journal of Clinical & Cellular Immunology*, 09(02). <https://doi.org/10.4172/2155-9899.1000546>

