

DAFTAR PUSTAKA

- Ahmed, R. G., Suliman, G. I., Elfakey, W. A., Salih, K. M., El-Amin, E. I., Ahmed, W. A., & Khalid, K. E. (2015). Effect of tactile kinesthetic stimulation on preterm infants' weight and length of hospital stay in Khartoum, Sudan. *Saudi Medical Journal*, 36(2), 196–199. <https://doi.org/10.15537/smj.2015.2.9415>
- Alligood, M. R. (2014). *Nursing Theory*. (5, Ed.). St Louis: Elsevier.
- Álvarez, M. J., Rodríguez-González, D., Rosón, M., Lapeña, S., Gómez-Salgado, J., & Fernández-García, D. (2019). Effects of Massage Therapy and Kinesitherapy to Develop Hospitalized Preterm Infant's Anthropometry: A Quasi-Experimental Study. *Journal of Pediatric Nursing*, 46(xxxx), e86–e91. <https://doi.org/10.1016/j.pedn.2019.03.015>
- Anggraini, D. I., & Septira, S. (2016). Nutrisi bagi Bayi Berat Badan Lahir Rendah (BBLR) untuk Mengoptimalkan Tumbuh Kembang Nutrition for Low Birth Weight Infant to Optimize Infant Growth and Development. *Majority*, 5(3), 151–155.
- Anjar Astuti¹, Suryono, Melyana Nurul Widyawati¹, Ari Suwondo, M. (2017). Effect of Audio Therapy Using Al-Qur'an Murrotal on. *Belitung Nursing Journal*, 3(5), 470–477.
- Aryastami, N. K., Shankar, A., Kusumawardani, N., Besral, B., Jahari, A. B., & Achadi, E. (2017). Low birth weight was the most dominant predictor associated with stunting among children aged 12–23 months in Indonesia. *BMC Nutrition*, 3(1), 1–6. <https://doi.org/10.1186/s40795-017-0130-x>
- Asmare, G., Berhan, N., Berhanu, M., & Alebel, A. (2018). Determinants of low birth weight among neonates born in Amhara Regional State Referral Hospitals of Ethiopia: Unmatched case control study. *BMC Research Notes*, 11(1), 1–7. <https://doi.org/10.1186/s13104-018-3568-2>
- Astuti, D. P., Mutoharoh, S., & Priyanti, R. (2015). Pengaruh Penerapan Metode Kangguru Dengan Peningkatan Berat Badan Bayi Berat Badan Lahir Rendah (BBLR) Di Rumah Sakit PKU Muhammadiyah Gombang. *Jurnal Involusi Kebidanan*, Vol.5 No., 65–78.
- Astuti, S., Judistiani, T. D., Rahmiati, L., & Susanti, A. I. (2015). *Asuhan Kebidanan Nifas dan Menyusui*. Jakarta: Erlangga.
- Bank, T. W. (2018). *Mortality rate, neonatal (per 1000 live births)*. Japan.
- Besar Sampel Dalam Penelitian Kedokteran dan Kesehatan*. (n.d.). epidemiologi indonesia.
- Chhugani, M. (2014). Therapeutic Touch Modalities and Premature Neonate's Health Outcome: A Literature Review. *Journal of Neonatal Biology*, 03(04), 3–5. <https://doi.org/10.4172/2167-0897.1000148>

- Dahlan, S. (2017). *Statistik untuk Kedokteran dan Kesehatan* (6th ed.). Jakarta: epidemiologi indonesia.
- Damayanti, D. S., Ismail, D., & Warsiti, W. (2018). the Effect of Listening To Murottal Qur'an on the Oxygen Saturation Level in Preterm Infants in the Neonatal Intensive Care Unit. *Belitung Nursing Journal*, 4(5), 457–461. <https://doi.org/10.33546/bnj.365>
- Danis, W., & Widyani, R. (2010). *Panduan Perkembangan Anak 0 - 1 Tahun*. Jakarta: Puspa Swara.
- De Castro, E. C. M., Madeiro Leite, Á. J., & Guinsburg, R. (2016). Mortality in the first 24h of very low birth weight preterm infants in the Northeast of Brazil. *Revista Paulista de Pediatria*, 34(1), 106–113. <https://doi.org/10.1016/j.rppede.2015.12.008>
- Depkes RI. (2016). *Profil Kesehatan Indonesia*. Jakarta.
- Devi, D., Rustina, Y., & Efendi, D. (2019). The Effectiveness of Auditory Stimuli from Murottal Quran to Improve Comfort and Weight in Low Birth Weight Infants : Randomized Controlled Trial, 14(1), 111–117.
- Dewi, M. P. (2015). Studi Metaanalisis: Musik Untuk Menurunkan Stres. *Jurnal Psikologi (Yogyakarta)*, 36(2), 106–115. <https://doi.org/10.22146/jpsi.7889>
- Diego, M. A., Field, T., & Hernandez-Reif, M. (2014). Preterm infant weight gain is increased by massage therapy and exercise via different underlying mechanisms. *Early Human Development*, 90(3), 137–140. <https://doi.org/10.1016/j.earlhumdev.2014.01.009>
- Dinkes. (2018). *Profil Dinas Kesehatan Provinsi Jambi*. Jambi.
- Djohan. (2009). *Psikologi Musik (III)*. Yogyakarta: Best Publisher.
- Farida, F., Mardianti, M., & Komalasari, K. (2018). Pengaruh Pijat Bayi Terhadap Peningkatan Frekuensi Dan Durasi Menyusu Pada Bayi Usia 1 – 3 Bulan. *Jurnal Kebidanan*, 7(1), 61. <https://doi.org/10.26714/jk.7.1.2018.61-68>
- Hall, J. E., & Guyton, A. C. (2015). *Physiology Review*. St Louis: Elsevier.
- Hartanti, A., Salimo, H., & Of, V. W.-\ (2016). Effectiveness of Infant Massage on Strengthening Bonding and Improving Sleep Quality. *Theijmed.Com*, 165–175
- Hokenberry, M. J., & Wilson, D. (2012). *Wong's Essentials of Pediatric Nursing* (9th ed.). St Louis: Elsevier.
- Ikatan Dokter Anak Indonesia (IDAI). (2016a). *Konsensus Asuhan Nutrisi pada Bayi Prematur*. Jakarta.
- Ikatan Dokter Anak Indonesia (IDAI). (2016b). *Konsensus Asuhan Nutrisi Pada Bayi Prematur*. Jakarta: Ikatan Dokter Anak Indonesia.

- Iskandar N, Suwindo Ari, S. B. (2019). Tactile-kinesthetic stimulation to gain weight and reduce the length of stay care for premature baby at public hospitals of Semarang, Indonesia. *Global Journal of Health Science*, 3(1), 25–30.
- Jalaudin, N., Kamal, M., & Amin, M. (2019). EEG Analysis on Human Reflection towards Relaxation of Mind (red), 15(2), 185–189.
- Kementerian Kesehatan RI. (2016). *Stimulasi, Deteksi, dan Intervensi Dini Tumbuh Kembang*. Jakarta: Kementerian Kesehatan.
- Kumbhojkar, S. M., & Akbani, A. R. (2020). Effect of Coconut Oil Massage on Weight Gain in Low Birth Weight Newborns: A Randomised Controlled Clinical Trial. *Journal of Medical Science And Clinical Research*, 08(02), 236–245. <https://doi.org/10.18535/jmscr/v8i2.44>
- Lindquist, R., Snyder, M., & Tracy, M. F. (2014). *Complementary & Alternatif Therapies in Nursing* (7th ed.). New York: Springer Publishing Company.
- Maharani, S., Sukowati, F., & Ulfiana, E. (2017). Pengaruh Kombinasi Pijat Bayi Dengan Musik Klasik Mozart Terhadap Berat Badan Dan Kualitas Tidur Bayi Usia 3-6 Bulan. *Jurnal Kebidanan*, 6(13), 57. <https://doi.org/10.31983/jkb.v6i13.2869>
- Mahumud, R. A., Sultana, M., & Sarker, A. R. (2017). Distribution and determinants of low birth weight in developing countries. *Journal of Preventive Medicine and Public Health*, 50(1), 18–28. <https://doi.org/10.3961/jpmp.16.087>
- Majidipour, N., Nirou zad, F., Madmoli, Y., Sarrafzade, S., Kalani, L., Aghababaeian, H., & Borujeni, S. H. (2018). The Effect of Holy Quran Recitation on the Physiological Responses of Premature Infants during Phlebotomy: A Randomized Clinical Trial. *International Journal of Pediatrics-Mashhad*, 6(7), 7869–7881. <https://doi.org/10.22038/ijp.2017.24203.2038>
- Mansouri, A., Vahed, A. S., Sabouri, A. R., Lakzaei, H., & Arbabisarjou, A. (2017). Investigating aid effect of Holy Quran sound on blood pressure , pulse , respiration and O2 Sat in ICU Patients. *International Journal of Scientific Study*, 5(7), 218–222. <https://doi.org/10.17354/ijssNov/2017/29>
- Marc dante, K. J., Kliegman, R. M., Jenson, H. B., & Behrman, R. E. (2014). *Nelson Ilmu Kesehatan Anak Esensial* (Edisi Keen). Jakarta: Elsevier.
- Maryuni, A. (2013). *Ilmu Kesehatan Anak*. Jakarta: Trans Info Media.
- Mobarak, A. A., & Mohamed, T. (2018). Effect of Massage Therapy on Weight Gain and Hospital Stay for Premature Neonates, 7(2), 37–42. <https://doi.org/10.9790/1959-0702093742>
- Narges Majidipour, Fereidon Nirou zad, Yaghoob Madmoli, Sheida Sarrafzade, L., & Kalani, *Hamidreza Aghababaeian, S. H. B. (2018). The Effect of Holy

Quran Recitation on the Physiological Responses of Premature Infants during Phlebotomy: A Randomized Clinical Trial. *International Journal of Pediatrics*, 6(7), 7869–7881. <https://doi.org/10.22038/ijp.2017.24203.2038>

Natalina, D. (2013). *Terapi Musik Bidang Keperawatan*. Jakarta: Mitra Wacana Media.

Nursalam, Susilaningrum, R., & Utami, S. (2013). *Asuhan Keperawatan Bayi dan Anak* (2nd ed.). Jakarta: Salemba Medika.

Pantiawati, I. (2010). *Bayi dengan BBLR*. Yogyakarta: Nuha Medika.

Potter, P. A., Perry, A. G., Atcock, P. A., & Hall, A. M. (2017). *Fundamentals of Nursing* (9th ed.). St Louis: Elsevier.

Prasetyo, E. P. (2006). Peran musik sebagai fasilitas dalam praktek dokter gigi untuk mengurangi kecemasan pasien (The role of music as a dental practice facility in reducing patient's anxiety). *Dental Journal (Majalah Kedokteran Gigi)*, 38(1), 41. <https://doi.org/10.20473/j.djmk.v38.i1.p41-44>

Properawati & Ismawati. (2014). *Berat Badan Lahir Rendah (BBLR) Plus Asuhan Pada BBLR dan Materi PIjat Bayi*. Yogyakarta: Nuha Medika.

Putriana Yeyen, A. W. (2018). Efektifitas Perawatan Metode Kangguru (PMK) dan Terapi Murottal terhadap Peningkatan Berat Badan dan Suhu pada Bayi BBLR. *Jurnal Kesehatan (Bandar Lampung)*, 9(1), 33–45. <https://doi.org/10.26630/jk.v9i1.731>

Rad, Z., Haghshenas, M., Javadian, Y., Hajiahmadi, M., & Kazemian, F. (2016). The effect of massage on weight gain in very low birth weight neonates. *Journal of Clinical Neonatology*, 5(2), 96–99. <https://doi.org/10.4103/2249-4847.179900>

Rahman, M., Hoque, M. M., Jahan, N., & Shaha, L. C. (2017). Kangaroo Mother Care for Low Birth Weight Babies: A Randomized Controlled Trial in a Tertiary Care Hospital of Bangladesh. *Journal of Pediatrics & Neonatal Care*, 7(2). <https://doi.org/10.15406/jpnc.2017.07.00285>

Rahmawati, A., Theresia, E. M., Purnamaningrum, Y. E., Kebidanan, J., Kesehatan, P., & Kesehatan, K. (2014). Pengaruh Musik Keroncong selama Pelaksanaan Kangaroo Mother Care terhadap Respons Fisiologis dan Lama Rawat Bayi dengan Berat Badan Lahir Rendah Influence of Keroncong Music during Implementation of Kangaroo Mother Care to Physiological Response and Nursi, 93–98.

Ramdaniati, S., Kusmiati, S., & Sakti, B. (2018). The Effect of Using Murottal Quran Therapy on Low Birth Weight Infants. *Global Journal of Health Science*, 10(8), 14. <https://doi.org/10.5539/gjhs.v10n8p14>

Rangey, P. S., & Sheth, M. (2014). Comparative Effect of Massage Therapy versus Kangaroo Mother Care on Body Weight and Length of Hospital Stay in Low

- Birth Weight Preterm Infants. *International Journal of Pediatrics*, 2014, 1–4. <https://doi.org/10.1155/2014/434060>
- Riskesdas. (2018). *Pengkajian Pokok-Pokok Hasil Riset Kesehatan Dasar 2018*. Jakarta.
- Roesli, U. (2016). *Pedoman Pijat Bayi (XI)*. Jakarta: Trubus Agriwidya.
- Sally, E., & Singh, J. (2017). Effectiveness of Coconut Oil Massage on Weight Gain among Low Birth Weight Newborns. *International Journal of Innovative Research in Medical Science*, 02(03), 630–634. <https://doi.org/10.23958/ijirms/vol02-i03/11>
- Sembiring, J. B. (2019). *Asuhan Neonatus, Bayi, Balita, Anak Pra Sekolah* (1st ed.). Yogyakarta: Budi Utama.
- Shabani, F., Nayeri, N., Karimi, R., Zarei, K., & Chehrazi, M. (2016). Effects of music therapy on pain responses induced by blood sampling in premature infants: A randomized cross-over trial. *Iranian Journal of Nursing and Midwifery Research*, 21(4), 391. <https://doi.org/10.4103/1735-9066.185581>
- Shah, H., & Singaravelan, R. M. (2019). Effect of Tactile, Kinesthetic Stimulation and Kangaroo Mother Care on Low Birth Weight in Preterm Infants. *International Journal of Health Sciences and Research*, 9(5), 135–140.
- Sugiono. (2018). *Metode Penelitian Kualitatif* (Setiyawami). Bandung: Alfabeta.
- Sukanti, S., Hastuti, R. P., & Aticeh. (2014). *Pemeriksaan Fisik Pada Bayi dan Anak* (II). Jakarta: Trans Info Media.
- Suparmi, S., Chiera, B., & Pradono, J. (2017). Low birth weights and risk of neonatal mortality in Indonesia. *Health Science Journal of Indonesia*, 7(2). <https://doi.org/10.22435/hsji.v7i2.5587.113-117>
- Surasmi, A., Handayani, S., & Kusuma, H. N. (2013). *Perawatan Bayi Resiko Tinggi*. Jakarta: EGC.
- Survei Demografi dan Kesehatan Indonesia (SDKI). (2018). *Survei Demografi dan Kesehatan 2017*. Jakarta: Badan Kependudukan dan Keluarga Berencana.
- Sutan, R., Mohtar, M., Mahat, A. N., & Tamil, A. M. (2014). Determinant of Low Birth Weight Infants: A Matched Case Control Study. *Open Journal of Preventive Medicine*, 04(03), 91–99. <https://doi.org/10.4236/ojpm.2014.43013>
- Swarjana, I. K. (2016). *Statistik Kesehatan*. Yogyakarta: CV Andi Offset.
- Taheri, P. A., Goudarzi, Z., Shariat, M., Nariman, S., & Matin, E. N. (2018). The effect of a short course of moderate pressure sunflower oil massage on the weight gain velocity and length of NICU stay in preterm infants. *Infant Behavior and Development*, 50(November 2017), 22–27. <https://doi.org/10.1016/j.infbeh.2017.11.002>

- Tarigan, I. U., Afifah, T., & Simbolon, D. (2017). Faktor-faktor yang Berhubungan dengan Pelayanan Bayi di Indonesia: Pendekatan Analisis Multilevel. *Jurnal Kesehatan Reproduksi*, 8(1), 103–118. <https://doi.org/10.22435/kespro.v8i1.6879.103-118>
- Trisnawati, I., Salimo, H., & Murti, B. (2018). Biopsychosocial and Economic Determinants of Low Birth Weight in Jambi, South Sumatera: Path Analysis. *Journal of Maternal and Child Health*, 03(01), 385–394. <https://doi.org/10.26911/thejmch.2017.03.01.01>
- Ulfah, E., Rahayuningsih, S. E., Herman, H., Susiarno, H., Gurnida, D. A., Gamayani, U., & Sukandar, H. (2018). Asuhan Nutrisi dan Stimulasi dengan Status Pertumbuhan dan Perkembangan Balita Usia 12 – 36 Bulan. *Global Medical and Health Communication*, 6(38), 12–20. <https://doi.org/http://dx.doi.org/10.29313/gmhc.v6i1.2323>
- Vaghefi, M., Nasrabadi, A. M., Golpayegani, S. M. R. H., Mohammadi, M. R., & Gharibzadeh, S. (2015). Spirituality and brain waves. *Journal of Medical Engineering and Technology*, 39(2), 153–158. <https://doi.org/10.3109/03091902.2014.1001528>
- Van Der Heijden, M. J. E., Araghi, S. O., Jeekel, J., Reiss, I. K. M., Hunink, M. G. M., & Van Dijk, M. (2016). Do hospitalized premature infants benefit from music interventions? A systematic review of randomized controlled trials. *PLoS ONE*, 11(9), 1–16. <https://doi.org/10.1371/journal.pone.0161848>
- Wahyuni, S., Kurniawati, D., & Rasni, H. (2018). Pengaruh Pijat Bayi Terhadap Bounding Attachment di Ruang Dahlia RSD dr. Soebandi Jember (The Influence of Baby Massage for Bounding Attachment in Dahlia Room Soebandi General Hospital Jember). *Pustaka Kesehatan*, 6(2), 323–330. <https://doi.org/10.1104/pp.114.253674>
- WHO. (2017). *Optimal Feeding of Low Birth Weight Infant in Low and Middle Income Countries*. Geneva.
- World Federation of Music. (2016). Music Therapy Today. *Publish World Federation of Music Therapy*, Vol 12 No.(1610 191X).
- World Health Organization (WHO). (2013). *Kangaroo Mother Care*. Geneva: Departement of Reproduction Health and Researce.
- World Health Organization (WHO). (2014). *Global Nutritional Targets 2025 Low Birth Weight Policy Brief*. Geneva.
- World Health Organization (WHO). (2019). Standard Formula For Low Birth weight infans following hospital discharge.