

**HUBUNGAN DUKUNGAN KELUARGA DENGAN PELAKSANAAN
CONTINUITY OF CARE PADA PASIEN STROKE ISKEMIK
DI RSUP. DR. M. DJAMIL PADANG**

TESIS



Pembimbing 1 : Dr. Budhi Mulyadi, S. Kp, Ns. M. Kep, Sp. Kep. Kom
Pembimbing 2 : Ns. Mahathir, M. Kep, Sp. Kep. Kom

**PROGRAM STUDI S2 KEPERAWATAN
KEKHUSUSAN PEMINATAN KEPERAWATAN KOMUNITAS
FAKULTAS KEPERAWATAN UNIVERSITAS ANDALAS
PADANG 2020**

**HUBUNGAN DUKUNGAN KELUARGA DENGAN PELAKSANAAN
CONTINUITY OF CARE PADA PASIEN STROKE ISKEMIK
DI RSUP. DR. M. DJAMIL PADANG**

**Tesis ini diajukan sebagai salah satu syarat untuk memperoleh
Gelar Magister Keperawatan**




**PROGRAM STUDI S2 KEPERWATAN
KEKHUSUSAN KEPERAWATAN KOMUNITAS
FAKULTAS KEPERAWATAN UNIVERSITAS ANDALAS
PADANG 2020**

**PROGRAM STUDI S2 KEPERAWATAN
PEMINATAN KEPERAWATAN KOMUNITAS
FAKULTAS KEPERAWATAN UNIVERSITAS ANDALAS**

Tesis, Juni 2020
Rini Usman

**HUBUNGAN DUKUNGAN KELUARGA DENGAN PELAKSANAAN
CONTINUITY OF CARE PADA PASIEN STROKE ISKEMIK DI RSUP.
DR. M. DJAMIL PADANG**

xiii + 117 halaman + 11 tabel + 2 skema + 13 lampiran



Kata Kunci : *Continuity of Care*, Dukungan Keluarga, Stroke.
Daftar Pustaka : 1994 – 2020

**NURSING POST GARDUATION PROGRAM
COMMUNITY NURSING
FACULTY OF NURSING ANDALAS UNIVERSITY**

Thesis, June 2020

Rini Usman

**RELATIONSHIP FAMILY SUPPORT WITH THE IMPLEMENTATION OF
CONTINUITY OF CARE IN ISCHEMIC STROKE PATIENTS AT RSUP. DR. M.
DJAMIL PADANG HOSPITAL**

xiii + 117 pages + 11 tables + 2 schemes + 13 attachments



Stroke is a cerebrovascular disease. Ischemic stroke occurs when the blood vessels that supply blood to the brain are blocked by blood clots. The purpose of this study was to determine the relationship of family support with the implementation of Continuity of Care in ischemic stroke patients in RSUP. DR. M. Djamil Padang in 2020. This study is a descriptive analytic cross sectional approach, sampling using non-probability methods with consecutive sampling techniques. Data analysis using univariate analysis, bivariate analysis using chi square test, multivariate analysis using multiple linear regression test. The results showed that most gave good family support, except for a compliment support (60%). The results of the bivariate analysis found a significant relationship with $p < 0.05$ between family support for the implementation of Continuity of Care. The results of multivariate analysis of variables that had the greatest influence on informative support with a p value of 0.019. Optimal family support can improve the implementation of Continuity of Care, have an impact on improving the quality of life and show a correlation with the survival life of stroke patients

Keywords : *Continuity of Care, family support, stroke.*
Bibliography : 1994 – 2020