

DAFTAR PUSTAKA

- Abu Shaqra, Q., & Shaqra, A. (2015). In vitro Inhibition of Candida Species by Aqueous Garlic Extract in Gel and Lotion: Problem of Stability. *International Journal of Pharmaceutical Sciences and Drug Research*, 7, 304–307.
- Agarwal, S., & Krishnamurty, K. (2019). Histology SKin. In *StatPearls Publishing*.
- Agustin, R., Oktadefitri, Y., & Lucida, H. (2013). Formulasi Krim Tabir Surya dari Kombinasi Etil p – Metoksinamat dengan Katekin. *Prosiding Seminar Nasional Perkembangan Terkini Sains Farmasi Dan Klinik III, III*.
- Ali, M., & Ibrahim, I. S. (2019). Phytochemical Screening and Proximate Analysis of Garlic (*Allium Sativum*). *An Archive of Organic and Inorganic Chemical Sciences*, 4, 478–482. <https://doi.org/10.32474/AOICS.2019.04.000180>
- American Academy of Dermatology Association. (n.d.). *No Title*.
- Arify, T., Ezhilvalavan, S., Varun, A., Sundaresan, A., & Manimaran, K. (2018). Qualitative phytochemical analysis of garlic (*Allium sativum*) and nilavembu (*Andrographis paniculata*). *International Journal of Chemical Studies*, 6(3), 1635–1638.
- Atmaja, N. S. (2009). *Pengaruh Kosmetika Anti- Aging wajah terhadap hasil perawatan kulit wajah pada ibu-ibu Guru SMK Negeri Karang Anyar Kabupaten Karang Anya*. Universitas Negeri Semarang.
- Barel, A. O., Paye, M., & Howard, I. M. (2009). *Handbook of Cosmetic Science and Technology* (I. Healthcare (Ed.); Third Edit).
- Barnes, J., Anderson, L. A., & Phillipson, J. D. (2007). *Herbal medicines* (3 rd). Pharmaceutical press.
- Bennet, norman J., & Josling, J peter, A D. (n.d.). *WO2003024437A1.pdf*. <https://patents.google.com/patent/WO2003024437A1/en>
- Benzie, I. F. F., & Devaki, M. (2018). *The ferric reducing / antioxidant power (FRAP) assay for non - enzymatic antioxidant capacity: concepts , procedures , limitations and applications*.
- British Pharmacopoeia. (2009). *British Pharmacopoeia*. The Pharmaceutical Press.
- Dachriyanus, D. (2004). *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Departemen Kesehatan, R. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Departemen Kesehatan RI.
- Dewangga, L. A. (2013). *Aktivitas antibakteri ekstrak etanol dan fraksi nonpolar ekstrak etanol bawang putih*. Universitas Muhammadiyah Surakarta.

Dewi, R., Anwar, E., & S, Y. K. (2014). Uji Stabilitas Fisik Formula Krim yang Mengandung Ekstrak Kacang Kedelai (*Glycine max*). *Pharmaceutical Sciences and Research*, 1(3), 194–208. <https://doi.org/10.7454/psr.v1i3.3484>

Ditjen POM. (1995). *Farmakope Indonesia* (edisi keempat). Departemen Kesehatan Republik Indonesia.

Esoje, E., Muazu, J., & Madu, S. J. (2016). *Formulation and in-vitro assessment of cream prepared from allium cepa l ., bulb*. *Asian Journal of Pharmaceutical Science & Technology* 6(1), 1–5.

Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., Zouboulis, C. C., Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. (2012). Skin anti-aging strategies. *Dermato Endocrinology*, 4(3), 308–319. <https://doi.org/10.4161/derm.22804>

Handa, S. S., Khanuja, S., Longo, G., & Rakesh, D. D. (2008). Extraction technologies for medicinal and aromatic plants. *International Centre for Science and High Technology*, 21–25.

Helfrich, Y. R., Sachs, D. L., & Voorhees, J. J. (2008). *Overview of Skin Aging and*. 20(3), 177–183.

Jang, H.-J., Lee, H., Yoon, D., Ji, D., Kim, J.-H., & Lee, C.-H. (2017). Antioxidant and antimicrobial activities of fresh garlic and aged garlic by-products extracted with different solvents. *Food Science and Biotechnology*, 27(1), 219–225. <https://doi.org/10.1007/s10068-017-0246-4>

Kementerian Kesehatan RI. (2017). *FARMAKOPE HERBAL INDONESIA*

Khairi, N., As'ad, S., Djawad, K., & Alam, G. (2018). The determination of antioxidants activity and sunblock *Sterculia populifolia* extract- based cream. *Pharmaceutical and Biomedical Research*, 4(1), 20–26. <https://doi.org/10.18502/pbr.v4i1.142>

Kim, D., Jung, S. J., Cheon, S. Y., Cho, Y. J., Tae, M. H., Kim, K. H., & Yook, H. S. (2013). Antioxidant activity of Giant Black Garlic. *Proceedings of the Nutrition Society*, 72(OCE4), 2020. <https://doi.org/10.1017/s0029665113002553>

Kolarsick, P., Ann Kolarsick, M., & Goodwin, C. (2011). Anatomy and Physiology of the Skin. *Journal of the Dermatology Nurses' Association*, 3, 203–213. <https://doi.org/10.1097/JDN.0b013e3182274a98>

Kuete, V. (2017). *Allium sativum*. *Medicinal Spices and Vegetables from Africa*, 363–377. <https://doi.org/10.1016/B978-0-12-809286-6.00015-7>

Kumari, M., & Ranjan, N. (2014). *In vitro antioxidant activity of extract of bulb of allium sativum linn . Using dpph and frap assays with evaluation of total phenolic content*. 1752–1755.

Kusantati. (2009). *Tata Kecantikan Kulit*. CV.Arya Duta.

- Lawson, L. D., & Hunsaker, S. M. (2018). Allicin bioavailability and bioequivalence from garlic supplements and garlic foods. *Nutrients*, *10*(812), 4–6. <https://doi.org/10.3390/nu10070812>
- Lephart, E. (2016). Skin Aging and Oxidative Stress: Equol's Anti-Aging Effects via Biochemical and Molecular Mechanisms. *Ageing Research Reviews*, *31*. <https://doi.org/10.1016/j.arr.2016.08.001>
- Limtrakul, P., Yodkeeree, S., Thippraphan, P., Punfa, W., & Srisomboon, J. (2016). Anti-aging and tyrosinase inhibition effects of Cassia fistula flower butanolic extract. *BMC Complementary and Alternative Medicine*, *16*(1), 1–9. <https://doi.org/10.1186/s12906-016-1484-3>
- Locatelli, D., Nazareno, M., Cecilia, F., & Camargo, A. (2016). Cooked Garlic and Antioxidant Activity. Correlation With Organosulphur Compound Compositions. *Food Chemistry*, *220*. <https://doi.org/10.1016/j.foodchem.2016.10.001>
- Martin, A., J. S., & A. C. (1993). *Farmasi Fisik Edisi 3 Jilid II*. In Universitas Indonesia Press. <https://doi.org/10.1016/S2222-18081260149-2>
- Matangi, S. P., Aruna, S., Md, G., Raghavamma, D. S. T. V., & Rao, R. (2014). Formulation and Evaluation of Anti Aging Poly Herbal Cream. *Int. J. Pharm. Sci. Rev. Res*, *24*, 133–136.
- Maulana, A. (2016). *Analisis Parameter Mutu dan Kadar Flavonoid Tugas Akhir Diajukan untuk Memenuhi Syarat Tugas Akhir Program Studi Teknologi Pangan Oleh : Akbar Maulana Program Studi Teknologi Pangan*.
- Mitsui, T. (1993). *New Cosmetic science*. Elsevier.
- Momtaaz, S., Lall, N., & Basson, A. (2008). Inhibitory activities of mushroom tyrosine and DOPA oxidation by plant extracts. *74*, 577–582. <https://doi.org/10.1016/j.sajb.2008.02.005>
- Montagna, W., & Parakkal, P. F. (1974). *An Introduction to Skin : The Structure & Function of Skin*. Academic press.
- Muliyawan, D., & Suriana, N. (2013). *A-Z Tentang Kosmetik*. PT. Elex Media Komputindo.
- Nalla, A., & Chinnala, K. M. (2017). Formulation and Evaluation of Herbal Ointment for. *Aravinda et Al. World Journal of Pharmaceutical and Medical Research*, *3*, 113–117.
- Pangastuti, A., Indriwati, S. E., & Amin, M. (2018). Investigation of the anti-aging properties of allicin from *Allium sativum* L bulb extracts by a reverse docking. *Tropical Journal of Pharmaceutical Research*, *May*. <https://doi.org/10.4314/tjpr.v17i4.10>
- Phadatare, A. G., Viswanathan, V., & Mukne, A. (2014). *Novel strategies for optimized delivery of select components of Allium sativum*. *6*(4). <https://doi.org/10.4103/0974-8490.138288>

- Pharmacopoeia, E., & Inject, I. (2005). *Allii sativi bulbi pulvis. Test, 1*, 5–6.
- Prianto, J. (2014). *Cantik Panduan Lengkap Merawat Kulit Wajah*. PT. Gramedia Pustaka Utama.
- Priska, M., Peni, N., & Carvello, L. (2019). Phytochemical Screening and Effectiveness of Free Radical Inhibitors of Garlic (*Allium sativum L.*) Ethanol Extract from Timor Island. *Bioma*, 21(1), 72–77.
- Putranti, W., Maulana, A., Fatimah, S. F., Farmasi, F., & Dahlan, U. A. (2019). *Formulasi Emulgel Ekstrak Bawang Putih (Allium sativum L .)*. 6(1), 7–15.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (sixth). Pharmaceutical press.
- Sagala, Z., Pratiwi, R. W., Azmi, N. U., & Maap. (2019). Uji Aktivitas Inhibisi terhadap Enzim Tirosinase dari Ekstrak Etanol Daun Pepaya (*Carica papaya L .*) Secara In Vitro. *Jurnal Penelitian Farmasi Indonesia*, 7(2), 34–38.
- Sahu, T., Patel, T., Sahu, S., & Gidwani, B. (2016). Skin Cream as Topical Drug Delivery System: A Review. *Journal of Pharmaceutical and Biological Sciences*, 4, 149–154.
- Sanad, R. A. el B., & Mabrouk, M. I. (2016). Development and assessment of stable formulations containing two herbal antimicrobials: *Allium sativum L.* and *Eruca sativa miller* seed oils. *Drug Development and Industrial Pharmacy*, 42(6), 958–968. <https://doi.org/10.3109/03639045.2015.1096280>
- Sekar, M., Sivalingam, P., & Mahmad, A. (2017). Formulation and evaluation of novel antiaging cream containing. *International Journal of Pharmaceutical Sciences and Research*, 8(3), 1056–1065. [https://doi.org/10.13040/IJPSR.0975-8232.8\(3\).1056-65](https://doi.org/10.13040/IJPSR.0975-8232.8(3).1056-65)
- Suleria, H. A. R., Butt, M. S., Khalid, N., Sultan, S., Raza, A., Aleem, M., & Abbas, M. (2015). A Garlic (*Allium sativum*): diet based therapy of 21st century- a review. *Asian Pacific Journal of Tropical Disease*, 5(4), 271–278. [https://doi.org/10.1016/S2222-1808\(14\)60782-9](https://doi.org/10.1016/S2222-1808(14)60782-9)
- Sweetman, S. C. (2009). *Martindale* (Thirty-six). Pharmaceutical press.
- Syamsuni, H. A. (2006). *Ilmu Resep*. Buku Kedokteran EGC.
- Tobin, D. J. (2016). *Introduction to skin aging*. <https://doi.org/10.1016/j.jtv.2016.03.002>
- Umrah Noor, S., & Magdalena, P. (2018). Uji Aktivitas Inhibisi Enzim Tirosinase In-Vitro Krim Ekstrak Akar Manis (*Glycyrrhiza glabra L.*) (In Vitro Enzyme Tyrosinase Inhibitory Activity Test on Liquorice Root Extract Cream (*Glycyrrhiza glabra L.*)). *Jurnal Ilmu Kefarmasian Indonesia*, 16(2), 150–158.
- Vichitphan, S., Vichitphan, K., & Sirikhansaeng, P. (2007). Flavonoid Content and Antioxidant

Activity of Krachai-Dum (*Kaempferia Parviflora*) Wine. *KMITL Science Technology*, 7(December), 97–105.

Wasitaatmadja, S. M. (1997). *Penuntun Ilmu Kosmetik Medik* (U. Press (Ed.)).

Widowati, W., Fauziah, N., Herdiman, H., Afni, M., Afifah, E., & Sari, H. (2016). *Antiepileptic and Effects Antioxidant and Anti Aging Assays of of Oryza in Acid Sativa Extracts , Vanillin and Coumaric*. <https://doi.org/10.18311/jnr/2016/7220>

Wu, L., Chen, C., Cheng, C., Dai, H., Ai, Y., Lin, C., & Chung, Y. (2018). Evaluation of Tyrosinase Inhibitory, Antioxidant, Antimicrobial, and Antiaging Activities of *Magnolia officinalis* Extracts after *Aspergillus Niger* Fermentation. *BioMed Research International*, 2018(1). <https://doi.org/10.1155/2018/5201786>

Yefrida, Ashikin, N., Ashikin, N., Refilda, & Refilda. (2015). Validasi Metoda Frap Modifikasi Pada Penentuan Kandungan Antioksidan Total Dalam Sampel Mangga Dan Rambutan. *Jurnal Riset Kimia*, 8(2), 170. <https://doi.org/10.25077/jrk.v8i2.236>

Yefrida, Suyani, H., Alif, A., Efdi, M., & Aziz, H. (2018). Modification of phenanthroline method to determine antioxidant content in tropical fruits methanolic extract. *Research Journal of Chemistry and Environment*, 22(4), 28–35.

Zhang, S., & Duan, E. (2018). Fighting against Skin Aging : The Way from Bench to Bedside. *Cell Transplantation*, 27(5), 1–10. <https://doi.org/10.1177/0963689717725755>

Zolghadri, S., Bahrami, A., Hassan Khan, M. T., Munoz-Munoz, J., Garcia-Molina, F., Garcia-Canovas, F., & Saboury, A. A. (2019). A comprehensive review on tyrosinase inhibitors. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 34(1), 279–309. <https://doi.org/10.1080/14756366.2018.1545767>

Zouari Chekki, R., Snoussi, A., Hamrouni, I., & Bouzouita, N. (2014). Chemical composition, antibacterial and antioxidant activities of Tunisian garlic (*Allium sativum*) essential oil and ethanol extract. *Mediterranean Journal of Chemistry*, 3(4), 947–956. <https://doi.org/10.13171/mjc.3.4.2014.09.07.11>

