



UNIVERSITAS ANDALAS

**ANALISIS PEMANFAATAN KLINIK BERHENTI MEROKOK  
PADA MASYARAKAT DI WILAYAH KERJA PUSKESMAS  
IKUR KOTO KOTA PADANG TAHUN 2020**



**Diajukan Sebagai Salah Satu Syarat Untuk Mendapatkan  
Gelar Sarjana Kesehatan Masyarakat**

**FAKULTAS KESEHATAN MASYARAKAT  
UNIVERSITAS ANDALAS  
PADANG, 2020**

**FAKULTAS KESEHATAN MASYARAKAT  
UNIVERSITAS ANDALAS**

**Skripsi, Juli 2020**

**REZI FATRIMA SURYA, No. BP. 1611213001**

**ANALISIS PEMANFAATAN KLINIK BERHENTI MEROKOK PADA  
MASYARAKAT DI WILAYAH KERJA PUSKESMAS IKUR KOTO KOTA  
PADANG TAHUN 2020**

xii + 93 halaman, 30 tabel, 3 gambar, 12 lampiran

**ABSTRAK**

**Tujuan Penelitian**

Klinik berhenti merokok merupakan sebuah program yang bertujuan membantu perokok untuk berhenti merokok. Puskesmas Ikur Koto dengan jumlah keluarga perokok mencapai 63,5%, kunjungan ke klinik berhenti merokoknya hanya 6-7 orang per tahun. Tujuan penelitian adalah menganalisis bagaimana pemanfaatan klinik berhenti merokok pada masyarakat di wilayah kerja Puskesmas Ikur Koto Kota Padang tahun 2020.

**Metode Penelitian**

Penelitian ini merupakan penelitian kualitatif yang dilakukan pada Bulan Desember 2019-Juni 2020 di wilayah kerja Puskesmas Ikur Koto Kota Padang. Penelitian dilakukan dengan metode wawancara mendalam, observasi, dan telaah dokumen.

**Hasil**

Hasil penelitian dari komponen *Input*, tenaga berjumlah tiga orang dan belum ada pelatihan khusus, Sarana dan Prasarana perlu dilengkapi, SOP sudah ada, dana berasal dari dana bagi hasil cukai hasil tembakau (DBHCHT) dan BLUD puskesmas, persepsi pasien tentang bahaya rokok cukup baik, sedangkan persepsi masyarakat masih rendah, pasien memiliki motivasi yang baik untuk berhenti merokok sedangkan masyarakat tidak. Dari komponen *Process*, advokasi sudah dilakukan, sosialisasi sudah dilakukan tidak efektif, tindak lanjut tidak pernah dilakukan. Dari komponen *Output* pemanfaatan masyarakat masih rendah.

**Kesimpulan**

Rendahnya pemanfaatan masyarakat terhadap klinik berhenti merokok disebabkan karena rendahnya persepsi masyarakat tentang dampak/bahaya merokok, kurangnya motivasi masyarakat untuk berhenti merokok serta tidak efektifnya sosialisasi yang dilakukan. Diharapkan tenaga klinik berhenti merokok dapat secara aktif melakukan upaya promosi dan kunjungan ke masyarakat untuk meningkatkan pemanfaatan masyarakat terhadap klinik berhenti merokok

**Daftar Pustaka**

: 44 (2004-2019)

**Kata Kunci**

: Klinik Berhenti Merokok, Pemanfaatan, Merokok

**FACULTY OF PUBLIC HEALTH  
ANDALAS UNIVERSITY**

**Undergraduate Thesis, July 2020**

**REZI FATRIMA SURYA, No. BP. 1611213001**

**THE ANALYSIS OF SMOKING CESSATION CLINIC UTILIZATION ON  
PEOPLE IN THE WORK AREA OF IKUR KOTO PUBLIC HEALTH  
CENTER PADANG CITY ON 2020**

xii + 93 pages, 30 tables, 3 figures, 12 attachments

**ABSTRACT**

**Objective**

Smoking cessation clinic is a program that help people who want to stop smoking. Ikur Koto public health center with 63,5% families smoker, community's visit to the smoking cessation clinic only 6-7 people a year. The purpose of this study is to analyze how the community utilize the Smoking Cessation Clinic in the work area of Ikur Koto Public Health Center on 2020.

**Method**

This study is qualitative research that was conducted in December 2019- June 2020 in the working area of Ikur Koto Public Health Center. This study done by in-depth interviews, observations, and document reviews.

**Result**

The results from the Input component are the personnel consist of three people and there was no specific training, the facilities and infrastructure need to be completed, SOP already exist, the fund came from profit sharing fund for tobacco products (DBHCHT) and BLUD, Patient have quite good perception towards effects of smoking while public perception are still shallow, Patient have quite good motivation to stop smoking while the public motivation is still low. From the Process component, Advocacy has been carried out, the Socialization has been done but still ineffective, and the follow-up has never been done. As for the Output component, the community utilization is still low.

**Conclusion**

Low utilization of smoking cessation clinic by the public is due to the low public perception about effect of smoking, lack of motivation from the community to stop smoking, and the ineffectiveness of the socialization. Therefore, the personnel can actively promote and do the community visits to improve community utilization.

**References** : 44 (2004-2019)

**Keywords** : Smoking Cessation Clinic, Utilization, Smoking