

DAFTAR PUSTAKA

- Ackley, Betty J., Ladwig, Gail B., Makic, Mary Beth Flynn. (2017). *Nursing diagnosis handbook :an evidence-based guide to planning care*. Eleventh edition. | St. Louis, Missouri : Elsevier.
- Aleppo, G., *et al.* (2017). REPLACE-BG: A Randomized Trial Comparing Continuous Glucose Monitoring With and Without Routine Blood Glucose Monitoring in Adults With Well-Controlled Type 1 Diabetes. *Diabetes care*, 40, 538-545. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5864100/> 10.2337/dc16-2482 [di akses 07 September 2020]
- Alfin, R. (2015). Kepatuhan Minum Obat dengan Kadar Gula Darah pada Pasien Diabetes Melitus Rawat Jalan di RSUD Dr. H. Moch. Ansari Saleh Banjarmasin. *Jurnal Pharmascience*, Vol 2, No. 2, Oktober 2015, hal: 15 - 23 ISSN-Print. 2355 -5386 ISSN-Online. 2460-9560 [http://jps.ppjpu.unlam.ac.id/Research/ArticleVolume 2, Nomor 2\(2015\)Jurnal Pharmascience](http://jps.ppjpu.unlam.ac.id/Research/ArticleVolume%20, Nomor%20(2015)Jurnal%20Pharmascience)
- Badan Penelitian dan Pengembangan Kesehatan. (2018). *Riset Kesehatan Dasar 2018*. Jakarta: Kemenkes RI; 2018.
- Badan Pusat Statistik [BPS]. (2016). *Statistik Daerah Kota Padang 2016*: Badan Pusat Statistik Kota Padang.
- Batubara J.R.L, Tridjaja B, Pulungan A.B. (2010). *Buku Ajar Endokrinologi Anak*. 1st ed. Jakarta: IDAI, pp: 162-3, 195.
- Beck, R. W., *et al.* (2017). Effect of Continuous Glucose Monitoring on Glycemic Control in Adults With Type 1 Diabetes Using Insulin Injections: The DIAMOND Randomized Clinical Trial. *Jama*, 317, 371-378 [10.1001/jama.2016.19975](https://doi.org/10.1001/jama.2016.19975) [di akses 19 Agustus 2020].
- Boettcher, C., *et al.* (2014). Accuracy of Blood Glucose Meters for Self-Monitoring Affects Glucose Control and Hypoglycemia Rate in Children and Adolescents with Type 1 Diabetes. *Diabetes Technology & Therapeutics*, 17, 275-282. <https://doi.org/10.1089/dia.2014.0262> [di akses 2020/08/28].
- Boucher, S. E., *et al.* (2020). Effect of 6 Months of Flash Glucose Monitoring in Youth With Type 1 Diabetes and High-Risk Control: A Randomized Controlled Trial. *Diabetes Care*, dc200613. <http://care.diabetesjournals.org/content/early/2020/08/10/dc20-0613.abstract> 10.2337/dc20-0613 [di akses 28 Agustus 2020].

- Bulechek, G.M., Butcher, H.K., Dochterman, J.M., & Wagner, C.M. (2016). *Nursing Interventions Classification (NIC)*, Edisi 6. Philadelphia: Elsevier.
- Carter, K. (2020). Components of a continuous glucose monitor. *Article* : <https://todaysveterinarypractice.com/continuous-glucose-monitoring-in-veterinary-patients/> (Di akses 21 September 2020)
- Cooke DW, P. L. (2008). Type 1 diabetes melitus in pediatrics. *Pediatr in Rev*, 28:347-85.
- Depkes RI. (2013). *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. <http://www.terbitan.litbang.depkes.go.id>.
- Diabetes research news. (2018). Could real-time continuous glucose monitoring reduce incidences of hypoglycemia?. *Article*: <https://diabetesresearchconnection.org/real-time-continuous-glucose-monitoring-reduce-incidences-hypoglycemia/> (Di akses 21 September 2020)
- Endyarni B, B. J., Boediman I. (2006). Effects of structured educational intervention on metabolic control of type-1 diabetes melitus patients. *Pediatri Indonesia*, 46:260-5.
- Fakultas Keperawatan Unand. (2020). Panduan Umum MK. Keperawatan Komprehensif dan Penuntun Penulisan Karya Ilmiah Akhir (KIA). Padang: Fakultas Keperawatan Unand.
- Food and Drug Administration [FDA]. (2018). Freestyle Libre 14 Day Flash Glucose Monitoring System - P160030/S017. *Article* : <https://www.fda.gov/medical-devices/recently-approved-devices/freestyle-libre-14-day-flash-glucose-monitoring-system-p160030s017> (Di akses 21 September 2020)
- Funnell, M., Anderson, R., Arnold, M., Barr, P., Donnelly. M., Johnson, P. (2007) *Empowerment: an idea whose time has come in diabetes education*. *Diabetes Educ*, 17:37-41. 199
- Gustaitis, J. (2017). FDA Approves Freestyle Libre Glucose Monitoring System. *Article* : <https://www.diabetesselfmanagement.com/blog/fda-approves-freestyle-libre-glucose-monitoring-system/> (Di akses 21 September 2020)
- Hanum, N.N. (2013). Hubungan Kadar Glukosa Darah Sewaktu Dengan Profil Lipid Pada Pasien Diabetes Melitus Tipe 2 Di Rumah Sakit Umum Daerah Kota Cilegon Periode Januari-April 2013. *Skripsi FK dan Ilmu Kesehatan Universitas Islam Negeri Syarif Hidayatullah*: Jakarta.

- Hassan M. Al-Musa, R. A. (2018). Effectiveness of Continuous Glucose Monitoring for Managing Type-1 Diabetic Patients and Barrier to Its Use: A Quasi Interventional Trial. *JKIMSU*, Vol. 7, No. 2. <http://www.jkimsu.com/jkimsu-vol7no2/JKIMSU,%20Vol.%207,%20No.%202,%20April-June%202018%20Page%2068-79.pdf> [di akses 5 September 2020].
- Herdman, T.H. (2018). *NANDA International Nursing Diagnoses: definitions and classification 2018-2020*. Jakarta: EGC. Moorhead, Sue., Johnson, Marion., Maas, M.L., & Swanson, Elizabeth. (2016). *Nursing Outcomes Classification (NOC), Edisi 5*. Philadelphia: Elsevier.
- Hess, Amy. (2019). What Is a Continuous Glucose Monitor (CGM)?. *Article*: <https://www.ontrackdiabetes.com/type-1-diabetes/what-continuous-glucose-monitor-cgm> (di akses 21 September 2020)
- Holt, P. (2009). *Diabetes in hospital a practical approach for health care Professionals*: Willey-Black Well
- Hunt, C. W., Wilder. B., Steele, M. M. (2012). Relationships among self-efficacy, social support, social problem solving, and self management in a rural sample living with type 2 diabetes mellitus. *Research and Theory for Nursing Practice: An International Journal*. Diakses pada tanggal 19 Agustus 2020 dari <http://proquest.com>
- Ikatan Dokter Anak Indonesia - World Diabetes Foundation [IDAI-IDF]. (2015). *Konsensus Nasional Pengelolaan Diabetes Mellitus Tipe 1*. Badan Penerbit Ikatan Dokter Anak Indonesia
- Irawati, F. D. (2014). Pengaruh Latihan Fisik Pada Penderita Diabetes Tipe 1 Dan Tipe 2 Dengan Minimal Model Termodifikasi. *IPB*. <https://pdfs.semanticscholar.org/b9ff/ee31fd3616ff3e2482d2207f65d1868d6159.pdf> [di akses 31 Agustus 2020].
- Johansen, N. J., *et al.* (2020). Efficacy and safety of meal-time administration of short-acting exenatide for glycaemic control in type 1 diabetes (MAG1C): a randomised, double-blind, placebo-controlled trial. *The Lancet Diabetes & Endocrinology*, 8, 313-324. <http://www.sciencedirect.com/science/article/pii/S2213858720300309> [https://doi.org/10.1016/S2213-8587\(20\)30030-9](https://doi.org/10.1016/S2213-8587(20)30030-9).
- Kropff, J., *et al.* (2015). 2 month evening and night closed-loop glucose control in patients with type 1 diabetes under free-living conditions: a randomised crossover trial. *Diabetes Obes Metab*, 3, 939-4710.1016/s2213-8587(15)00335-6 [di akses 19 Agustus 2020]. Pmc5763343

- Laffel, L. M., *et al.* (2020). Effect of Continuous Glucose Monitoring on Glycemic Control in Adolescents and Young Adults With Type 1 Diabetes: A Randomized Clinical Trial. *JAMA*, 323, 2388-2396. <https://doi.org/10.1001/jama.2020.6940> 10.1001/jama.2020.6940 [di akses 9/9/2020].
- Lind, M., *et al.* (2017). Continuous Glucose Monitoring vs Conventional Therapy for Glycemic Control in Adults With Type 1 Diabetes Treated With Multiple Daily Insulin Injections: The GOLD Randomized Clinical Trial. *JAMA*, 317, 379-387. <https://doi.org/10.1001/jama.2016.19976> 10.1001/jama.2016.19976 [di akses 24 Agustus 2020].
- Litwak et al (2013), Prevalence of diabetes complications in people with type 2 diabetes mellitus and its association with baseline characteristics in the multinational A1chieve study, *Diabetology & Metabolic Syndrome*, 5:57
- IDF, (2011), *IDF Diabetes Atlas, Fifth Edition*, International Diabetes Federation.
- Medgadget. (2019). Diabetes data analysis will lead to better Blood Glucose Monitoring Market Size, share, Innovative Technology, Demands by Top key Players. *Article* : <https://www.medgadget.com/2019/08/diabetes-data-analysis-will-lead-to-better-blood-glucose-monitoring-market-size-share-innovative-technology-demands-by-top-key-players.html> (Di akses 21 September 2020)
- Mikail. (2012). *Diabetes Bikin Anda Gampang Emosi*. Diakses: 19 Agustus 2020. (<http://healthkompas.com>).
- Moström, P., Ahlén, E., Imberg, H., Hansson, P.-O. & Lind, M. (2017). Adherence of self-monitoring of blood glucose in persons with type 1 diabetes in Sweden. *BMJ Open Diabetes Research & Care*, 5, e000342. <http://drc.bmj.com/content/5/1/e000342.abstract> 10.1136/bmjdr-2016-000342 [di akses 29 Agustus 2020].
- NANDA. (2015). *buku diagnosa keperawatan definisi dan klasifikasi 2015-2017*. Elsevier
- Nanda, et al. (2018). Hubungan Kepatuhan Minum Obat Anti Diabetik dengan Regulasi Kadar Gula Darah pada Pasien Perempuan Diabetes. 340-348340 DOI : 10.2473/amnt.v2i4.2018.340-348©2018.
- Nettina, Sandra M. (2002). *Pedoman Praktik Keperawatan*. EGC : Jakarta.
- Nurhayati, C., & Sari, N. (2020). Hubungan Tingkat Pengetahuan Hipoglikemia Dengan Kemampuan Deteksi Hipoglikemia Pasien DM Tipe 2. *Indonesian Journal of Health Development*, 2(1). Retrieved from <https://ijhd.upnvj.ac.id/index.php/ijhd/article/view/30>

- Oskarsson, P., *et al.* (2018). Impact of flash glucose monitoring on hypoglycaemia in adults with type 1 diabetes managed with multiple daily injection therapy: a pre-specified subgroup analysis of the IMPACT randomised controlled trial. *Diabetologia*, 61, 539-550. doi:10.1007/s00125-017-4527-5 [di akses 23 Agustus 2020]. Pmc6448969
- Piette, J.D., Weinberger, M., McPhee, S.J., Mah, C. A., Kraemer, F.B., & Crapo, L. M. (2000). Do automated calls with nurse follow-up improve self care and glycemic control among vulnerable patients with diabetes? *The American Journal of Medicine*, 108, 20-27. doi:10.1016/S0002-9343(99)0029/
- Pusat Data dan Informasi Kementerian Kesehatan RI. (2014). Infodatin Diabetes Melitus In: PUSDATIN, editor. Jakarta: Kementerian Kesehatan; 2014. International Diabetes Federation. IDF Diabetes Atlas Eight Edition. International Diabetes Federation;2017.
- Potter & Perry (2010) Buku Ajar Fundamental Keperawatan: Konsep, Proses & Praktek. Jakarta : EGC
- Prabawati, R. K. (2012). Mekanisme Seluler dan Molekular Resistensi Insulin. *Tugas Biokimia Program Pasca Sarjana Ilmu Biomedik Program Double Dolgree Neurologi Fakultas Kedokteran Universitas Brawijaya Malang*, 1, 1-15.
- Pratley, R. E., *et al.* (2020). Effect of Continuous Glucose Monitoring on Hypoglycemia in Older Adults With Type 1 Diabetes: A Randomized Clinical Trial. *JAMA*, 323, 2397-2406. <https://doi.org/10.1001/jama.2020.6928> [di akses 9/9/2020].
- Price, A. Wilson. 2005. Patofisiologi Konsep Proses-Proses Penyakit, Edisi IV. Jakarta: EGC.
- Reddy, M., *et al.* (2018). A randomized controlled pilot study of continuous glucose monitoring and flash glucose monitoring in people with Type 1 diabetes and impaired awareness of hypoglycaemia. 35, 483-490. DOI: 10.1111/dme.13561.
- Rizana Fajrunni'mah, D. L., Angki Purwanti. (2017). Faktor Pendukung dan Penghambat Penderita Diabetes Melitus dalam Melakukan Pemeriksaan Glukosa Darah. *Global Medical and Health Communication*, 5(3), <http://dx.doi.org/10.29313/gmhc.v5i3.2181> [di akses 28 Agustus 2020].
- Scott, S. N., *et al.* (2019). Fasted High-Intensity Interval and Moderate-Intensity Exercise Do Not Lead to Detrimental 24-Hour Blood Glucose Profiles.

Diabetes Care, 104, 111-11710.2337/dc16-2584 [di akses 19 Agustus 2020].

Siebolds, M., Gaedeke, O., Schwedes, U., & SMBG Study Group (2006). Self-monitoring of blood glucose--psychological aspects relevant to changes in HbA1c in type 2 diabetic patients treated with diet or diet plus oral antidiabetic medication. *Patient education and counseling*, 62(1), 104–110. <https://doi.org/10.1016/j.pec.2005.06.013>

Smeltzer, S.C., Bare, B.G., Hinkle, J.L., & Cheever, K.H. (2010). Brunner & Suddarth's: Textbook Of Medical-Surgical Nursing (12th Ed.). Philadelphia: Lippincott Williams & Wilkins.

Tandra, Hans. (2013). *Life Health with Diabetes*. Jakarta: Gramedia Pustaka Utama

The Johns Hopkins. (2018). Self-monitoring of blood glucose. *Article* : <https://hopkinsdiabetesinfo.org/self-monitoring-of-blood-glucose/> (Di akses 21 september 2020)

Thomas, Diaz, Alicia M., ed. (2017). "Continuous Glucose Monitoring". *Hormone Health Network*. Endocrine Society.

Toobert, D. J., Hampson, S. H., Glasgow, R. E., (2000). The Summary of Diabetes Self-Care Activities Measure. *Diabetes Care*. Vol. 23. No. 7

Tucker, M.E., (2018). Medicare Coverage for Continuous Glucose Monitors. *Article*: <http://www.diabetesforecast.org/2018/02-mar-apr/medicare-coverage-for.html> (Di akses 21 September 2020)

Unit Kerja Koordinasi Endokrinologi Ikatan Dokter Anak Indonesia [UKKE IDAI]. 2017. *Diagnosis dan Tata Laksana Diabetes Melitus Tipe-1 pada Anak dan Remaja*. Badan Penerbit Ikatan Dokter Anak Indonesia

Usher-Smith JA, T. M., Zhu H, Sharp SJ, Walter FM. (2015). *The pathway to diagnosis of type 1 diabetes in children: A questionnaire study*. *BMJ Open Diabetes Research & Care*, 5:1-10.

van Beers, C. A., *et al.* (2016). Continuous glucose monitoring for patients with type 1 diabetes and impaired awareness of hypoglycaemia (IN CONTROL): a randomised, open-label, crossover trial. *Lancet Diabetes Endocrinol*, 4, 893-90210.1016/s2213-8587(16)30193-0 [di akses 19 Agustus 2020].

Wilkinson, M. Judith. (2004). *Buku Saku Diagnosa Keperawatan dengan Intervensi NIC dan Kriteria Hasil NOC*. Jakarta: ECG

World Health Organization. (2014). *National Diabetes Statistics Report*. France. <http://www.who.int/diabetes/data/statistics/2014statisticsreport.html> [di akses 19 Agustus 2020].