

## DAFTAR PUSTAKA

- Atikah,M,V & Jaya,P. (2015). *Buku Ajar Kebidanan Pada Neonatus, Bayi, dan Balita*. Jakarta. CV.Trans Info Media
- Babaei, Homa., Vakiliamini, Mazyar. (2018). Effect of Massage Therapy on Transcutaneous Bilirubin Level in Healthy Term Neonates: Randomized Controlled Clinical Trial. *IJN Iranian Journal of Neonatology*, <http://ijn.mums.ac.ir>
- Bhutani VK, Wong RJ, Stevenson DK. (2016). Hyperbilirubinemia in preterm neonates. *Clin Perinatol*. 2016; 43(2):201-218
- Bolajoko, O., et al. (2018). The Contribution of Neonatal Jaundice to Global Child Mortality: Findings from the GBD 2016 Study. *Pediatrics February 2018*, 141 (2) e20171471; DOI: <http://doi.org/1542/peds.2017-1471>
- Bulecheck, Gloria M., Butcher, Howard K., Dochterman, Joanne M., Wagner, Cheryl M. (2017). *Nursing Interventions Classification (NIC)*, 6<sup>th</sup> edition. Elsevier
- Çavuşoğlu H. (2015). *Çocuk Sağlığı Hemşireliği [Child and Disease Nursing]*. Ankara: Sistem Publication 238–243.
- Chen, J., Sadakata, M., Ishida, M., Sekizuka, N., & Sayama, M. (2011). Baby massage ameliorates neonatal jaundice in full-term newborn infants. *The Tohoku Journal of Experimental Medicine*, 223(2), 97–102.
- Dewi, Kardana, & S. (2016). Efektivitas Fototerapi Terhadap Penurunan Kadar Bilirubin Total pada Hiperbilirubinemia Neonatal di RSUP Sanglah. *Sari Pediatri*, 18(2), 81–86.
- Field T, Diego M, Hernandez-Reif M. (2010). Moderate pressure is essential for massage therapy effects. *Int J Neurosci* 120(05): 381–385
- Herdman, Heather & Kamitsuru, Shigemi. (2018). *NANDA-I Diagnosis Keperawatan Definisi dan Klasifikasi 2018-2020*. Jakarta: EGC
- Hockenberry MJ & Wilson D. (2015). *Wong's Nursing Care Of Infant And Children* (10<sup>th</sup> Edition). Missouri: Mosby Elsevier.
- Indanah., Karyati, S., Yusminah. (2019). Efektifitas Pemberian ASI terhadap Penurunan Kadar Bilirubin. *University Research Colloquium* ;2019
- Irgaç G. (2013). *The influence of mothers' opinions about ba-by bath, who have newborn babies, and their implementations upon social sup-port and state anxiety level*. Master Thesis. Atatürk University. Er-zurum.

- Jamil, Siti Nurhasiyah., Sukma, Febi., Hamidah. (2017). *Buku Ajar Asuhan Kebidanan Pada Neonatus, Bayi, Balita Dan Anak Pra Sekolah*. Jakarta: Fakultas Kedokteran dan Kesehatan Universitas Muhammadiyah Jakarta
- Kianmehr, M., Moslem, A., Moghadam, K. B., Naghavi, M., Noghabi, S. P., & Moghadam, M. B. (2014). The effect of massage on serum bilirubin levels in term neonates with hyperbilirubinemia undergoing phototherapy. *Nautilus*, 128(1), 36–41.
- Kementrian Kesehatan RI. (2019). *Profil Kesehatan Indonesia 2018*. Jakarta: Kemenkes RI
- Korkmaz, G., and Esenay, F. I. (2019). Effects of Massage Therapy on Indirect Hyperbilirubinemia in Newborns Who Receive Phototherapy. Turkey: JOGNN, 2019. <https://doi.org/10.1016/j.jogn.2019.11.004>
- Lei Mengjie, Liu Tingting, Li Yufeng, Liu Yaqian, Meng Lina, Jin Changde (2018), Effect of Massage on Newborn Infants with Jaundice : A meta-analysis, *International Journal of Nursing Sciences*, 5 (2018) 89-97, <http://www.elsevier.com/journals/international-journal-of-nursing-sciences/2352-0132>
- Lin Chien-Heng, Yang Hsiu-Chuan, Cheng Chien-Sheng, Yen Chin-En. (2015). Effects of Infant Massage on Jaundiced Neonates Undergoing Phototherapy. *Italian Journal of Pediatrics*, 41:94, DOI 10.1186/s13052-015-0202-y
- Macnee, CL., McCabe, S. (2011). *Understanding Nursing Research: Using Research in Evidence-Based Practice*. Philadelphia: Williams & Wilkins
- Maharoor MK, Khan SA, Saldanha PR, Mohamed R. (2017). Comparison of light emitting diode and compact fluorescent lamp phototherapy in treatment of neonatal hyperbilirubinemia. *IJPed*. 2017; 4(2):341-345.
- Mahfoz, Faten Fathi Ahmed. (2017). Effect of Infant Massage Oil on Jundiced Neonate Undergoing Phototherapy. *Egyptian Journal of Health Care*, 2017 *EJHC Vol.8 No.4*
- Marnoto, B.S. (2013). *Pemberian Susu Formula pada Bayi Baru Lahir dalam Indonesia Menyusui*. Jakarta: IDAI
- Mathindas, S. Wiliar,R. Wahani,A . (2013). Hiperbilirubinemia Pada Neonatus. *Jurnal Biomedik, Volume 5, Nomor 1, Suplemen*
- Melnyk, B. M., Gallagher-Ford, L., Long, L. E., & Fineout-Overholt, E. (2014). The Establishment of Evidence-Based Practice Competencies for Practicing Registered Nurses and Advanced Practice Nurses in Real World Clinical Settings: Proficiencies to Improve Healthcare Quality , Reliability, Patient Outcomes, and Costs. *Worldviews on Evidence- Based Nursing*, 11 (1), 5-15

- Moorhead, Sue., Johnson, Marion., Maas, Meridean L., Swanson, Elizabeth. (2017). *Nursing Outcomes Classification (NOC), 5<sup>th</sup> edition*. Elsevier
- Parwata, Wayan Sulaksana S., et al. (2019). The characteristic of neonatal hyperbilirubinemia before and after phototherapy at Sanglah Hospital, Denpasar, Bali in 2017. *Intisari Sains Medis* 2019, Volume 10, Number 2: 309-312
- Prasetyono, DS. (2017). *Buku Pintar Pijat Bayi*. Yogyakarta: Buku Biru
- Purnamasari, Ika., Rahayu, Candra Dewi., Nugraheni., Ikhda. (2020). Pengaruh Baby Massage Terhadap Penurunan Kadar Bilirubin. *Jurnal Keperawatan Karya Bhakti* Volume 6, Nomor 1, Januari 2020 Hal 56-66
- Roesli, Utami. (2012). *Pedoman Pijat Bayi*. Jakarta: PT Trubus Agriwidya
- Saragih, Hanna Sriyanti & Hutabarat, Julietta. (2017). Hubungan Inisiasi Menyusu Dini (IMD) Dengan Produksi ASI Pada Ibu Menyusui Di Pustu Penen Wilayah Puskesmas Biru-Biru Kecamatan Biru-Biru Tahun 2017. *Jurnal Ilmiah Pannmed (Pharmacist, Analyst, Nurse, Nutrition, Midwifery, Environment, Dental Hygiene) Vol. 15 No.1 Januari – April 2020*
- Scrafford CG, Mullany LC, Katz J, Khatry SK, LeClerq SC, Darmstadt GL, et al.(2013). Incidence of and risk factors for neonatal jaundice among newborns in southern Nepal. *Trop Med Int Health* 2013;18(11):1317e28.
- Shinde, Sanjay S., Firew, T. (2017). Neonatal jaundice. *Nursing & Care Open Access Journal.*, Volume 2 Issue 5 – 2017.
- Shinha, Sunil., Miall, Lawrence., Jardine, Luke. (2017). *Essential Neonatal Medicine*, 6th Edition. Wiley-Blackwell
- Siska, Y. (2017). *Faktor-faktor yang Berhubungan dengan Hiperbilirubinemia Patologis pada Bayi Baru Lahir di Ruang Perinatologi RSUD Dr. Adnaan WD Payakumbuh Tahun 2016*. Universitas Andalas. Karya Tulis Ilmiah ini tidak diterbitkan.
- Soetjiningsih. (2012). *Tumbuh Kembang Normal pada Anak* Ed. 2. Jakarta: EGC
- Soldi, Antonella., Tonetto, Paola. (2012). Hyperbilirubinemia and management of breastfeeding. [Journal of biological regulators and homeostatic agents](#) 26(3 Suppl):25-9
- Stokowski, L.A. (2011). *Fundamentals of Phototherapy for Neonatal Jaundice*. Virginia: National Association of Neonatal Nurses
- Vivian, N. L. D. (2010). *Asuhan Neonatus Bayi dan Anak*. Jakarta: Salemba Medika.

- WHO. (2015). *Global Health Observatory (GHO) data*. Diperoleh dari [http://www.who.int/gho/child\\_health/mortality/neonatal\\_infant\\_text/en/](http://www.who.int/gho/child_health/mortality/neonatal_infant_text/en/). Diakses Senin, 24 Agustus 2020.
- Woodgate, P., & Jardine, L. A. (2015). Neonatal jaundice: Phototherapy. *BMJ Clinical Evidence*, 5(319), 1–21.
- Yulastri & Nining. (2016). *Keperawatan Anak*. Jakarta: Kemenkes RI
- Yurdakok, M. (2015). Phototherapy in the newborn: what's new? *Journal of Pediatric and Neonatal Individualized Medicine*. 4(2);e040255. DOI: 10.7363/040255
- Walker, Peter. (2011). *Panduan Lengkap Pijat Bayi*. Depok: Puspa Swara
- Widagdo. (2012). *Tatalaksana Masalah Penyakit Anak Dengan Ikterus*. Jakarta. Sagung Seto
- Wong, D.L. (2015). *Buku Ajar Keperawatan Pediatrik, Edisi 2*. Jakarta: EGC

