

DAFTAR PUSTAKA

1. NKDEP. Vascular Access for Hemodialysis. Natl Kidney Dis Educ Progr. US.2014; 1-2
2. Santoro D, Benedetto F, Mondello P, Pipitò N, Barillà D, Spinelli F, et al. Vascular access for hemodialysis: Current perspectives. *Int J Nephrol Renovasc Dis*. 2014;7:281–94.
3. Parisotto MT, Schoder VU, Miriunis C, Grassmann AH, Scatizzi LP, Kaufmann P, et al. Cannulation technique influences arteriovenous fistula and graft survival. *International society of Nephrology*. 2014;86(4):790–7.
4. Schinstock C, Albright R, Williams A, Dillon J, Bergstralh E, Jenson B, et al. Outcomes of Arteriovenous Fistula Creation after the Fistula First Initiative. *Clin J Am Soc Nephrol*. 2011;6:1996–2002.
5. System USRD. USRDS Data Annual Report : ESRD in the United States volume-2. Chapter 4 : Vascular Access. 2015,197-209
6. Macrae JM, Ahmed S, Hemmelgarn B, Sun Y, Martin B, Roifman I, et al. Role of vascular function in predicting arteriovenous fistula outcomes: an observational pilot study. *Canadian journal of Kidney Health and disease*. 2015,2:19
7. Sari NM, Semadi IN, Widiani IGR. Faktor - faktor risiko yang berperan terhadap terjadinya kegagalan arteriovenous fistula pada pasien gagal ginjal kronis stadium akhir di RSUP Sanglah. *DOAJ (Directory of open access Journals)* 2019;50(1):20–6.
8. Yan Y, Å DY, Å LY, Å WY, Zhan D, Zhang L, et al. A meta-analysis of the association between diabetic patients and AVF failure in dialysis. *Renal Failure*. China. 2018;40(1):379–83.
9. Gołębiowski T, Weyde W. Vascular access in diabetic patients . Are these patients “ difficult ”?. *Postępy Hig Med Dosw*. Original article.Poland.2015;913–7.
10. Martinez-Mier G, Camargo-Diaz C, Urbina-Velazquez MA, Avila-Pardo SF. Predictive Factors for Unsuccessful Use of Arteriovenous Fistula in a Population of End-Stage Renal Disease Patients in Southeastern Mexico. *Ann Vasc Surg. Elsevier journals*. 2019;62(August 2019):304–9.
11. Sarioglu O, Capar AE, Belet U. Relationship of arteriovenous fistula stenosis and thrombosis with the platelet–lymphocyte ratio in hemodialysis patients. *Journal of Vascular Access*. 2019; 1-6
12. Lano G, Sallée M, Pelletier M, Bataille S, Fraisse M, Berda-Haddad Y, et al. Mean Platelet Volume Predicts Vascular Access Events in Hemodialysis Patients. *Journal of Clinical Medicine*. 2019;8(5):608.
13. Chang CJ, Ko YS, Ko PJ, Hsu LA, Chen CF, Yang CW, et al. Thrombosed arteriovenous fistula for hemodialysis access is characterized by a marked inflammatory activity. *International Society of Nephrology*. 2005;68(3):1312–9.
14. Pearson JD. Vessel wall interactions regulating thrombosis. *British Medical Bulletin*. 1994;50(4):776–88.
15. Galley HF, Webster NR. Physiology of the endothelium. *British Journal of Anesthesia*. 2004;93(1):105–13.
16. Verma S, Anderson TJ. Fundamentals of endothelial function for the clinical cardiologist. *Circulation. Clinician Update*. Canada. 2002;105(5):546–9.
17. Kaygin MA, Halici U, Aydin A, Dag O, Binici DN, Limandal HK, et al. The relationship between arteriovenous fistula success and inflammation. *Renal Failure. Informa Healthcare*.

- 2013;35(8):1085–8.
18. Siddiqui MA, Ashraff S, Santos D, Rush R, Carline T, Raza Z. Predictive parameters of arteriovenous fistula maturation in patients with end-stage renal disease. *Kidney Res Clin Pract.* 2018;37(3):277–86.
 19. Suwitra K. Penyakit Ginjal Kronik. In: Setiati S, Alwi I, Sudoyo A, Simadibrata M, Setiyohadi B, Syam A, editors. *Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: *INTERNA Publishing*; 2014. p. 2159.
 20. Suhardjono. Hemodialisis; Prinsip Dasar dan Pemakaian Kliniknya. In: Setiati S, Alwi I, Sudoyo A, Simadibrata M, Setiyohadi B, Syam A, editors. *Buku Ajar Ilmu Penyakit Dalam*. 6th ed. Jakarta: *INTERNA Publishing*; 2014. p. 2192–4.
 21. Malovrh M. Native arteriovenous fistula: Preoperative evaluation. *American Journal of Kidney Disease.* 2002;39(6):1218–25.
 22. May E, Himmelfarb J, Yenicesu M, Knights S, Imzler TALP, Schulman G, et al. Predictive measures of vascular access thrombosis: A prospective study. *International Society of Nephrology.* 1997;52:1656–62.
 23. Mendes RR, Farber MA, Marston WA, Dinwiddie LC, Keagy BA, Burnham SJ. Prediction of wrist arteriovenous fistula maturation with preoperative vein mapping with ultrasonography. *Journal of Vascular Surg.* 2002;36(3):460–3.
 24. Foundation NK. 2006 Updates Clinical Practice Guidelines and Recommendations. 2006; 244
 25. A V. Clinical Practice Guidelines for Vascular Access. *American Journal of Kidney Disease.* 2006;48.
 26. Wolowczyk L, Williams AJ, Donovan KL, Gibbons CP. The Snuffbox Arteriovenous Fistula for Vascular Access. *European Journal Vascular of endovascular surgery.* 2000;76:70–6.
 27. Korkut AK, Kosem M. Superficialization of the Basilic Vein Technique in Brachio basilic Arteriovenous Fistula : Surgical Experience of 350 Cases During 4 Years Period. *Ann Vasc Surg.Elsevier.* 2010;24(6):762–7.
 28. Bender M, Bruyninckx C, Gerlag P. The brachiocephalic elbow fistula : A useful alternative angioaccess for permanent hemodialysis. *Journal of Vasc Surg.* 1994;808–13.
 29. Harper G. The Buttonhole Technique of Fistula Access : A Personal Experience. *Home Hemodialysis international.* 1990;41–2.
 30. Konner K. History of vascular access for haemodialysis. *Nephrology Dialysis Transplantation.* 2005;(October):2629–35.
 31. Ball L. Improving arteriovenous fistula cannulation skills. *Nephrol Nurs J.* 2005;32:611–617.
 32. Twardowski Z, Kubara H. Different sites vs. constant sites of needle insertion into arteriovenous fistulas for treatment by repeated dialysis. *Dialysis and Transplantation.* 1979;8:978–980.
 33. Twardowski ZJ. Constant Site (Buttonhole) Method of Needle Insertion for Hemodialysis. *Dialysis and Transplantation.* 2011;(October):441–3.
 34. Toma S, Shinzato T, Fukui H, Nakai S, Miwa M, Takai I, et al. Original Article A timesaving method to create a fixed puncture route for the buttonhole technique. Original Article. *Nephrology Dialysis and Transplantation.* 2003;18:2118–21.
 35. Austin SK. Haemostasis. Med (United Kingdom). Clinical science. *Elsevier.* 2017;45(4):204–8.

36. Setiabudy R. Patofisiologi Trombosis. In: Setiabudy R, editor. Hemostasis dan Trombosis. 3rd ed. Jakarta: Balai Penerbit FKUI; 2007. p. 34–44.
37. Monie DD, DeLoughery EP. Pathogenesis of thrombosis: Cellular and pharmacogenetic contributions. *Cardiovasc Diagn Ther.* 2017;7(Suppl 3):S291–8.
38. Hammes M. Haemodialysis Access: The Fistula. In: Penido M, editor. Technical Problems in Patients on Haemodialysis. InTech; 2011. p. 17-30.
39. Al-jaishi AA. Patency and Complication Rates of the Arteriovenous Fistula: A Systematic Review. The University of Western Ontario. *American Journal of Kidney disease*; 2014. 63(3):64-478.
40. Gh K, Mhs M, Ravari H, Daliri M, Hoseini L, Nateghi M. Primary patency rate of native AV fistula : long term follow up. *Int J Clinl Exp Med.*2012;5(1):173–8.
41. Gheith OA, Kamal MM. Risk Factors of Vascular Access Failure in Patients on Hemodialysis. *Iranian Journal Of Kidney Disease.* 2008;2(4):201–7.
42. Garrancho M, Kirchgessner J, Arranz M, Klinkner G, Ayala JA, Marcelli D. Haemoglobin level and vascular access survival in haemodialysis patients. *Nephrology Dialysis Transplantation.* 2005;(August):2453–7.
43. Creager MA, Lüscher TF, Cosentino F, Beckman JA. Review : Clinical Cardiology : New Frontiers Diabetes and Vascular Disease. *American Heart Association.* 2003;1527–32.
44. Shigematsu H, Yasuhara H. Results of Arteriovenous Fistula Revision in the Forearm. *American Journal Of Surgery.*1997; 174:83-86
45. Roy-Chaudhury P, Sukhatme VP, Cheung AK. Hemodialysis vascular access dysfunction: A cellular and molecular viewpoint. *J Am Soc Nephrol.* 2006;17(4):1112–27.
46. Anderson J M, Blood and Tissue Interactions with human vascular grafts. Annual Meeting of Japanese Society for Artificial Organ. 1985;8:79–85.
47. Badrnya S, Schrottmaier WC, Kral JB, Yaiw KC, Volf I, Schabbauer G, et al. Platelets mediate oxidized low-density lipoprotein-induced monocyte extravasation and foam cell formation. *Arterioscler Thromb Vasc Biol.* 2014;34(3):571–80.
48. Martin J, Trowbridge E, Salmon G, Plumb J. The biological significance of platelet volume: Its relationship to bleeding time, platelet thromboxane B2 production and megakaryocyte nuclear DNA concentration. *Thromb Res.* 1983;32:443–460.
49. Alvarez RH, Kantarjian HM, Cortes JE. Biology of platelet-derived growth factor and its involvement in disease. *Mayo Clin Proc.* 2006;81(9):1241–57.
50. Stracke S, Konner K, Köstlin I, Friedl R, Jehle PM, Hombach V, et al. Increased expression of TGF- β 1 and IGF-I in inflammatory stenotic lesions of hemodialysis fistulas. *Kidney International.* 2002;61(3):1011–9.
51. Elchoufani SE, Ascp MT, Bolin P, Waiien S, Christiano CR, Holbert D, et al. Renal Disease Patients. *Clinial and Applied Thrombosis/Hemostastis.* 2015;399–409.
52. Thompson C, Jakubowski J, Quinn P, Deykin D, Valeri C. Platelet size as a determinant of platelet function. *J Lab Clin Med.* 1983;101:205–213.
53. Niethammer AG, Forman EN. Use of the platelet histogram maximum in evaluating thrombocytopenia. *American Journal of Hematology.*1999;60(1):19–23.
54. Cho A, Choi MJ, Lee YK, Hoon HC, Koo JR, Yoon JW, et al. Effects of aspirin resistance and mean platelet volume on vascular access failure in hemodialysis patients. *Korean J Intern Med.* 2019;34(6):1304–12.
55. Chuang YC, Chen JB, Yang LC, Kuo CY. Significance of platelet activation in vascular access survival of haemodialysis patients. *Nephrol Dial Transplant.* 2003;18(5):947–54.

56. Shin DH, Rhee SY, Jeon HJ, Park JY, Kang SW, Oh J. An increase in mean platelet volume/platelet count ratio is associated with vascular access failure in hemodialysis patients. *PLoS One*. 2017;12(1):1–14.
 57. Turitto V, Weiss H. Red Blood Cells : Their Dual Role in Thrombus Formation. Science. New York. 1980;207:541–3.
 58. Flamm M, Diamond S. Multiscale Systems Biology and Physics of Thrombosis Under Flow. *Ann Biomed Eng. NIH Public Access*. 2012;40(11):2355–64.
 59. Dintenfass L. Physiology. Inbertion of the Fahreus-lindqvist phenomenon in blood flow through capillaries of diminishing radius. Nature Publishing Group. *Nature*. 1967;215:1099–100.
 60. Aarts P, van den Broek S, Prins G. Blood Platelets Are Concentrated near the Wall and Red Blood Cells, in the Center in Flowing Blood. *Arteriosclerosis. Journal of the American Heart Association*. 1988;8:819–24.
 61. Yeh C, Eckstein EC. Transient Lateral Transport of Platelet-Sized Particles in Flowing Blood Suspensions. *Biophys Journal*. 1994;66(5):1706–16.
 62. Goldsmith HL, Bell DN, Braovac S, Steinberg A, McIntosh F. Physical and Chemical Effects of Red Cells in the Shear-induced Aggregation of Human Platelets. *Biophys Journal*. 1995;69(4):1584–95.
 63. Baskurt OK, Yalcin O, Ozdem S, Armstrong JK, Meiselman HJ, Oguz K, et al. Modulation of endothelial nitric oxide synthase expression by red blood cell aggregation. *Am J Physiol Heart Circ Physiol*. 2018;07070:222–9.
 64. Cabot R. Normal Reference Laboratory Values. *National England Journal of Medicine*. 1992;327:718–24.
 65. Cameron JS. Nephrology Dialysis Transplantation European best practice guidelines for the management of anaemia in patients with chronic renal failure. *Nephrol Dial Transplant*. 1999;61–5.
 66. NKF-K/DOQI. Clinical Practice Guidelines For Vascular Access : Update 2000. *Am J Kidney Dis*. 2001(suppl 1):137–81.
 67. Furuland H, Ahlme J, Danielson BG. Original Article A randomized controlled trial of haemoglobin normalization with epoetin alfa in pre-dialysis and dialysis patients. *Nephrol Dial Trasnpant*. 2003;353–61.
 68. Harnett JD, Kent GM, Foley RN, Parfrey PS. Cardiac Function and Hematocrit Level. *American Journal of Kidney Disease*. 1995;25(4).
 69. Pickett JL, Theberge DC, Brown WS, Schweitzer SU, Nissenson AR. Normalizing Hematocrit in Dialysis Patients Improves Brain Function. *American Journal of Kidney Disease*. 1999;33(6):1122–30.
- Zadeh MK, Gholipour F, Hadipour R. The effect of hemoglobin level on arteriovenous fistula survival in Iranian hemodialysis patients. *Journal of Vascular Access*. 2008;133–6.