

## DAFTAR PUSTAKA

- Ariani, Tutu April.(2012). *Sistem Neurobehavior*. Jakarta: Salemba Medika
- Aulina, S . et, al. (2016). *Modul Lemah Separuh Badan*. Sistim Neuropsikiatri  
Fakultas Kedokteran Universitas Hasanudin
- Azarpazhooch MR, Etemadi MM, Donnan GA, Mokhber N, Majdi MR, Ghayour-  
Mobarhan M, et al. Excessive incidence of stroke in Iran evidence from  
the mashhad stroke incidence study (MSIS), a population-based study of  
stroke in the middle east. *Stroke* 2010; 41 (1): e3-e10. doi: 10.1161/STR  
OKEAHA.109.559708.
- Batticaca, F.B. (2012). *Asuhan keperawatan pada klien dengan sistem persarafan  
[Nursing care to clients with the nervous system]*. Jakarta: Salemba  
Medika.
- Bernhardt J, Dewey H, Thrift A, Collier J, Donnan G. A very rehabilitation trial  
for stroke (AVERT): Phase II safety and feasibility. *Stroke* 2016; 39: 390-  
6. doi: 10.1161/ STR OKEA HA. 107.492363
- Black,J.M., & Hawks,J.H., (2013). *Medical surgical nursing clinical management  
for positive outcomes, 8 th Edition*. St Louis Missouri : Elsevier Saunders
- Bohannon RW. Muscle strength and muscle training after stroke. *J Rehabil Med*  
2017; 39 (1): 14-20. doi: 10.2340 /165 01977-0018.
- Bulecheck, dkk. 2013. *Nursing Intervention Classification (NIC) sixth  
edition*.USA: Elseveir

Caplan, R Louis , (2009). *Caplan's Stroke A Clinical Approach Fourth Edition*.

United State of America : Elsevier

Carrer E, Tononi G, Diaschisis: past, present, future. *Brain* 2014; 137 (9): 2408-2422. doi:10.1093/ brain/ awu101.

Dimyan MA, Cohen LG. Neuroplasticity in the context of motor rehabilitation after stroke. *Nat Rev Neurol* 2011; 7 (2): 76-85. doi: 10.1038/nrneuro.2010.200

Eka Rhestifujayani, Emil Huriani, Muharriza. Comparison of Muscle Strength in Stroke Patients between The Given and Not Given Range of Motion Exercise. *Nurse Media Journal of Nursing*, 5 (2), 2015, 88 – 100

Feigin VL, Norrving B, Mensah GA. Global Burden of Stroke. *Circ Res* 2017; 120 (3): 439-48. doi: 10.1161 /CIR CRE SA HA. 116.308413.

Herdman, T.H & Kamitsuru, S.2014.*NANDA International Nursing Diagnoses: Definition and Classification 2015-2017*.Oxford:WileyBlackwell

Hyun Ju Kim, Yaelim Lee, Kyeong-Yae Sohng. Effects of Bilateral Passive Range of Motion Exercise on the Function of Upper Extremities and Activities of Daily Living in Patients with Acute Stroke. *J. Phys. Ther. Sci.* 26: 149–156, 2014

Junaidi, I . (2011). *Stroke Waspadaai Ancamannya*. Yogyakarta : Andi Offset

Kato H, Izumiyama M. Activation of brain sensorimotor network by somatosensory input in patients with hemiparetic stroke: a functional MRI study.1st ed. London: Intech Open; 2013.

Lindberg P, Schmitz C, Forsberg H, Engardt M, Borg J. Effects of passive-active movement training on upper limb motor function and control activation in chronic patients with stroke: a pilot study. *J Rehabil Med* 2012; 36: 117-23. doi: 10.1080/16501970410023434.

Moorhead, dkk. 2013. *Nursing Outcomes Classification (NOC) Fifth edition*. USA: Elsevier

Nas K. et al. 2015. Rehabilitation of spinal cord injuries. *World Journal of Orthopedics*.

National Stroke Association. (2009). *What is stroke?*. Diakses tanggal 21 September 2020 pada <http://www.stroke.org> [Accessed September 21, 2020 at <http://www.stroke.org>

Nudo RJ, Plautz EJ, Frost SB. Role of adaptive plasticity in recovery of function after damage to motor cortex. *Muscle Nerve* 2010; 24 (8):1000-19.

Perry, Peterson dan Potter. 2006. *Buku Saku Keterampilan dan Prosedur Dasar ; Alih bahasa, Didah Rosidah, Monica Ester ; Editor bahasa Indonesia, Monica Ester – Edisi 5*. Jakarta, EGC

Perry, A. G. & Potter, PA. (2008). *Buku ajar keperawatan medikal-bedah brunner & suddarth [Textbooks medical-surgical nursing brunner & suddarth]. Ed. 8 [8th Edition]*. Jakarta: EGC.

Sidra Manzoor, Farjad Afzal, Gulraiz, Qurratulain, Mubashra Khalid, Salik Nadeem, Asima Irshad. Effects of Joints Weight Bearing Exercises Combine with Range of Motion Exercises on Affected Limbs in Patients

with Stroke. *Int J Phys Med Rehabil* 2017, 5:3. DOI: 10.4172/2329-9096.1000410

Smeltzer & Bare.2011.*Keperawatan Medical Bedah*, Edisi 8, Volume 3. Jakarta : EGC

Smeltzer, Suzanne C &Bare,Brenda G. 2001. *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth*.Alih bahasa, Agung Waluyo,dkk.Editor edisi bahasa Indonesia, Monica Ester.Ed.8 Vol. 3. Jakarta : EGC.

Surratun dkk. 2008. *Seri Asuhan Keperawatan Klien Gangguan Sistem Muskuloskeletal*. Jakarta : EGC

Tim Poka SDKI DPP PNI.2017.*Standar Diagnosis Keperawatan Indonesia Defenisi danIndikator Diganostik*.Jakarta:Dewan Pengurus Pusat Persatuan Perawat NasionalIndonesia

Wijaya, Andra.S dan Yessie M. Putri. 2013. *Keperawatan Medikal Bedah (Keperawatan Dewasa)*. Yogyakarta : Nuha Medika

Yu-Chi Huang, MD,Chien-Yi Chuang, MD, Chau-Peng Leong, MD, Ling Wang, PhD, Hsiao-Lan Chen, MD, and Chia-Wei Chiang, MD. Effect of Comprehensive Postural Instructions and Range of Motion Exercises Via Educational Videos on Motor Function and Shoulder Injury in Stroke Patients With Hemiplegia: A Preliminary Study. National University of Health Sciences..

Zahra-Sadat Hosseini, Hamid Peyrovi, Mahmoodreza Gohari. The Effect of Early Passive Range of Motion Exercise on Motor Function of People with

Stroke: a Randomized Controlled Trial. Journal of Caring Sciences 2019; 8

(1): 39-44. doi:10.15171/jcs.2019.006

