

## DAFTAR PUSTAKA

- Aapro, M. (2018). CINV: still troubling patients after all these years. *Supportive Care in Cancer*, 26(1), 5-9.
- Abdel-Razik Sayed, H., & El-Sayed, F. E. Z. K. 2018. Effect of Therapeutic Massage on nausea and vomiting among Children with Leukemia following Chemotherapy.
- Abrams, A. N., Muriel, A. C., & Wiener, L. (Eds.). (2016). *Pediatric psychosocial oncology: Textbook for multidisciplinary care*. Springer International Publishing.
- Abusaad, F. E. S., & Ali, W. G. (2016). Effect of point 6 acupressure on chemotherapy associated nausea and vomiting among adolescents with cancer. *Journal of Nursing Education and Practice*, 6(4), 122.
- Adilistyia, T. (2017). Patofisiologi dan Diagnosis Infiltrasi Leukemia Limfoblastik Akut ke Sistem Saraf Pusat. *YARSI Medical Journal*, 25(2), 115-126.
- Al Qadire, M., & Alkhalaileh, M. (2018). Jordanian oncology nurses' knowledge of managing chemotherapy-induced nausea and vomiting. *British Journal of Nursing*, 27(10), S4-S12.
- Amer, R. S. R. M., Hamad, M. M., & El-Sayed, R. E. S. H. (2020). The Effect of Applying a Progressive Muscle Relaxation Technique on Nausea and Vomiting Induced by Chemotherapy among Leukemic Children. *American Journal of Nursing Research*, 8(3), 331-343.
- ATTIA, A. A., HANAA, G. M., KHALED, W. Z., & HEWIDA, A. H. (2018). Effect of Acupressure on Frequency and Severity of Nausea and Vomiting among Leukemic Children Undergoing Chemotherapy. *The Medical Journal of Cairo University*, 86(June), 1465-1473.
- Avcı, H. S., Ovayolu, N., & Ovayolu, Ö. (2016). Effect of acupressure on nausea-vomiting in patients with acute myeloblastic leukemia. *Holistic nursing practice*, 30(5), 257-262.
- Ballestas,H,C & Caico,C .(2014). *Pathophysiology of Nursing Demtsfit*. New York: McGraw Hill
- Behrman, Kliegman, & Arvin. (2012). *Nelson Textbook of Pediatric* 15<sup>th</sup> Edition.Jakarta: EGC

Bulechek, G et al. (2013). *Nursing Intervention Classification (NIC) 6th edition*, Editor Bahasa Indonesia Intansari Nurjannah. Singapore: Elsevier

Cheng, L., Wang, L., He, M., Feng, S., Zhu, Y., & Rodgers, C. (2018). Perspectives of children, family caregivers, and health professionals about pediatric oncology symptoms: a systematic review. *Supportive Care in Cancer*, 26(9), 2957-2971.

Dadkhah, B., Anisi, E., Mozaffari, N., Amani, F., & Pourghasemian, M. (2019). Effect of music therapy with periorbital massage on chemotherapy-induced nausea and vomiting in gastrointestinal cancer: a randomized controlled trial. *Journal of Caring Sciences*, 8(3), 165.

Ervina, L., & Ayubi, D. (2018). Peran kepercayaan terhadap penggunaan pengobatan tradisional pada penderita hipertensi di Kota Bengkulu. *Perilaku dan Promosi Kesehatan*, 1(1), 1-9.

Evans, A., Vingelen, M. B., Yu, C., Baird, J., Murray, P., & Bryant, P. (2020). Nausea in Numbers: Electronic Medical Record Nausea and Vomiting Assessment for Children With Cancer. *Journal of Pediatric Oncology Nursing*, 37(3), 195-203.

Ghezelbash, S., & Khosravi, M. (2017). Acupressure for nausea-vomiting and fatigue management in acute lymphoblastic leukemia children. *Journal of Nursing and Midwifery Sciences*, 4(3), 75.

Herdman, H., Kamitsuru, S. (2018). *NANDA-I Diagnosis Keperawatan: Defenisi dan Klasifikasi 2018-2020*. Alih Bahasa Indonesia Budi Anna Keliat. Jakarta: EGC

Ismuhu, S. R., Rakhamawati, W., & Fitri, S. Y. R. (2020). Akupresur: Alternatif Mengurangi Mual dan Muntah Akibat Kemoterapi Literature Review. *Journal of Nursing Care*, 3(3).

Kementerian Kesehatan Republik Indonesia. 2016. *Kendalikan Kanker Pada Anak*. Diakses pada tanggal 30 september 2020. <https://www.kemkes.go.id/article/view/16021600001/kendalikan-kanker-pada-anak.html>

Kirizawa, J. M., Garner, D. M., & Valenti, V. E. (2020). Impact of respiratory physical therapy on heart rate autonomic control in children with leukemia. *Supportive Care in Cancer*, 1-12.

Kulsum, D. U., Mediani, H. S., & Bangun, A. V. (2017). Pengaruh Swedish Massage Therapy terhadap Tingkat Kualitas Hidup Penderita Leukemia Usia Sekolah. *Jurnal Keperawatan Padjadjaran*, 5(2).

Leukemia & Lymphoma Society. (2020). *Fact and Statistic*. Diakses pada tanggal 30 september 2020. <https://www.lls.org/facts-and-statistics/facts-and-statistics-overview/facts-and-statistics#:~:text=An%20estimated%20combined%20total%20of,in%20the%20US%20in%202020>.

Marcdante,K.J., Kliegman,R.M., Jenson, H, B., Behrman,R, E. (2011). *Nelson Essential of Pediatric*. 6th edition. USA: Elsevier.

May, M. (2019). Chemotherapy-induced Nausea and Vomiting: Recent Advances in Preventative Pharmacotherapy. *Pharmacotherapy*.

Miladinia, M., Lamoochi, Z., Lamoochi, P., Zarea, K., & Shayesteh Fard, M. (2017). Complementary and alternative medicine in the pediatrics with leukemia: a narrative review study. *International Journal of Pediatrics*, 5(1), 4175-4183.

Moradian, S., Walshe, C., Shahidsales, S., Nasiri, M. R. G., Pilling, M., & Molassiotis, A. (2015). Nevasive audio program for the prevention of chemotherapy induced nausea and vomiting: A feasibility study using a randomized controlled trial design. *European journal of oncology nursing*, 19(3), 282-291.

Moorhead, S et al. (2013). *Nursing Outcomes Classification (NOC) 5th edition*, Editor bahasa Indonesia Intansari Nurjannah. Singapore, Elsevier

Mustian, K. M., Devine, K., Ryan, J. L., Janelsins, M. C., Sprod, L. K., Peppone, L. J., ... & Morrow, G. R. (2011). Treatment of nausea and vomiting during chemotherapy. *US oncology & hematology*, 7(2), 91.

Natale, J. J. (2018). Overview of the prevention and management of CINV. *The American journal of managed care*, 24(18 Suppl), S391-S397.

National Cancer Institute. (2018). *Cancer in Children and Adolescents*. <https://www.cancer.gov/types/childhood-cancers/child-adolescent-cancers-fact-sheet>

Octaviani, L., & Wirawati, M. K. (2018). Relaksasi Otot Progresif Terhadap Penurunan Intensitas Mual Muntah Pasien Kanker Dengan Kemoterapi. *Jurnal Manajemen Asuhan Keperawatan*, 2(1), 14-21.

Oncology Nursing Society. (2018). *Chemotherapy-Induced Nausea And Vomiting*.  
<https://www.ons.org/practice-resources/pep/chemotherapy-induced-nausea-and-vomiting>

Rajendran, S., Ruthrani Princely, J., Kanchana, S., & Celina, D. (2016). Effectiveness of Swedish Massage on the Level of Chemotherapy Induced Nausea and Vomiting (CINV) among Children with Cancer at a Selected Hospital in North India.

Ruggiero, A., Rizzo, D., Catalano, M., Coccia, P., Triarico, S., & Attiná, G. (2018). Acute chemotherapy-induced nausea and vomiting in children with cancer: Still waiting for a common consensus on treatment. *Journal of International Medical Research*, 46(6), 2149-2156

Rumastika, N. S. (2016). Terapi mual muntah pasca Kemoterapi. *Jurnal THT - KI* Vol.9, No.2, hlm. 74 - 83

Sadat Hoseini, A. S. (2009). Effect of music therapy on chemotherapy nausea and vomiting in children with malignancy. *Journal of hayat*, 15(2), 5-14.

Saneei Totmaj, A., Emamat, H., Jarrahi, F., & Zarrati, M. (2019). The effect of ginger (*Zingiber officinale*) on chemotherapy-induced nausea and vomiting in breast cancer patients: A systematic literature review of randomized controlled trials. *Phytotherapy Research*, 33(8), 1957-1965.

Setyowati, S., Rakhmawati, A., Sumarsih, S., & Wigatiningsih, M. I. (2019). Efektivitas Slow Stroke Back Massage Dengan Minyak Aromaterapi Lavender Terhadap Penurunan Nyeri Penderita Kanker Serviks. *Medica Hospitalia: Journal of Clinical Medicine*, 6(1), 35-39.

Sherani, F., Boston, C., & MBA, N. (2019). Latest update on prevention of acute chemotherapy-induced nausea and vomiting in pediatric cancer patients. *Current oncology reports*, 21(10), 89.

Syarif, H., Nurachmah, E., & Gayatri, D. (2011). Terapi Akupresur dapat menurunkan keluhan mual muntah akut akibat kemoterapi pada pasien kanker: Randomized Clinical Trial. *Jurnal Keperawatan Indonesia*, 14(2), 133-140.

Thamlikitkul, L., Srimuninnimit, V., Akewanlop, C., Ithimakin, S., Techawathanawanna, S., Korphaisarn, K., ... & Soparattanapaisarn, N. (2017). Efficacy of ginger for prophylaxis of chemotherapy-induced nausea and vomiting in breast cancer patients receiving adriamycin-

cyclophosphamide regimen: a randomized, double-blind, placebo-controlled, crossover study. *Supportive Care in Cancer*, 25(2), 459-464.

World Health Organization. (2018). *Cancer*. diakses pada tanggal 30 september 2020. [https://www.who.int/health-topics/cancer#tab=tab\\_1](https://www.who.int/health-topics/cancer#tab=tab_1)

World Cancer Research Fund. (2018). Worldwide Cancer Data. diakses pada tanggal 30 september 2020. <https://www.wcrf.org/dietandcancer/cancer-trends/worldwide-cancer-data>

Wong,D.L., Hockenberry-eaton,M., Wilson, B., Winkelstein,M.J., & Schwartz,P. (2009). *Wong's Essentials of Pediatric Nursing*. (terj. Wong buku ajar keperawatan pediatrik. Oleh : Juniarti, N., & Kuncara, H.Y). Jakarta: EGC.

Wong,D.L. (2012). *Wong and Whaley's Clinical Manual od Pediatric Nursing*. Ed/4. (terj. Pedoman Klinis Keperawatan Pediatrik. Ed/4. Oleh : Ester,M & Kumianingsih,S). Jakarta: EGC.

Yarbro, H.C., Wujcik, D., Gobel, B.H. (2011). *Cancer Nursing Principle and Practice*.seventh edition. USA : LLC.

Yousef, Y. E. S., Zaki, N. A. E., & Sayed, A. (2019). Efficacy of acupressure on nausea and vomiting among children with leukemia following chemotherapy. *Journal of Nursing Education and Practice*, 9(1).

Yuliar, T. P., Susanah, S., & Nurhidayah, I. (2019). Effect of Nei Guan Acupressure Point as Adjuvant Therapy on Highly Emetogenic Chemotherapy-Induced Nausea-Vomiting in School-Age Children with Cancer. *Jurnal Keperawatan Padjadjaran*, 7(1).

Zwaanswijk, M., Tates, K., Dulmen, S.V., et al. 2010. Communicating with child patients in pediatric oncology consultations: A vignette study on child patients', parents', and survivors' communication preferences. *Psycho-Oncology*, 20: 269-277. DOI:10.1002/pon.2721  
http://dx.doi.org/10.1002/pon.2721