

DAFTAR PUSTAKA

1. World Health Organization. Cancer [Internet]. 2018 [cited 2020 Jan 22]. Available from: <https://www.who.int/news-room/fact-sheets/detail/cancer>
2. Russo MM, Sundaramurthi T. An Overview of Cancer Pain: Epidemiology and Pathophysiology. Seminars in Oncology Nursing. 2019;35:223–8.
3. Kementerian Kesehatan RI. Hari Kanker Sedunia 2019. Kamis, 31 Januari [Internet]. 2019;Rilis Berita. Available from: <http://www.depkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>.
4. Fachreza Erdi Pratama RFN. Review: Senyawa Aktif Antikanker Dari Bahan Alam Dan Aktivitasnya. Farmaka. 2013;4:1–15.
5. Edrada RA, Wray V, Handayani D, Schupp P, Balbin-Oliveros M, Proksch P. Structure-activity relationships of bioactive metabolites from some Indo-Pacific marine invertebrates. Studies in Natural Product Chemistry. 2000;21(PART B):251–92.
6. El-Gamal AA, Al-Massarani SM, Shaala LA, Alahdald AM, Al-Said MS, Ashour AE, et al. Cytotoxic compounds from the Saudi red sea sponge *xestospongia testudinaria*. Marine Drugs. 2016;14(5):1–9.
7. Abou-Hussein DR, Youssef DTA. Mirabolides A and B; new cytotoxic glycerides from the Red Sea sponge *Theonella mirabilis*. Marine Drugs. 2016;14(8).
8. Zhang H, Zhao Z, Wang H. Cytotoxic natural products from marine sponge-derived microorganisms. Marine Drugs. 2017;15(3).
9. Handayani D, Artasasta MUHADE, Safirna N, Ayuni DF, Tallei TE, Hertiani T. Fungal isolates from marine sponge *Chelonaplysilla* sp .: Diversity , antimicrobial and cytotoxic activities. Biodiversitas. 2020;21(5):1954–60.

- 
10. Wijaya CA, Muchtaridi M. Pengobatan Kanker Melalui Metode Gen Terapi. Farmaka. 2017;15(1):53–68
11. Al-Dimassi S, Abou-Antoun T, El-Sibai M. Cancer cell resistance mechanisms: A mini review. Clinical and Translation Oncology. 2014;16(6):511–6.
12. Jain MR, Bandyopadhyay D, Sundar R. Scientific and Regulatory Considerations in the Development of in Vitro Techniques for Toxicology. In Vitro Toxicology. Elsevier Inc.; 2018. 165–185 p.
13. Lindholm P. Cytotoxic Compounds of Plant Origin – Biological and Chemical Diversity. [Uppsala]: Uppsala University; 2005.
14. McGaw LJ, Elgorashi EE, Eloff JN. Cytotoxicity of African Medicinal Plants Against Normal Animal and Human Cells. Toxicological Survey of African Medicinal Plants. Elsevier Inc.; 2014. 181–233 p.
15. Jeon YJ, Sim CJ. A new species of the genus chelonaplysilla (demospongiae: Dendroceratida: Darwinellidae) from korea. Animal Cells Syst (Seoul). 2008;12(4):245–8.
16. Yeh Y-Y, Liu L. Recent Advances on the Nutritional Effects Associated with the Use of Garlic as a Supplement. The Journal of Nutrition. 2001;131(3):989s-993s.
17. UniProt. Chelonaplysilla sp. GW3185 [Internet]. 2002 [cited 2020 Feb 16]. Available from: <https://www.uniprot.org/taxonomy/1820658>
18. Bobzin, Steven C; Faulkner DJ. Aromatic Alkaloids from the Marine Sponge Chelonaplysilla sp. Journal of Organic Chemistry. 1991;56(1):4403–7.
19. Van Soest RWM. Marine sponges Curaçao and other Caribbean localities. Part I. Keratosa. Stud Fauna Curaçao other Caribb Islands. 1978;56:1–94.
20. Bergquist PR, de Cook SC. Family Darwinellidae Merejkowsky, 1879. Systema Porifera. 2002;1068–71.
21. Mycobank. Aspergillus oryzae [Internet]. 1884 [cited 2020 Feb 16]. Available from:

<http://www.mycobank.org/Biolomics.aspx?Table=Mycobank&Rec=46515&Fields>All>

22. Gomi K. *Aspergillus oryzae*. Second Edi. Vol. 1, Encyclopedia of Food Microbiology. Elsevier; 2014. 92–96 p.
23. Gugnani HC. ECOLOGY AND TAXONOMY OF PHATOGENIC ASPERGILLI. *Front Biosci*. 2003;1–14.
24. Siddiquee S. Recent Advancements on the Role of Biologically Active Secondary Metabolites from Aspergillus. New and Future Developments in Microbial Biotechnology and Bioengineering. Elsevier B.V.; 2018. 69–94 p.
25. Varga J, Frisvad JC, Samson RA. Two new aflatoxin producing species, and an overview of *Aspergillus* section Flavi. *Studies in Mycology*. 2011;69:57–80.
26. Albin RL. Basal ganglia neurotoxins. *Neurologic Clinics*. 2000;18(3):665–80.
27. Bentley R. From miso, saké and shoyu to cosmetics: A century of science for kojic acid. *Nat Prod Rep*. 2006;23(6):1046–62.
28. Seshime Y, Juvvadi PR, Kitamoto K, Ebizuka Y, Nonaka T, Fujii I. *Aspergillus oryzae* type III polyketide synthase CsyA is involved in the biosynthesis of 3,5-dihydroxybenzoic acid. *Bioorganic Med Chem Lett*. 2010;20(16):4785–8.
29. Seshime Y, Juvvadi PR, Kitamoto K, Ebizuka Y, Fujii I. Identification of csypyrone B1 as the novel product of *Aspergillus oryzae* type III polyketide synthase CsyB. *Bioorganic Med Chem*. 2010;18(12):4542–6.
30. Anke H, Brossn M, Steffan B, Viandenn R, Steglich W. ASPERFURAN A NOVEL ANTIFUNGAL METABOLITE FROM *Aspergillus oryzae*. *J Antibiot (Tokyo)*. 1990;(June):648–54.
31. Iizuka H, Iida M. Maltoryzine, a New Toxic Metabolite produced by a Strain of *Aspergillus oryzae* var. *microsporus* isolated from the Poisonous Malt Sprout. *Nat Int J Sci*. 1962;196:1048–50.

32. Qiao MF, Ji NY, Liu XH, Li K, Zhu QM, Xue QZ. Indoloditerpenes from an algicolous isolate of *Aspergillus oryzae*. *Bioorganic Med Chem Lett.* 2010;20(19):5677–80.
33. Ren R, Chen CJ, Hu SS, Ge HM, Zhu WY, Tan RX, et al. Drimane sesquiterpenoids from the *aspergillus oryzae* QXPC-4. *Chem Biodivers.* 2015;12(3):371–9.
34. Shaaban M, El-Metwally MM, Nasr H. A new diketopiperazine alkaloid from *Aspergillus oryzae*. *Nat Prod Res.* 2014;28(2):86–94.
35. Mukhriani. Esktraksi Pemisahan Senyawa dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan.* 2014;VII(2):361–7.
36. Pandey A, Tripathi S, Pandey CA. Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy Phytochemistry JPP.* 2014;115(25):115–9.
37. Nn A. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Medicinal & Aromatic Plants.* 2015;04(03):3–8.
38. Tradit AJ, Altern C, Sasidharan S, Chen Y, Saravanan D, Sundram KM, et al. EXTRACTION, ISOLATION AND CHARACTERIZATION OF BIOACTIVE COMPOUNDS FROM PLANTS' EXTRACTS. *Lectures Notes in Mathematic.* 2007;1902:121–30.
39. Handa SS, Khanuja SPS, Longo G, Rakesh DD. Extraction Technologies for Medicinal and Aromatic Plants. Trieste: United Nations Industrial Development Organization and the International Centre for Science and High Technology; 2008.
40. Zhang QW, Lin LG, Ye WC. Techniques for extraction and isolation of natural products : a comprehensive review. *Chinese Medicine.* 2018;1–26.
41. Dalimunthe CI, Sembiring YRVMA, Siregar TH, Darwis HS, Barus DA. Identifikasi Dan Uji Metabolit Sekunder Bangun-Bangun (*Coleus Amboinicus*) Terhadap Penyakit Jamur Akar Putih (*Rigidoporus*

- Microporus) Di Laboratorium. Jurnal Penelitian Karet. 2016;34(2):189–200.
42. Jeda L, Nuñez OM, Mylene U. Brine Shrimp (*Artemia salina*) Bioassay of the medicinal plant *Pseudelephantopus spicatus* from Iligan City , Philippines. International Research Journal of Biological Science. 2014;3(9):2278–3202.
43. Sarah QS, Anny FC, Misbahuddin M. Brine shrimp lethality assay. Bangladesh Journal of Pharmacology. 2017;12(2):186–9.
44. Dumitrescu M. Artemia salina. Balneo Research Journal. 2011;2(4):119–22.
45. Puspitasari E. Uji Toksisitas dengan Menggunakan Metode Brine Shrimp Lethality Test (Bslt) Pada Ekstrak Mangrove (Avicennia Marina, Rhizophora Mucronata, Sonneratia Alba dan Xylocarpus Granatum) yang Berasal dari Banyuasin, Sumatera Selatan. Jurnal Biologi Tropis. 2018;18(1):91–103.
46. Randhawa MA. Calculation of LD50 values from the method of Miller and Tainter, 1944. Journal of Ayub Medical College Abbottabad. 2009;21(3):184–5.
47. Meyer BN, Ferrigni NR, Putnam JE. Brine shrimp: A convenient general bioassay for active plant constituents. Planta Medica. 1982;45(1):31–4.
48. Rizalina H, Cahyono E, Mursiti S, Nurcahyo B. Optimasi Penentuan Kadar Metanol dalam Darah Menggunakan Gas Chromatography. Indonesian Journal of Chemical Science. 2018;7(3):254–61.
49. Smith I, Ersler RS. Introduction To Paper and Thin-Layer Chromatography. Fourth Edi. Paper and Thin Layer Chromatography. IVOR SMITH; 1976. 5–11 p.
50. Poole CF, Poole SK. Thin–Layer Chromatography. Chromatography Today. 1991. 649–734 p.
51. Miyamoto T. Thin Layer Chromatography. Vol. 23, Kobunshi. 1974. 378-383, 388 p.

52. Chakravarti B, Mallik B, Chakravarti DN. Column chromatography. Current Protocol in Essential Laboratory Techniques. 2016;2016(November):6.2.1-6.2.15.
53. Kondeti RR, Mulpuri KS, Meruga B. Advancements in column chromatography : A review. World Journal of Pharmaceutical Science. 2014;2(9):1375–83.
54. Bhusal R, Nahar D, Dalvi P. Review on: Flash column chromatographhy. Indo American Journal of Pharmaceutical Research. 2017;7(01):7353–8.
55. D.Skoog, D. West, F.J.Holler SRC. Analytical Chemistry 9th Edition. Brooks/Cole Cengage Learning. 2014. 691–714 p.
56. Dachriyanus. ANALISIS STRUKTUR SENYAWA ORGANIK SECARA SPEKTROSKOPI. PADANG: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas; 2004.
57. Yuniarty T, Rosanty A. Pemanfaatan Sari Pati Buah Sukun (*Artocarpus atlitis*) Sebagai Alternatif Media Pertumbuhan *Aspergillus niger*. Biog J Ilm Biol. 2017;5(2):117–21.
58. Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. Nat Protoc. 2010;5(3):479–90.
59. VanderMolen KM, Raja HA, El-Elimat T, Oberlies NH. Evaluation of culture media for the production of secondary metabolites in a natural products screening program. AMB Express. 2013;3:1–7.
60. Harborne JB. Phytochemical Methods. Chapman and Hall. New York: Chapman and Hall; 1980.
61. Zhang B, Zhu J, Liu H, Shi P, Wu W, Wang F, et al. Rapid synthesis of hexagonal mesoporous structured NiCo₂O₄ via rotary evaporation for high performance supercapacitors. Ceram Int. 2018;44(7):8695–9.
62. Widianti W. Antioksidan dan sitotoksitas ekstrak buah ceremai (*Phyllanthus acidus* L.). INSTITUT PERTANIAN BOGOR; 2012.

63. R. Hamidi M, Jovanova B, Kadifkova Panovska T. Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina L.*) model. *Maced Pharm Bull*. 2014;60(01):9–18.
64. Capriotti K, Capriotti JA. Dimethyl sulfoxide: History, chemistry, and clinical utility in dermatology. *J Clin Aesthet Dermatol*. 2012;5(9):24–6.
65. Suryelita, Atika SB, Kurnia NS. ISOLASI DAN KARAKTERISASI SENYAWA STEROID DARI DAUN CEMARA NATAL (*Cupressus funebis Endl.*). *EKSAKTA*. 2017;18(April):823–4.
66. Azis S. Senyawa Alam Metabolit Sekunder: Teori, Konsep, dan Teknik Pemurnian. Yogyakarta: Deepublish Publiser; 2014.
67. Pooja S, Gm V. Phytochemical screening for secondary metabolites of *Opuntia dillenii* Haw. *J Med Plants Stud JMPS*. 2016;39(45):39–43.
68. Lestyo W. Kromatografi Lapis Tipis. PT. Taman Kampus Presindo, Jember. 2011. 20–26 p.
69. Silverstein RM, Webster FX, Kiemle DJ. Silverstein - Spectrometric Identification of Organic Compounds 7th ed.pdf. United State of America: John Wiley & Sons Inc.; 2005.
70. Endarini LH, Sadjati IM. Farmakognosi dan Fitokimia. Vol. 215, Kemenkes RI. 2016.
71. Basu S, Sinhababu A. Detection of amino acids on tlc plates with modified ninhydrin reagent. *J Indian Chem Soc*. 2014;91(1):159–62.
72. Anderson JE, Goetz CM, McLaughlin JL, Suffness M. A blind comparison of simple bench-top bioassays and human tumour cell cytotoxicities as antitumor prescreens. *Phytochem Anal*. 1991;2(3):107–11.
73. Thoppil RJ, Bishayee A. Terpenoids as potential chemopreventive and therapeutic agents in liver cancer. *World J Hepatol*. 2011;3(9):228–49.