

DAFTAR PUSTAKA

1. Harahap RF. *Korelasi Kadar Estradiol Dengan Kadar Monocyte Chemotactic Protein-1 (MCP-1) Pada Urin Wanita Menopause Dengan Overactive Bladder (Tesis)*. Medan: Universitas Sumatera Utara; 2019.
2. Rhomadhon R. *Hubungan Antara Nilai Overactive Bladder Symptom Score (OABSS) Dengan Stres, Depresi, Dan Kecemasan Pada Mahasiswa/Wi Preklinik Program Studi Kedokteran (PSKed) Yang Menderita Overactive Bladder (OAB) (Skripsi)*. Jakarta: Universitas Islam Negeri Syarif Hidayatullah; 2018.
3. Utama BI, Widayat, Arwan B. The Incidence of Overactive Bladder (OAB) in KIA Poly Patients at Pauh Health Center in Padang City Using Overactive Bladder Symptoms Score (OABSS). *Andalas Obstet Gynecol J*. 2019;3(2):55-62.
4. Giarenis I, Robinson D, Cardozo L. Overactive Bladder and the b3 -Adrenoceptor Agonists : Current Strategy and Future Prospects. *Drugs*. 2015:1-7.
5. Eapen RS, Radomski SB. Review of the epidemiology of overactive bladder. *Res Reports Urol*. 2016;8:71-76.
6. Truzzi JC, Gomes CM, Bezerra CA, et al. Overactive bladder – 18 years – Part I. *Int Brazilian J Urol*. 2016;42(2):188-198.
7. Abrams P, Cardozo L, Wagg A, Wein A. *Incontinence 6th Edition 2017*. Tokyo: ICS; 2017.
8. Moorthy P, Lapitan MC, Quek PLC, Lim PHC. Prevalence of overactive bladder in Asian men: an epidemiological survey. *BJU Int*. 2004;93:528-531.
9. Purnomo BB. *Dasar-Dasar Urologi*. 3rd ed. Jakarta: CV Sagung Seto; 2015.167-174
10. Ho CC, Yang TC, Fang PL, et al. Prevalence and Risk Factors Associated with Overactive Bladder. *UroToday Int J*. 2012;5:1-11.
11. Tirtayasa PMW, Rahardjo HE. A survey on the management of overactive bladder by Indonesian urologists. *Med J Indones*. 2015;24(2):91-96.
12. Samsu N. *Jurnal Kesehatan Malang*. Vol 3. Malang: RSUD Dr. Saiful ANwar Malang; 2018.
13. Wu P, Chen Y, Zhao J, et al. Urinary Microbiome and Psychological Factors in Women with Overactive Bladder. *Front Cell Infect Microbiol*. 2017;7:1-11.
14. Reynolds WS, Fowke J, Dmochowski R. The Burden of Overactive Bladder on US Public Health. *Curr Bl Dysfunct Rep*. 2016;11:8-13.
15. Dhanu RS. *Hubungan Kadar Brain Derived Neurotrophic Factor (BDNF) Dan Glial Cell Line Derived Neurotrphic Factor (GDNF) Urin Terhadap Derajat Keparahan Overactive Bladder Pada Paramedis Wanita Di RSUP H. Adam Malik Medan (Tesis)*. Medan: Universitas Sumatera Utara; 2019.
16. Goldstein EJC, Tyrrell KL, Citron DM. Lactobacillus Species : Taxonomic Complexity and Controversial Susceptibilities. *Clin Infect Dis*. 2015;60:98-107.

17. Pearce MM, Hilt EE, Rosenfeld AB, et al. The female urinary microbiome: A comparison of women with and without urgency urinary incontinence. *MBio*. 2014;5(4):1-12.
18. Thomas-White K, Brady M, Wolfe AJ, Mueller ER. The Bladder Is Not Sterile: History and Current Discoveries on the Urinary Microbiome. *Curr Bladder Dysfunct Rep*. 2016;11(1):18-24.
19. Aoki Y, Brown HW, Brubaker L, Cornu JN, Daly JO, Cartwright R. Urinary Incontinence in Women. *Primer*. 2017;3:1-20.
20. Sam P, LaGrange CA. *Anatomy, Abdomen Dan Pelvis, Bladder Detrusor Muscle*. (Updated 2018 Nov 13). In: *StatPearls* (<https://www.ncbi.nlm.nih.gov/books/NBK482181/>). Treasure Island (FL): StatPearls; 2020.
21. Drake RL, Vogli W, Mitchell AWM. *Gray's Basic Anatomy*. Philadelphia: Elsevier; 2012.221-223
22. Konety BR, Carroll PR. *Urothelial Carcinoma: Cancers of the Bladder, Ureter & Renal Pelvis*. In: *McAninch, J.W. and Lue, T.F.* 18th ed. USA: Mc Graw-Hill; 2013.
23. Mescher AL. *Histologi Dasar Junqueira: Teks Dan Atlas*. 12th ed. Jakarta: EGC; 2014.335-339
24. Grover S, Srivastava A, Lee R, Tewari AK, Te AE. Role of Inflammation in Bladder Function and Interstitial Cystitis. *Ther Adv Urol*. 2011;3(1):19-33.
25. Hall JE. *Guyton and Hall Textbook of Medical Physiology*. Singapore: Elsevier; 2014.329-333
26. Ouslander JG. Management of Overactive Bladder. *N Engl J Med*. 2004;350(8):786-799.
27. Pickett S, Shobeiri SA. Neuroanatomy of the Female Pelvis. *Princ Pract Urogynaecology*. 2015:17-22.
28. Albright TS, Gehrich AP, Wright J, Davis GD. Neurophysiology of the Pelvic Floor and Neurodiagnostic Evaluation. *J Pelvic Med Surg*. 2004;10(3):123-138.
29. Hegde SS. Muscarinic receptors in the bladder : from basic research to therapeutics. *Br J Pharmacol*. 2006;147:80-87.
30. Fowler CJ, Griffiths D, Groat WC De. The neural control of micturition. *Neuroscience*. 2008;9:453-466.
31. Sherwood L. *Fisiologi Manusia: Dari Sel Ke Sel*. 8th ed. Penerbit Buku Kedokteran: ECG; 2014.538-578
32. Zhu L, Cheng X, Sun J, et al. Association between Menopausal Symptoms and Overactive Bladder : A Cross-Sectional Questionnaire Survey in China. *PLoS One*. 2015:1-13.
33. Hsieh P, Chiu H, Chen K, Chang C, Chou EC. Overactive Bladder. *Toxins (Basel)*. 2016;8(59):1-12.
34. SM A, SS A, SW T. original article Prevalence of overactive bladder syndrome (OABS) among women with gynaecological problems and its risk factors in a tertiary hospital , Negeri Sembilan , Malaysia : Implication for primary healthcare providers. *Malaysian Fam Physician*. 2015;10(2):1-7.
35. Qu HC, Yan S, Zhang XL, Zhu XW, Liu YL, Wang P. Urinary nerve

- growth factor levels could be a biomarker for overactive bladder symptom : a meta-analysis. *Genet Mol Res.* 2014;13(4):8609-8619.
36. Permana UR. *Prevalensi Dan Faktor-Faktor Resiko Overactive Bladder Pada Paramedis Perempuan Di RSUD H.Adam Malik Medan.* Medan: Universitas Sumatera Utara; 2008.
 37. Curtiss AN, Balachandran A, Peppiatt-wildman C, Wildman S. A case controlled study examining the bladder microbiome in women with Overactive Bladder (OAB) and healthy controls . *Eur J Obstet Gynecol.* 2017.
 38. Al-Shaiji TF, Radomski SB. Relationship between Body Mass Index and Overactive Bladder in Women and Correlations with Urodynamic Evaluation. *Int Neurourol J.* 2012;16:126-131.
 39. Chancellor MB, Oefelein MG, Vasavada S. Obesity Is Associated With a More Severe Overactive Bladder Disease State That Is Effectively Treated With Once-Daily Administration of Trosipium Chloride Extended Release. *Neurourol Urodyn.* 2010;29:551-554.
 40. Richter HE, Creasman JM, Myers DL, Wheeler TL, Burgio KL, Subak LL. Urodynamic characterization of obese women with urinary incontinence undergoing a weight loss program : the Program to Reduce Incontinence by Diet and Exercise (PRIDE) trial. *Int Urogynecology JournalJournal.* 2008;19:1653-1658.
 41. Banakhar MA, Al-Shaiji TF, Hassouna MM. Pathophysiology of overactive bladder. *Int Urogynecol J.* 2012;23:975-982.
 42. Perdinan A. *Hubungan Lama Pemakaian Kateter Dengan Kejadian Overactive Bladder Pada Pasien Benign Prostatic Hyperplasia Retensi Pasca Transurethral Resection of the Prostate Di Kota Padang (Skripsi).* Padang: Universitas Andalas; 2019.
 43. Hougaard C, Fraser MO, Chien C, et al. A Positive Modulator of K Ca 2 and K Ca 3 Channels , 4 , 5-Dichloro- Bladder Afferent Firing in Vitro and Bladder Overactivity in Vivo. *J Pharmacol Exp Ther.* 2009;328(1):28-39.
 44. Shioyama R, Aoki Y, Ito H, et al. Long-lasting breaches in the bladder epithelium lead to storage dysfunction with increase in bladder PGE 2 levels in the rat. *Am J J Physiol Regul Integr Comp Physiol.* 2008;295:714-719.
 45. Yoshida M, Masunaga K, Nagata T, Satoji Y, Shiomi M. The Effects of Chronic Hyperlipidemia on Bladder Function in Myocardial Infarction-Prone Watanabe Heritable Hyperlipidemic (WHHLMI) Rabbits. *Neurourol Urodyn.* 2010;29:1350-1354.
 46. Azadzo KM, Radisavljevic ZM, Golabek T, Yalla S V, Siroky MB. Oxidative Modification of Mitochondrial Integrity and Nerve Fiber Density in the Ischemic Overactive Bladder. *J Urol.* 2010;183(1):362-369.
 47. Liu R, Chung M, Lee W, et al. Prevalence of Overactive Bladder and Associated Risk Factors in 1359 Patients With Type 2 Diabetes. *URL.* 2011;78(5):1040-1045.
 48. Hajiha M, Elterman D. Urinary urgency and frequency in a 53-year-old woman. *CMAJ.* 2016;188(1):59-60.
 49. Homma Y, Kakizaki H, Yamaguchi O, et al. Assessment of Overactive Bladder Symptoms: Comparison of 3-Day Bladder Diary and the

- Overactive Bladder Symptoms Score. *Urology*. 2011;77(1):60-64.
50. Krisna DM, Maulana A. Terapi Injeksi Botulinum sebagai Tata Laksana Overactive Bladder. *CDK*. 2018;45(5):343-347.
 51. Gormley EA, Lightner DJ, Burgio KL, et al. Diagnosis and Treatment of Overactive Bladder (Non-Neurogenic) in Adults : AUA / SUFU Guideline. *J Urol*. 2012;188(6):2455-2463.
 52. Tijnagel MJ, Scheepe JR, Blok BFM. Real life persistence rate with antimuscarinic treatment in patients with idiopathic or neurogenic overactive bladder : a prospective cohort study with solifenacin. *BMC Urol*. 2017;17(30):1-5.
 53. Lee K, Seong B. Does Systemic Disease Aggravate the Severity of Dry Mouth by Anticholinergics in Overactive Bladder Patients? *Miscellaneous*. 2017;14(02):3035-3039.
 54. Hariwibowo R, Rahardjo HE. Pilihan Terapi pada Overactive Bladder Refrakter. *eJKI*. 2014;2(3):194-202.
 55. Liao C, Wang C, Jiang Y. Intravesical OnabotulinumtoxinA Injection for Overactive Bladder Patients with Frailty , Medical Comorbidities or Prior Lower Urinary Tract Surgery. *Toxins (Basel)*. 2016;9(91):1-10.
 56. Govender Y, Gabriel I, Minassian V, Fichorova R. The Current Evidence on the Association Between the Urinary Microbiome and Urinary Incontinence in Women. *Front Cell Infect Microbiol*. 2019;9(133):1-10.
 57. Hilt EE, Mckinley K, Pearce MM, et al. Urine Is Not Sterile : Use of Enhanced Urine Culture Techniques To Detect Resident Bacterial Flora in the Adult Female Bladder. *J Clin Microbiol*. 2014;52(3):871-876.
 58. Peyronnet B, Mironska E, Chapple C, et al. A Comprehensive Review of Overactive Bladder Pathophysiology : On the Way to Tailored Treatment. *Eur Urol*. 2019;75:988-1000.
 59. Javan A, Koeveringe GA Van, Vögeli TA, Hajebrahimi S, Rahnema MS. Urinary Microbiome and its Correlation with Functional Disorders of the Genitourinary Tract. *SURE*. 2016:1-2.
 60. Cryan JF, Dinan TG, Bernard C, et al. Mind-altering microorganisms : the impact of the gut microbiota on brain and behaviour of the nineteenth century through the pioneering work! *Neuroscience*. 2012;13:701-712.
 61. Thomas-white KJ, Kliethermes S, Rickey L, et al. Evaluation of the urinary microbiota of women with uncomplicated stress urinary incontinence. *Am J Obstet Gynecol*. 2016;7:1-16.
 62. Pearce MM, Zilliox MJ, Thomas-White KJ, et al. The female urinary microbiota in urgency urinary incontinence. *Am J Obstet Gynecol*. 2015;1:1-10.
 63. Dahlan MS. *Besar Sampel Dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran Dan Kesehatan*. 3rd ed. Jakarta: Salemba Medika; 2010.46-47
 64. Mashhadi R, Taheri D, Mousavibahar SH, et al. Translational Research in Urology Association Of Microbiota And Overactive Bladder : A Mini Literature Review. 2020;1(2):54-59.