

DAFTAR PUSTAKA

1. Muchtar, A., dan Abdullah, N., 2007, Analisis Faktor-Faktor Yang Mempengaruhi Debit Sungai Mamasa, *Jurnal Hutan dan Masyarakat*, Vol. 2, No. 1, hal. 174-187.
2. Setiawan, A., dan Susanto, E., 2019, Penentuan Liku Kalibrasi Debit (Rating Curve) Pada Musim Hujan Di Daerah Aliran Sungai (DAS) Deli, *Jurnal Rekayasa Pertanian dan Biosistem*, Vol. 7, No. 2, hal. 157-165.
3. BNPB, 2012, *Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 2 Tahun 2012 Tentang Pedoman Umum Pengkajian Risiko Bencana*, BNPB, Jakarta.
4. BNPB, 2014, *Rencana Nasional Penanggulangan Bencana 2015-2019*, BNPB, Jakarta.
5. Kolte, G., dan Ghonge, P.A., 2016, An Image Processing Based Raindrop Parameter Estimation, *International Journal Of Engineering trends and Technology (IJETT)*, Vol. 31, No. 2, hal. 73–77.
6. Hudson, N.W., 1981, Instrument for Studies of the Erosive Power of Rainfall, Erosion and Sediment Transport Measurement, *Proceedings of the Florence Symposium International Association of Hydrological Sciences (IAHS)*, hal.383–393.
7. Laws, J.O., dan Parsons, D.A., 1943, The Relation of Raindrop-Size to Intensity, *Journal Transactions American Geophysics Union*, Vol. 24, No. 3, hal. 452-460.
8. Nystuen, J.A., 1999, Relative performance of automatic rain gauges under different rainfall conditions, *Journal of Atmospheric and Oceanic Technology*, Vol. 16, hal. 1025–1043.
9. Liu, X.C., Gao, T.C., dan Liu, L., 2013, A Comparison of Rainfall Measurement from Multiple Instruments, *Atmospheric Measurement Techniques*, Vol. 6, hal. 1585-1595.
10. Martinez, M.A., Begueria, S., Latorre, B., dan Raga, M.F., 2018, Comparison of Precipitation Measurements by OTT Parsivel² and Thies LPM Optical Disdrometers, *Hydrology and Earth System Sciences*, Vol. 22, hal. 2811-2837.
11. Petru, J., dan Kalibova, J., 2018, Measurement and Computation of Kinetic Energy of Simulted Rainfall in Comparison with Natural Rainfall. *Soil & Water Research*, Vol. 13, No.4, hal. 226-233.
12. Havizzullah, Harmadi, dan Marzuki, 2019, Analisis Kecepatan Aliran Air Berbasis Metode Laser Speckle Imaging, *Jurnal Fisika Unand*, Vol. 8, No. 2, hal. 178-183.

13. Awaluddin, Harmadi, dan Marzuki, 2019, Rancang Bangun Sistem Pengukuran Diameter Butiran Air Menggunakan Fotodiode Array dan Transceiver nRF24L01+, *Jurnal Ilmu Fisika (JIF)*, Vol. 11, No. 2, hal. 88-94.
14. Satriadi, Y., Sudiarta, I.W., dan Kurniawidi, D.W., 2020, Permodelan Pengukuran Diameter dan Kecepatan Jatuh Butiran Hujan Menggunakan Alat Spektro Pluviometer, *Indonesia Physics Review*, Vol. 3, No. 1, hal. 1-5.
15. BPBD MUBA, 2012, *Pedoman Penyusunan Sistem Peringatan Dini dan Evakuasi Banjir*, BPBD MUBA, Palembang.
16. Natividad, J.G., dan Krejcar, J.M., 2018, Flood Monitoring and Early Warning System Using Ultrasonic Sensor, *Materials Science and Engineering*, Vol. 35, No. 2, hal. 1-6.
17. Andang, A., Hiron, N., Chobir, A., dan Busaeri, N., 2019, Investigation of Ultrasonic Sensor Type JSN-SR04T Performance as Flood Elevation Detection, *Materials Science and Engineering*, Vol. 50, No. 5, hal. 1-7.
18. Prasetya, A.E., Hanafi, M. H., dan Prastio, B. H., 2018, Rancang Bangun Pengendali Pintu Air Sungai Dengan Menggunakan Logika Fuzzy dan Simple Additive Weighting, *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, Vol. 2, No. 6, hal. 2414-2422.
19. Setyowati, dan Liesnoor, D., 2010, *Buku Ajar Pengelolaan Daerah Aliran Sungai*, CV.Sanggar Krida Aditama, Semarang.
20. Lugal, S., 2008, Pendekatan Pencegahan dan Penanggulangan Banjir, *Jurnal Dinamika Teknik Sipil*, Vol. 8, No. 2, hal. 162-169.
21. Suripin, 2004, *Sistem Drainase Perkotaan yang Berkelanjutan*, Andi, Yogyakarta.
22. Sosrodarsono, S., 2003, *Hidrologi Untuk Perairan*, Pradya Paramita, Jakarta.
23. Tjasyono, B.H.K., 2006, *Ilmu Kebumihan dan Antariksa*, PT. Remaja Rosdakarya dan Program Pascasarjana UPI, Bandung.
24. Aldrian, E.M.K., dan Budiman, 2013, *Adaptasi dan Mitigasi Perubahan Iklim di Indonesia*, Pusat Perubahan Iklim dan Kualitas Udara BMKG, Jakarta.
25. Rahman, M.D., 2017, Rainfall Microphysical Observations Using The High-Speed Optical Disdrometer, *Dissertation*, University of Texas, San Antonio.
26. Marshall, J.S., dan Palmer, W. M., 1948, The Distribution of Raindrops with Size, *Journal of Meteorology*, Vol. 5, No. 1, hal. 165-166.
27. Feingold, G., dan Levin, Z., 1986, The Lognormal Fit to Raindrop Spectra from Frontal Convective Clouds in Israel, *Journal of Climate and Applied Meteorology*, Vol. 25, No. 1, hal. 1346-1363.
28. Mori, M., Aoyama, M., Doi, S., Kanetoshi, A., dan T, Hayashi, 1997, Antifungal Activity Of Bark Extract Of Deciduous Trees, *Holz Als Roh Und Werkstoff*, Vol. 5, No. 5, hal. 130-138.
29. Hahn, D.W., 2009, *Light Scattering Theory*, University of Florida, Florida.

30. Rabal, H.J., dan Braga, R.A., 2009, *Dinamic Laser Speckel and Application*, Taylor & Francis Group, France.
31. Erlangga, A.R., dan Harmadi., 2014, Analisis kontras spekel pada oli mesran SAE 20 W-50 W terhadap perubahan kekentalan dengan variasi temperatur menggunakan LSI, *Jurnal Fisika Unand*, Vol. 3, No. 4, hal. 229-234.
32. Falk, D.S., Brill, R.D., dan Stork, D.G., 1986, *Seeing The Light : Optics in Nature, Photography, Color, Vision, and Holography*, John Wiley & Sons, Inc., New York.
33. Spilhaus, A.F., 1948, Drop Size, Intensity and Radar Echo of Rain, *Journal of Meteorology*, Vol. 5, hal. 161-164.
34. Gunn, R. dan Kinzer, G.D., 1949, The Terminal Velocity of Fall for Water Droplets in Stagnant Air, *Journal of Meteorology*, Vol. 6, hal. 243-248.
35. Atlas, D., Ulbrich, D.W., Marks, F.D, Amitai, E., dan Williams, C.R., 1999, Systematic Variation of Drops Size and Radar-Rainfall Relations, *Journal of Geophysical Research*, Vol. 104, No. D6, hal. 6155-6169.
36. Maitra, A., dan Gibbins, C.J., 1995, Inference of Raindrop Size Distribution from Measurement of Rainfall Rate and Attenuation at Infrared Wavelengths, *Journal of Radio Science*, Vol. 30, No.4, hal. 931 – 941.
37. Sekhon, R.S., dan Srivastava, R.C., 1971, Doppler Radar Observation of Drop-size Distributions in a Thunderstorm, *Journal of the Atmospheric Science*, Vol. 28, No.1, hal. 983-994.
38. Jayawardena, A.W., dan Rezaur, R.B., 2000, Measuring drop size distribution and kinetic energy of rainfall using aforce transducer, *Journal Hydrological Processes*, Vol. 14, hal. 37-49.
39. Dejong, S., 2000, Low Cost Disdrometer, *Masters Thesis*, Delf University of Technology, Netherlands.
40. Bagree, R., 2012, Characterization and Design of a Readout Circuit for a Piezoelectric-based Acoustic Disdromete., *Ph.D. Thesis*, Delft University of Technology, Netherlands.
41. Neal, J.H., dan Baver, L.D., 1937, Measuring the impact of raindrops, *Agron Journal.*, Vol. 29, hal. 708-709.
42. Salmi, A., dan Elomaa, L., 2007, Measurements of the Terminal Velocity and Shape of Falling Raindrops at VaisalaRain Laboratory, *Proceedings of Eighth European Conference on Application of Meteorology (ECAM)*, hal. 55-61.
43. Kinnell, P.I.A., 1976, Some observations on the Joss-Waldvogel rainfall disdrometer, *J. Appl. Meteorol*, Vol. 15, hal. 499-502.
44. Webster, D.K., 1980, *An Investigation into the Use of Microprocessors for the Measurement of Rainfall Intensity*, National College of Agricultural Engineering, UK.

45. Distromet Ltd, 2011, Distromet, www.distromet.com, diakses November 2019.
46. Lanzinger, E., Theel, M., dan Windolph, H, 2006, Rainfall amount and intensity measured by the Thies laser precipitation monitor, In Instruments and Observing Method Report 7, *Proceedings of TECO-2006-WMO Technical Conference on Meteorological and Environmental Instruments and Methods of Observation*, No. 94, hal. 1–9.
47. Thurai, M., Bringi, V.N., dan Petersen, W.A., 2009, Rain microstructure retrievals using 2-D video disdrometer and C-band polarimetric radar, *Adv. Geosci.*, Vol. 20, hal. 13–18.
48. Schönhuber, M., Lammer, G., dan Randeu, W.L., 2007, One decade of imaging precipitation measurement by 2D video distrometer, *Jurnal Advances in Geosciences*, Vol. 10, hal. 85–90.
49. Liu, X.C., Gao, T.C., dan Liu, L., 2014, A video precipitation sensor for imaging and velocimetry of hydrometeors, *Atmos. Meas. Tech.*, Vol. 7, hal. 2037–2046.
50. Nešpor, V., Krajewski, W.F., dan Kruger, A., 2000, Wind-induced error of raindrop size distribution measurement using a two-dimensional video disdrometer, *Journal of Atmospheric and Oceanic Technology*, Vol. 17, hal. 1483–1492.
51. Clima, T., 2007, *Laser Precipitation Monitor Instruction for Use: 5.4110.X0.X00; Software Version 1.04*, Adolf Thies GmbH & Co. KG: Göttingen, Germany.
52. Friedrich, K., Higgins, S., Masters, F.J., dan Lopez, C.R., 2013, Articulating and stationary PARSIVEL disdrometer measurements in conditions with strong winds and heavy rainfall, *Journal of Atmospheric and Oceanic Technology*, Vol. 30, hal. 2063–2080.
53. Löffler-Mang, M., dan Joss, J., 2000, An Optical Disdrometer for Measuring Size and Velocity of Hydrometeors, *Journal of Atmospheric and Oceanic Technology*, Vol. 17, hal. 130-139.
54. Bohren, C. F, and Huffman, D. R., 1983, *Absorption and Scattering of Light by Small Particle*, John Wiley and & Sons, Inc., Kanada.
55. Pikatan, S., 1991, Laser, *Seminar Intern FT. Ubaya*, Universitas Ubaya Surabaya, Indonesia.
56. Hooker dan Simon, 2010, *Laser Physics*, Oxford University, Oxford.
57. Izzara, C., dan Valee, O., 1994, On The Use of CCD Image Sensor in Optics Experiments, *American Journal of Physics*, Vol. 62, No. 4, hal. 3-7.
58. John, 2010, Charge Copule Devive (CCD), <http://www.circuittoday.com>, diakses September 2019.

59. Fraden, J., 2004, *The Hand Book of Modern Sensor*, Thermoscan Inc, California.
60. Taos, 2011, Datasheet Tsl1401cl 128 × 1 Linear Sensor Array With Hold , *Texas Advance Optoelectronik Solution*, Mexico.
61. Qu, S., Tian, Y., Chen, C., dan Ai, L., 2012, A Small Intelligent Car System Based On Fuzzy Control And CCD Camera, *International Journal of Modelling, Identification and Control*. Vol. 15, No. 1, hal. 48-54.
62. Miskon, M.T., Ibrahim, A.S., Rizman, Z.I., dan Ismail, N., 2015, Steering Control Method Based On Tsl1401 Linear Sensor Array, *Journal of Engineering and Applied Sciences*, Vol. 10, No. 1, hal. 351-356.
63. Imam P., 1996, *Fisika 2 Petunjuk Guru*, Balai Pustaka, Jakarta.
64. Halliday, D., dan Resnick, R., 2001, *Fisika*, Jilid 2, (diterjemahkan oleh: Silaban, P.), Erlangga, Jakarta.
65. Pengukuran Tinggi Muka Air, 2011, bsm@iwftc, <http://perhubungan2.wordpress.com/2011/10/20>, diakses April 2020.
66. Nerd, R., 2019, Complete Guide for Ultrasonic Sensor HC-SR04 with Arduino, <https://randomnerdtutorials.com/complete-guide-for-ultrasonic-sensor-hc-sr04/>, diakses September 2019.
67. Katanker, V.K., dan Thankare, V.M., 2010, Short Message Service using SMS Gateway, *International Journal on Computer Science and Engineering (IJCSE)*, Vol. 02, No. 04, hal. 1487-1491.
68. Azhari, R.D., dan Prasetyo, M.T., 2017, Pengendali Motor AC untuk Starting Genset Jarak Jauh Menggunakan Modem Wavecom M1306B Berbasis Mikrokontroler ATMEGA8535, *Media Elektrika*, Vol. 10, No. 1, hal. 1-7.
69. Safrizal, 2017, Rancangan Panel Surya Sebagai Sumber Energi Listrik Pada Gedung Fkults Sains dan Teknologi UNISNU Jepara, *Jurnal DISPROTEK*, Vol. 8, No. 2, hal. 75-81.
70. Datasheet JSN-SR04T, 2019, JSN-SR04T, www.jahankit.ir, diakses Desember 2019.