

DAFTAR PUSTAKA

1. Na LX, Li Y, Pan HZ, Zhou XL, Sun DJ, Meng M, et al. Curcuminoids exert glucose-lowering effect in type 2 diabetes by decreasing serum free fatty acids: A double-blind, placebo-controlled trial. *Mol Nutr Food Res*. 2013;57(9):1569–77.
2. Roglic G. WHO Global report on diabetes: A summary. Geneva; 2016.
3. Anand P, Kunnumakkara AB, Newman RA. Bioavailability of Curcumin: Problems and Promises. *Mol Pharm*. 2007;4(6).
4. Chen Y, Wu Q, Zhang Z, Yuan L, Liu X, Zhou L. Preparation of curcumin-loaded liposomes and evaluation of their skin permeation and pharmacodynamics. *Molecules*. 2012;17(5):5972–87.
5. Xu D, Wang S, Jin J, Mei X, Xu S. Dissolution and absorption researches of curcumin in solid dispersions with the polymers PVP. *Asian J Pharmacodyn Pharmacokinet*. 2006;6(4):343–9.
6. Zhou H, Wang W, Hu H, Ni X, Ni S, Xu Y, et al. Co-precipitation of calcium carbonate and curcumin in an ethanol medium as a novel approach for curcumin dissolution enhancement. *J Drug Deliv Sci Technol*. 2019;51:397–402.
7. Ban C, Jo M, Park YH, Kim JH, Han JY, Lee KW, et al. Enhancing the oral bioavailability of curcumin using solid lipid nanoparticles. *Food Chem* [Internet]. 2020;302:125328. Available from: <https://doi.org/10.1016/j.foodchem.2019.125328>
8. Grothe E, Meekes H, Vlieg E, Ter Horst JH, De Gelder R. Solvates, Salts, and Cocrystals: A Proposal for a Feasible Classification System. *Cryst Growth Des*. 2016;16(6):3237–43.
9. Sanphui P, Goud NR, Khandavilli UBR, Nangia A. Fast Dissolving Curcumin Cocrystals. *Cryst Growth Des*. 2011;11:4135–45.

10. Sathisaran I, Dalvi SV. Crystal Engineering of Curcumin with Salicylic Acid and Hydroxyquinol as Coformers. *Cryst Growth Des.* 2017;17(7):3974–88.
11. Ajazuddin, Alexander A, Qureshi A, Kumari L, Vaishnav P, Sharma M, et al. Role of herbal bioactives as a potential bioavailability enhancer for Active Pharmaceutical Ingredients. *Fitoterapia* [Internet]. 2014;97:1–14. Available from: <http://dx.doi.org/10.1016/j.fitote.2014.05.005>
12. Bhogala BR, Basavoju S, Nangia A. Tape and layer structures in cocrystals of some di- and tricarboxylic acids with 4,4'-bipyridines and isonicotinamide. From binary to ternary cocrystals. *CrystEngComm.* 2005;7:551–62.
13. drugbank. Curcumin [Internet]. drugbank. 2019 [cited 2019 Oct 2]. Available from: <https://www.drugbank.ca/drugs/DB11672>
14. Pubchem. Quercetin [Internet]. National Library of Medicine. 2019 [cited 2020 Dec 12]. Available from: <https://pubchem.ncbi.nlm.nih.gov/compound/Quercetin>
15. THE EUROPEAN COMMISSION. COMMISSION REGULATION (EU) No 231/2012 [Internet]. Official Journal of the European Union. 2012 [cited 2019 Oct 3]. Available from: <https://eur-lex.europa.eu/legal-content/EN/ALL/?uri=CELEX%3A32012R0231>
16. Rivera-Mancía S, Trujillo J, Chaverri JP. Utility of curcumin for the treatment of diabetes mellitus: Evidence from preclinical and clinical studies. *J Nutr Intermed Metab.* 2018;14:29–41.
17. Sovia E, Sukandar EY, Sigit JI, Sasongko LDN. Efek Rimpang Kunyit (*Curcuma longa* L.) dan Bawang Putih (*Allium sativum* L.) terhadap Sensitivitas Insulin pada Tikus Galur Wistar. *Maj Kedokt Bandung.* 2011;43(4):153–9.

18. Shome S, Talukdar A Das, Choudhury MD, Bhattacharya MK, Upadhyaya H. Curcumin as potential therapeutic natural product: a nanobiotechnological perspective. *J Pharm Pharmacol*. 2016;68(12):1481–500.
19. Bustanji Y, Taha MO, Almasri IM, Al-Ghusein MAS, Mohammad MK, Alkhatib HS. Inhibition of glycogen synthase kinase by curcumin: Investigation by simulated molecular docking and subsequent in vitro/in vivo evaluation. *J Enzyme Inhib Med Chem*. 2009;24(3):771–8.
20. Ireson C, Orr S, Jones DJL, Verschoyle R, Lim C, Luo J, et al. Characterization of Metabolites of the Chemopreventive Agent Curcumin in Human and Rat Hepatocytes and in the Rat in Vivo , and Evaluation of Their Ability to Inhibit Phorbol Ester-induced Prostaglandin E 2 Production 1. 2001;1058–64.
21. Ravindranath V, Chandrasekhara N. Metabolism of curcumin: Studies with [3H] curcumin. *Toxicology*. 1981;22.
22. Shobal G, Joseph T, Majeed M, Rajendran R, Srinivas PSSR. Influence of Piperine on the Pharmacokinetics of Curcumin in Animals and Human Volunteers. 2000;(5):353–6.
23. Li Y, Yao J, Han C, Yang J, Chaudhry MT, Wang S, et al. Quercetin , Inflammation and Immunity. 2016;1–14.
24. Crespy V, Morand C, Manach C, Besson C, Demigne C, Remesy C, et al. Part of quercetin absorbed in the small intestine is conjugated and further secreted in the intestinal lumen. 2018;120–6.
25. Hollman P., Katan M. Absorption, metabolism and bioavailability of flavonoids. In: *In Flavonoids in Health and Disease*. Rice-Evans. New York: Marcel Dekker Inc; 1999. p. 483–522.
26. Konrad M, Nieman D. Evaluation of quercetin as a countermeasure to

- exercise-induced physiological stress. In: Lamprecht M, editor. *Source Antioxidants in Sport Nutrition*. Boca Raton: CRC Press; 2015.
27. Dawn H, Clarke M. *Crystal Engineering of Multi-Component Crystal Forms: The Opportunities and Challenges in Design*. Phd Theses, Univ South Florida, USA. 2012;(January).
28. Qiao N, Li M, Schlindwein W, Malek N, Davies A, Trappit G. Pharmaceutical cocrystals: An overview. *Indian J Pharm Sci* [Internet]. 2017;79(6):858–71. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2011.07.037>
29. Vishweshwar P, McMahon JA, A.Bis J, Zaworotika MJ. Pharmaceutical Co-Crystals. *J Pharm Sci*. 2006;95(3):499–516.
30. Setiabudi A, Hardian R, Muzakir A. *Karakterisasi Material ; Prinsip dan Aplikasinya dalam Penelitian Kimia*. Bandung: UPI Press; 2012. 131 p.
31. Dutrow B, Clark C. X-ray Powder Diffraction (XRD) [Internet]. Science Education Resource Center. 2020. Available from: https://serc.carleton.edu/research_education/geochemsheets/techniques/XRD.html
32. Bagde SA. Formulation and Evaluation of Co-Crystals of Poorly Water Solu;e Drug. *Int J Pharm Sci Res*. 2016;7(12):4988–97.
33. Schick C. Differential scanning calorimetry (DSC) of semicrystalline polymers. *Anal Bioanal Chem*. 2009;395(6):1589–611.
34. Zaini E, Sumirtapura YC, Soewandhi SN. Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak kofler dan reaksi kristalisasi. 2010;21(1):32–9.
35. Brittain HG. *Analytical Profiles of Drug Substances and Excipients*. 26th ed. California: Academic Press; 1999.

36. Sulistyani M, Huda N. Optimasi pengukuran spektrum vibrasi sampel protein menggunakan spektrofotometer fourier transform infrared (FT-IR). *Indones J Chem Sci.* 2017;6(2):173–80.
37. Siregar YDI, Heryanto R, Lela N, Lestari TH. Karakterisasi Karbon Aktif Asal Tumbuhan dan Tulang Hewan Menggunakan FTIR dan Analisis Kemometrika. *J Kim Val.* 2015;1(November):103–16.
38. Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas; 2004.
39. Sari YN, Zaini E, Ismed F. Peningkatan Laju Disolusi Piperin Dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. *J Sains Farm.* 2019;6(2):180–5.
40. Harmita. Buku Ajar Analisis Fisikokimia. Depok: FMIPA UI; 2006. 40-59 p.
41. Susanti M, Dachriyanus. Kromatografi Cair Kinerja Tinggi. Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas; 2017.
42. Harvey D (DePauw U. *Modren analytical chemistry.* McGraw-Hill High Educ. 2000;368.
43. Martin A, Swarbrick J, Cammarata A. *Farmasi Fisik.* Jakarta: UI Press; 2009.
44. Ansel C. *Pengantar Bentuk Sediaan Farmasi Edisi Keempat.* Jakarta: UI Press; 2005.
45. *Kemenkes. Farmakope Indonesia Edisi V.* Jakarta: Kementrian Kesehatan Republik Indonesia; 2014.
46. Aakeröy C, Fasulo M, Desper J. *Cocrystal or Salt: Does It Really Matter?*

Mol Pharm. 2007 Jun 1;4:317–22.

47. Pubchem. Curcumin [Internet]. National Library of Medicine. 2020 [cited 2020 May 23]. Available from: <https://pubchem.ncbi.nlm.nih.gov/compound/969516#section=Information-Sources>
48. Priyadarsini KI. The chemistry of curcumin: From extraction to therapeutic agent. *Molecules*. 2014;19(12):20091–112.
49. Borghetti GS, Carini JP, Honorato SB, Ayala AP, Moreira JCF, Bassani VL. Physicochemical properties and thermal stability of quercetin hydrates in the solid state. *Thermochim Acta*. 2012;539(July 2012):109–14.
50. Zaini E, Nofita R, Salman, Kurniati I. Karakterisasi Fisikokimia Dan Laju Disolusi Dispersi Padat. *J Ris Kim*. 2010;4(1):25–31.
51. Dwichandra Putra O, Yonemochi E, Uekusa H. Isostructural Multicomponent Gliclazide Crystals with Improved Solubility. *Cryst Growth Des* [Internet]. 2016 Nov 2;16(11):6568–73. Available from: <https://doi.org/10.1021/acs.cgd.6b01279>
52. Sevukarajan, Shete A, Dabke A, Kulkarni P, Sakhare S. Crystal engineering technique – An emerging approach to modify physicochemical properties of active pharmaceutical ingredient Sevukarajan. *Indian J Pharm Sci* [Internet]. 2012;3(1):15–29. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2865806/> <http://www.ijpsonline.com/text.asp?2009/71/4/359/57283>
53. Zaini E, Setyawan D, Soewandhi SN. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-. *J Farm Indones*. 2015;5(4):205–12.
54. Asyarie S, Wikarsa S, Farmasetika KK, Farmasi S. Pembuatan dan Karakterisasi Dispersi Padat Sistem Biner dan Terner dari Gliklazid. *Acta Pharm Indones*. 2012;37(3):95–101.

55. Sigma-Aldrich. Product Specification : Curcumin [Internet]. In The Sigma-Aldrich Homepage. 2020. Available from: <https://www.sigmaaldrich.com/catalog/substance/curcumin3683845837711?lang=en®ion=ID>
56. Johnson EL, Stevenson R. Dasar Kromatografi Cair. Padmawinata K, editor. Bandung: ITB Press; 1991.
57. Gandjar IG, Rohman A. Kimia Farmasi Analisis. Yogyakarta: Pustaka Pelajar; 2007.
58. EMEA. ICH Topic Q 2 (R1) Validation of Analytical Procedures: Text and Methodology. Eur Med Agency. 1995;2(November 1994):1–15.
59. Beilby AL. Modern Methods of Chemical Analysis. Second Edition (Pecsok, Robert L.; Shields, L. Donald; Cairns, Thomas; McWilliam, Ian G.). J Chem Educ. 1977;54(11):A463.
60. Harmita. Petunjuk Pelaksanaan Validasi dan Cara Penggunaannya. Maj Ilmu Kefarmasian. 2004;1(3):117.
61. Riyanto. Validasi dan Verifikasi Metode Uji. Yogyakarta: deepublish; 2014.
62. Goud NR, Suresh K, Sanphui P, Nangia A. Fast dissolving eutectic compositions of curcumin. Int J Pharm [Internet]. 2012;439(1–2):63–72. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2012.09.045>
63. Sanphui P, Nagula RG, Nangia A. Novel polymorphs of curcumin. 2011;(February 2016):10–2.
64. Cherukuvada S, Nangia A. Eutectic as Improved Pharmaceutical Materials: Design, Properties, and Characterization. ChemComm. 2010;(207890).
65. Cherukuvada S, Row TNG. Comprehending the Formation of Eutectics and Cocrystals in Terms of Design and Their Structural Interrelationships.

Cryst Growth Des. 2014;14:4187–98.

