

DAFTAR PUSTAKA

1. Husain A, Azim MS, Mitra M, Bhasin PS. A review on candesartan: pharmacological and pharmaceutical profile. *Journal of Applied Pharmaceutical Science*. 2011; 1(10): 12- 7. <http://www.japsonline.com>
2. Bandyopadhyay S, Bhuria L, Lal D. An explicit review on quantitative estimation of candesartan cilexetil employing various analytical techniques. *Pharma Anal Acta*. 2013; 4(6): 1-7. <http://DOI.10.4172/2153-2435.1000254>
3. Gleiter CH, Jäggle C, Gresser U, Mörike K. Candesartan. *Cardiovascular drug reviews*. Dec, 2004; 22(4): 263-84. <https://doi.org/10.1111/j.1527-3466.2004.tb00146.x>
4. Gleiter CH, Mörike KE. Clinical pharmacokinetics of candesartan. *Clinical pharmacokinetics*. Jan 1, 2002; 41(1): 7-17. <https://link.springer.com/article/10.2165/00003088-200241010-00002>
5. The Ministry of Health, Labour and Welfare, The Japanese Pharmacopoeia, Seventeenth Edition. Official from 2016, April 1. English Version
6. Dudhipala N, Veerabrahma K. Candesartan cilexetil loaded solid lipid nanoparticles for oral delivery: characterization, pharmacokinetic and pharmacodynamic evaluation. *Drug delivery*. Feb 12, 2016; 23(2): 395-404. <https://doi.org/10.3109/10717544.2014.914986>
7. Ahmad Charoo N, Bashir M, Abdalla E, Ali KI. Determination of candesartan cilexetil in tablet dosage forms and dissolution testing

samples by first derivative UV spectrophotometric method. Analytical letters. Sep 23, 2009; 42(14): 2232-43. <https://doi.org/10.1080/00032710903137434>

8. Al-Arfaj NA, Al-Onazi WA, El-Brashy AM. Spectrophotometric determination of candesartan cilexetil in presence of its alkaline induced degradation product. Asian Journal of Chemistry. Apr 1, 2011; 23(4): 1696.
9. Pradhan KK, Mishra US, Pattnaik S, Panda CK, Sahu KC. Development and validation of a stability-indicating UV spectroscopic method for candesartan in bulk and formulations. Indian journal of pharmaceutical sciences. Nov, 2011; 73(6): 693-696.
10. Al-Arfaj N, Al-Onazi W, Al-Brashy A. Spectrophotometric Bivariate Method for Determination of Candesartan Cilexetil in Presence of its Alkaline Induced Degradation Product. Asian Journal of Chemistry. Jan 21, 2013; 25(2): 719-725.
11. Hassan EM, El Jamal MK, El Sayed MA. Validated kinetic spectrophotometric determination of candesartan cilexetil and olmesartan medoxomil using alkaline permanganate oxidation. Der Pharma Chem. 2014; 6(2): 122-133. <http://derpharmachemica.com/archive.html>
12. Muralikrishna C, Rambabu C. Determination of Candesartan Cilexetil in Bulk and Pharmaceutical Dosage Forms by Visible Spectrophotometric Methods. International Journal of Science and Research. 2015; 4(8): 492-5. www.ijsr.net

13. Amin AS, Salah HM, Ragab GH, Kamel IS. Sensitive Spectrophotometric and Conductometric Methods for Determination of Candesartan Using Bromocresol Green and Bromocresol Purple by Ion-Pair Complex Formation. *Journal of Chemistry and Materials Research*. 2015; 2(2): 42-8. <http://dx.doi.org/10.4172/2168-9652.1000153>
14. Ravisankar P, Vidya VS, Manjusha K, Mounika YN, Babu PS. Validated UV spectrophotometric method for quantitative determination of candesartan cilexetil in bulk and pharmaceutical dosage form. *Der Pharmacia Lettre*. 2016; 8(9): 252-257. <http://scholarsresearchlibrary.com/archive.html>
15. Seddik H, Joumaa MA. Analytical Spectrophotometric Study of Candesartan Cilexetil in Tablets Formulations. *International Journal of Academic Scientific Research*. 2017; 5(3): 11-18. www.ijasrjournal.org
16. Cagigal E, Gonzalez L, Alonso RM, Jimenez RM. pKa determination of angiotensin II receptor antagonists (ARA II) by spectrofluorimetry. *Journal of pharmaceutical and biomedical analysis*. Oct 1, 2001; 26(3): 477-86. [https://doi.org/10.1016/S0731-7085\(01\)00413-7](https://doi.org/10.1016/S0731-7085(01)00413-7)
17. Sakur AA, Hanan FA. Determination of candesartan cilexetil in tablets by spectrofluorimetry. *Int J Phar Sci Review Res*. 2010; 4: 60-3. www.globalresearchonline.net
18. El-Shaboury SR, Hussein SA, Mohamed NA, El-Sutohy MM. Spectrofluorimetric method for determination of some angiotensin II receptor antagonists. *Journal of pharmaceutical analysis*. Feb 1, 2012; 2(1): 12-8. <https://doi.org/10.1016/j.jpha.2011.10.005>

19. Rao DS, Radhakrishnanand P, Suryanarayana MV, Himabindu V. A stability-indicating LC method for candesartan cilexetil. *Chromatographia*. Oct 1, 2007; 66(7-8): 499-507. <https://doi.org/10.1365/s10337-007-0364-x>
20. Akula G, Saikrishna K, Bhupathi S, Ramesh Kumar R, Santhosh Kumar K. RP-HPLC method development and validation of candesartan cilexetil in bulk and their pharmaceutical dosage forms. *Int J Pharm Sci Res.*, 2010; 1: 191-6. www.ijpsr.com
21. Kamalakkannan V, Puratchikody A, Masilamani K, Saraswathy T. Analytical method development and validation for Candesartan Cilexetil as bulk drug and in pharmaceutical dosage forms by HPLC. *Der Pharmacia Lettre*, 2011; 3(3): 286-96. <http://scholarsresearchlibrary.com/archive.html>
22. Srinivas G, Kumar KK, Kanumula GV, Priya MV, Mukkanti K. A stability indicating UPLC method for candesartan in bulk drug samples. *American Journal of Analytical Chemistry*, 2012; 3: 704-709. <http://dx.doi.org/10.4236/ajac.2012.310093>
23. Babu KS, Kumar ND, Gosada U, Sharma N. A validated ultra high-pressure liquid chromatography method for separation of candesartan cilexetil impurities and its degradents in drug product. *Pharmaceutical methods*, Jan 1, 2012; 3(1): 31-9. <https://doi.org/10.4103/2229-4708.97718>
24. Bhagwate S, Gaikwad NJ, Tarte P. Stability indicating HPLC method for the determination of candesartan in pharmaceutical dosages form.

International Journal of Pharmaceutical Sciences and Research, Mar 1, 2013; 4(3): 1079. www.ijpsr.com

25. Issa YM, Hussien EM, Ibrahim MM, Abdel-Gawad FM, Barakat S. Stability-indicating methods for the determination of candesartan cilexetil in bulk drug and pharmaceutical formulations. *Journal of AOAC International*, May 1, 2013; 96(3): 580-6. <https://doi.org/10.5740/jaoacint.11-106>
26. Kamalakkannan V, Puratchikody A, Ramanathan L, Jayapraba S. Development and validation of a dissolution test with reversed-phase high performance liquid chromatographic analysis for Candesartan cilexetil in tablet dosage forms. *Arabian Journal of Chemistry*, Sep 1, 2016; 9: S867-73. <http://dx.doi.org/10.1016/j.arabjc.2011.09.011>
27. Yuce M, Capan Y. Development and validation of hplc analytical methods used for determination of assay, content uniformity and dissolution of immediate release candesartan cilexetil 32 mg tablets. *Acta Poloniae Pharmaceutica - Drug Research*, 2017; 74(2): 357-367.
28. Süslü İ, Özaltın N, Altınöz S. Square-wave adsorptive stripping voltammetric determination of candesartan cilexetil in pharmaceutical formulations. *Journal of applied electrochemistry*, Sep 1, 2009; 39(9): 1535-43.
29. Süslü I, Özaltın N, Altınöz S. Voltammetric Determination of Candesartan Cilexetil in Its Cu (II) Complex and Application to Pharmaceutical Formulations. *Journal of AOAC International*, 2010; 93(2): 562-8. PMID: 20480904

30. Norouzi P, Pirali-Hamedani M, Ganjali MR. Candesartan cilexetil determination by electrode modified with hybrid film of ionic liquid-graphene nanosheets-silicon carbide nanoparticle using continuous coulometric fast cyclic voltammetry. *Int. J. Electrochem. Sci.*, Feb 1, 2013; 8(2): 2023-33.
31. Khalid A, Waseem A, Afzal I, Yaqoob M, Nabi A, Yasinzai MM. Flow Injection Spectrophotometric and Spectrofluorimetric methods for the Determination of Candesartan Cilexetil in Pharmaceuticals. *Scientific Research and Essays*, Nov 30, 2011;6(29): 6203-8. <http://www.academicjournals.org/SRE> DOI:10.5897/SRE11.1673
32. El Jamal MK, Gazy AA. Comparative study of RP-HPLC method versus fourier transform convolution chemometric methods; an application on pharmaceutical binary mixtures of candesartan cilexetil-pitavastatin calcium and clopidogrel bisulfate- rosuvastatin calcium. *Int J Pharm Pharm Sci.*, 2016; 8(10): 125-133. DOI: <http://dx.doi.org/10.22159/ijpps.2016v8i10.12931>
33. Patil SD, Badhan RB, Kshirsagar SJ. Development and Validation of Q-Absorbance UV Spectrophotometric Method for Simultaneous estimation of Amlodipine Besylate and Candesartan Cilexetil In bulk drugs. *Asian Journal of Pharmaceutical Analysis*, 2018; 8(1): 53-7. DOI: 10.5958/2231-5675.2018.00010.8
34. Moisei A, Totan M, Gligor FG, Crăciun I, Todoran N, Chiş AA, Popa DE. The simultaneous determination of candesartan, amlodipine and hydrochlorothiazide by high- performance liquid chromatography, from a mixture and pharmaceutical formulations. *Farmacia*, 2016; 64(4): 612-618.

35. Erk N. Application of first derivative UV-spectrophotometry and ratio derivative spectrophotometry for the simultaneous determination of candesartan cilexetil and hydrochlorothiazide. *Die Pharmazie-An International Journal of Pharmaceutical Sciences*, Nov 1, 2003; 58(11): 796-800.
36. Jignesh P, Dave JB, Patel CN, Dhruvil P. Q-analysis spectrophotometric methods for estimation of candesartan cilexetil and hydrochlorothiazide in tablet dosage form. *J. Chem. Pharm. Res.*, 2010; 2(3): 10-4.
37. Al-Onazi WA, Darwish HW, Al-Arfaj NA, Al-Brashy AM. Application of pcr and pls methods for the simultaneous determination of candesartan cilexetil and hydrochlorothiazide in their pharmaceutical preparations. *Digest Journal of Nanomaterials & Biostructures (DJNB)*, Jul 1, 2013; 8(3): 1253-1262.
38. Mukthinuthalapati MA, Kumar JS. Simultaneous derivative spectrophotometric determination of candesartan cilexetil and hydrochlorothiazide. *Pharmaceutical Methods*, Jul 2, 2015; 6(3): 148-151. DOI: 10.5530/phm.2015.6.
39. Workie YA, Mohamed AE, Bekhit AA, Hymete A. Chemometrics assisted spectrophotometric determination of certain pharmaceuticals containing candesartan cilexetil and hydrochlorothiazide. *American Journal of Pharmacy and Pharmacology*, 2017; 4(6): 50-8.
40. Mehta B, Morge S. HPTLC-densitometric analysis of candesartan cilexetil and hydrochlorothiazide in tablets. *JPC-Journal of Planar Chromatography-Modern TLC*, Jun 1, 2008; 21(3): 173-6. <https://doi.org/10.1556/JPC.21.2008.3.3>

41. Youssef RM, Maher HM, Hassan EM, El-Kimary EI, Barary MA. Development and validation of HPTLC and spectrophotometric methods for simultaneous determination of candesartan cilexetil and hydrochlorothiazide in pharmaceutical preparation. *Int. J. Appl. Chem.*, May 1, 2010; 6(2): 233-46.
42. Ambekar AM, Kuchekar BS. Application of a validated stability-indicating HPTLC method for simultaneous quantitative determination of candesartan cilexetil and hydrochlorothiazide in pharmaceutical dosage form. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2016; 8(5): 151-7.
43. E Abou Kull M, A Naguib I. Simultaneous Determination of Hydrochlorothiazide and its Impurities (Chlorothiazide and Salamide) in a Quaternary Mixture with Candesartan Cilexetil by HPTLC Method. *Current Pharmaceutical Analysis*, Mar 1, 2017; 13(2): 188-94.
44. Lei J, Zhang XS, Zhuo Z, Zhu K, Sun P, Fan Q. HPLC-UV simultaneous determination of candesartan cilexetil and hydrochlorothiazide in compound candesartan cilexetil tablets. *Chinese Journal of Pharmaceutical Analysis*, Apr 1, 2007; 27(4): 566-8.
45. Qutab SS, Razzaq SN, Ashfaq M, Shuja ZA, Khan IU. Simple and sensitive LC-UV method for simultaneous analysis of hydrochlorothiazide and candesartan cilexetil in pharmaceutical formulations. *Acta chromatographica*, Jan 1, 2007; 19: 119.
46. Khedr AE. Simultaneous Determination of Candesartan Cilexetil and Hydrochlorothiazide by High-Performance Liquid Chromatography. *Journal of King Abdulaziz University-Medical*

Sciences, Apr 1, 2008; 15(2): 3-13. DOI:
<https://doi.org/10.4197/med.15-2.1>

47. Balamuralikrishna K, Syamasundar B. Development and validation of high-performance liquid chromatographic method for the simultaneous estimation of candesartan cilexetil and hydrochlorothiazide in combined tablet dosage form. *Der Pharma Chemica*, 2010; 2(6): 231-7.
48. Annapurna MM, Narendra A, Kumar KR. Liquid chromatographic method for the simultaneous quantitative determination of candesartan cilexetil and hydrochlorothiazide in pharmaceutical dosage forms. *Journal of Drug Delivery and Therapeutics*, Mar 13, 2012; 2(2): 48-54.
49. Veeranjanyulu D, Aneesha A, Nandakishore A. Stability indicating RP-HPLC method for the simultaneous determination of candesartan cilexetil and hydrochlorothiazide in bulk and dosage forms. *Indian Journal of Research in Pharmacy and Biotechnology*, 2013; 1(5): 720-4.
50. Krishna MV, Rao SV, Venugopal NV, Mantena BP. New Stability Indicating Method for the Simultaneous Determination of Impurities Present in Candesartan Cilexetil and Hydrochlorothiazide Tablets by Ultra Performance Liquid Chromatography with Photo Diode Array Detector. *Eurasian Journal of Analytical Chemistry*, Jan 1, 2017; 12(2) 127-49. DOI 10.12973/ejac.2017.00159a
51. Al-Adl SM, Abdel-Aziz LM, Mohamed MA. HPLC Determination of Carvedilol, Candesartan Cilexetil and Hydrochlorothiazide in Their

Bulk and Tablet Dosage Forms. *Analytical Chemistry Letters*, Mar 4, 2017; 7(2): 188-200. <https://doi.org/10.1080/22297928.2017.1326840>

52. de Diego M, Godoy R, Mennickent S, Vergara C, Miranda D, Navarro P. Stability- indicating liquid chromatographic methods with photodiode array detection and light scattering detection for simultaneous determination of candesartan and hydrochlorothiazide. *Journal of chromatographic science*, Feb 1, 2018; 56(2): 99-107. doi: 10.1093/chromsci/bmx068
53. Pappula N, Ravichandra S, Sindhura SL, Rani PA, Madhuri VS, Ajay V, Reddy PN. Simultaneous Estimation of Candesartan and Hydrochlorothiazide in Combined Tablet Dosage Form by RP-HPLC. *Asian Journal of Pharmaceutical Analysis*, 2019; 9(4): 224-8. DOI: 10.5958/2231-5675.2019.00

