


DAFTAR PUSTAKA

1. Ranković B, and Kosanic M. Lichens as a Potential Source of Bioactive Secondary Metabolites. In: Lichen Secondary Metabolites. Switzerland: Springer International Publishing; 2015.
2. Negi HR. Lichens: A valuable bioresource for environmental monitoring and sustainable development. *Resonance*. 2003;8(1):51–8.
3. Baron G. The Earth Life Web, All About Lichens [Internet]. Understanding Lichens. 1999. Available from: <https://www.earthlife.net>
4. Nash TH. *Lichen Biology*. New York: Cambridge University Press; 2008.
5. Murningsih, Mafazaa H. Jenis-Jenis Lichen Di Kampus Undip Semarang. *Bioma*. 2016;18(1):20–9.
6. Ismed F, Devehat FL-L, Guiller A, Corlay N, Bakhtiar A, Boustie J. Phytochemical review of the lichen genus *Stereocaulon* (Fam . Stereocaulaceae) and related pharmacological activities highlighted by a focus on nine species. *Phytochem Rev*. 2018;17(5):1–14.
7. Gupta VK, Darokar MP, Saikia D, Pal A, Fatima A, and Khanuja SPS. Antimycobacterial Activity of Lichens Antimycobacterial Activity of Lichens. *Pharm Biol*. 2007;45(3):200–4.
8. Bhattacharai HD, Kim T, Oh H, and Yim JH. A new pseudodepsidone from the Antarctic lichen *Stereocaulon alpinum* and its antioxidant, antibacterial activity. *J Antibiot (Tokyo)*. 2013;66(9):559–61.
9. Ingolfsdottir K, Bloomfield SF, and Hylands PJ. In Vitro Evaluation of the Antimicrobial Activity of Lichen Metabolites as Potential Preservatives. *Antimicrob Agents Chemother*. 1985;28(2):289–92.
10. de Kok RPJ, Briggs M, Pirnanda D, and Girmansyah D. Identifying targets for plant conservation in harapan rainforest, Sumatra. *Trop Conserv Sci*. 2015;8(1):28–32.
11. Ismed F, Hartati S, Mulyadi R, Putra HE, Vidian NP, dan Putra DP. Isolasi Senyawa Depsida-Depsodone dari Lichen Sumatera (*Stereocaulon halei*) dan Uji Aktivitas Antimikroba serta Anti Tuberkulosis. *J Ilmu*

- Kefarmasian Indones. 2016;14(1):49–56.
12. Ismed F, Dévéhat FL Le, Rouaud I, Ferron S, Bakhtiar A, and Boustie J. NMR reassignment of stictic acid isolated from a Sumatran lichen *Stereocaulon montagneanum* (Stereocaulaceae) with superoxide anion scavenging activities. Zeitschrift fur Naturforsch C. 2017;72(1–2):55–62.
 13. Ismed F, Arifa N, Zaini E, Bakhtiar A, Umeda D, and Putra OD, et al. Ethyl haematomate from *Stereocaulon graminosum* schaer.: Isolation and crystal structure. Nat Prod Sci. 2018;24(2):115–8.
 14. Hale ME. The Lichens. New York and London: Academic Press; 1973.
 15. Ahmadjian V. The Lichen Symbiosis. New York: John Wiley & Sons, Inc.; 1993.
 16. Dobson F. Lichens: An Illustrated The Guide to British and Irish Species. United Kingdom: Richmond Publishing Co Ltd; 1992.
 17. Galun M, A S-I. Secondary Metabolic Products. In Galun M (ed) CRC Handbook of Lichenology Vol III. Boca Raton: CRC; 1988.
 18. Solhaug K, M L, L N. Possible Functional roles of corticol depsidas and medullary depsidons in the foliose hypogymnia physodes. FLORA. 2009;204(1):40–8.
 19. Stocker WE. Metabolic diversity of lichen-forming ascomycetous fungi : cultulring polyketide and shikimate metabolite production and PKS genes. Nat Prod Rep. 2008;25:188–200.
 20. Backorova M, Jendzelovsky R, and Kello M. Lichen secondary metabolites are responsible for induction apoptosis in HT-29 and A2780 human cancer cell line. Toxicol Vitr. 2012;26:462–8.
 21. Huneck S, Yoshimura I. Identification of Lichen Substances. Berlin: Springer; 1996.
 22. Crawford S. Ethnolichenology of Bryoria fremontii : wisdom of elders, population ecology, and nutritional chemistry. University of Victoria Canada; 2007.
 23. Perry NB, Benn MH, Brennan NJ, Burgess EJ, Ellis G, and Galloway DJ.

- Antimicrobial , Antiviral And Cytotoxic Activity Of New Zealand Lichens. *Lichenologist*. 1999;31(6):627–36.
24. Okuyama E, Umeyama K, Yamazaki M, Kinoshita Y, and Yamamoto Y. Usnic acid and diffractive acid as analgesic and antipyretic components of *Usnea diffracta*. *Planta Med*. 1995;61(2):113–5.
 25. Muller K. Pharmaceutically relevant metabolite from lichen. *Appl Microbiol Biotechnol*. 2001;56:9–16.
 26. Türk AÖ, Yilmaz M, Kivanc M, and Türk H. The Antimicrobial Activity of Extracts of the Lichen *Cetraria aculeata* and Its Protolichesterinic Acid Constituent. *Zeitschrift fur Naturforsch C*. 2003;58c:850–4.
 27. Studzińska-sroka E, Tomczak H, Malińska N, Wrońska M, Kleszcz R, and Galanty A. *Cladonia uncialis* as a valuable raw material of biosynthetic compounds against clinical strains of bacteria and fungi. *Acta Biochim Pol*. 2019;66(4):597-603.
 28. Ingólfssdóttir K, S.K L, K.P.L. B, Lee K, Chai HB, and Kristinsson H. Evaluation of Selected Lichens from Iceland for Cancer Chemopreventive and Cytotoxic Activity. *Pharm Biol*. 2000;38(4):313–7.
 29. Süleyman H, Odabasoglu F, Aslan A, Cakir A, Karagoz Y, and Gocer F. Anti-inflammatory and antiulcerogenic effects of the aqueous extract of *Lobaria pulmonaria* (L .) Hoffm . *Phytomedicine*. 2003;10:552–7.
 30. Tanas S, Odabasoglu F, and Halici Z. Evaluation of anti-inflammatory and antioxidant activities of *Peltigera rufescens* lichen species in acute and chronic inflammation models. *J Nat Med*. 2010;64:42–9.
 31. Studzińska-Sroka E, and Dubino A. Lichens as a source of chemical compounds with anti-inflammatory activity. *Herba Pol*. 2018;64(1):56–64.
 32. Luo H, Yamamoto Y, Kim JA, Jung JS, Koh YJ, and Hur JS. Lecanoric acid, a secondary lichen substance with antioxidant properties from *Umbilicaria antarctica* in maritime Antarctica (King George Island). *Polar Biol*. 2009;32(7):1033–40.
 33. Russo A, Piovano M, Lombardo L, Garbarino J, and Cardile V. Lichen Metabolites Prevent UV Light and Nitric OxideMediated Plasmid DNA Damage and Induce Apoptosis in Human Melanoma Cells. *Life Sci*.

- 2008;83(13–14):468–74.
34. Kristmundsdottir T, Aradottir HA, Ingolfsdottir K, and Ogmundsdottir HM. Solubilization of the lichen metabolite (+)-usnic acid for testing in tissue culture. *Pharm Pharmacol*. 2002;54:1447–52.
 35. Jeon YJ, Kim S, Kim JH, Youn UJ, and Suh SS. The comprehensive roles of ATRANORIN, a secondary metabolite from the antarctic lichen *Stereocaulon caespitosum*, in HCC tumorigenesis. *Molecules*. 2019;24(7):1414
 36. Hong JM, Suh SS, Kim TK, Kim JE, Han SJ, and Youn UJ. Anti-cancer activity of lobaric acid and lobarstin extracted from the antarctic lichen *Stereocaulon alignum*. *Molecules*. 2018;23(3):1–10.
 37. Vijayakumar CS, Viswanathan S, and Kannappa M. Anti-inflammatory activity of (+)-usnic acid. *Fitoterapia*. 2000;71:564–6.
 38. Jayaprakasha GK, and Jaganmohan Rao L. Phenolic constituents from the lichen *parmotrema stuppeum* (Nyl.) Hale and their antioxidant activity. *Zeitschrift fur Naturforsch - Sect C J Biosci*. 2000;55(11–12):1018–22.
 39. Devehat FL-L, Tomasi S, Elix JA, Bernard A, Rouaud I, and Uriac P. Stictic acid derivatives from the lichen *Usnea articulata* and their antioxidant activities. *J Nat Prod*. 2007;70(7):1218–20.
 40. Kirk P, Cannon P, David J, and Stalpers J. Ainsworth and Bisby's dictionary of the fungi, 10th edn. Wallingford: CABI Publishing; 2008.
 41. Lamb IM. A Conspectus of the lichen genus *Stereocaulon* (Schreb.) Hoffm. *J Hattori Bot Lab*. 1977;43:191–355.
 42. IMA. Mycobank : *Stereocaulon massartianum* [Internet]. 2019. Available from: <http://www.mycobank.org/>
 43. Ismed F, Dévéhat FL, Delalande O, Sinbandhit S, Bakhtiar A, and Boustie J. Lobarin from the Sumatran lichen, *Stereocaulon halei*. *Fitoterapia*. 2012;83:1693–8.
 44. Ranković B, Kosanić M, and Stanojković T. *Stereocaulon paschale* lichen as antioxidant, antimicrobial and anticancer agent. *Farmacia*. 2014;62(2):306–17.

- 
45. Carpentier C, Queiroz EF, Marcourt L, Wolfender JL, Azelmat J, and Grenier D. Dibenzofurans and pseudodepsidons from the lichen *Stereocaulon paschale* collected in northern Quebec. *J Nat Prod.* 2017;80(1):210–4.
 46. Ingólfssdóttir K, Chung GAC, Skúlason VG, Gissurarson SR, and Vilhelmsdóttir M. Antimycobacterial activity of lichen metabolites in vitro. *Eur J Pharm Sci.* 1998;6(2):141–4.
 47. Sarker S, Latif Z, and Gray A. *Natural Products Isolation*. 2nd ed. New Jersey: Humana Press Inc; 2006.
 48. Agoes G. *Teknologi Bahan Alam*. Bandung: ITB Press; 2007.
 49. DepkesRI. *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan; 2000.
 50. Harborne JB. *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis*. Netherlands: Springer; 2012.
 51. Bintang M. *Biokimia: teknik penelitian*. Jakarta: Penerbit Erlangga; 2010.
 52. Gandjar IG, Rohman A. *Kimia Farmasi*. Yogyakarta: Pustaka Pelajar; 2007.
 53. Sastrohamidjojo H. *Kromatografi*. Yogyakarta: UGM Press; 1985.
 54. Gitter RJ, Bobbitt JM, Schwarting AE. *Introduction to chromatography*. California: Holden-Day; 1985.
 55. Supratman U. *Elusidasi Struktur Senyawa Organik*. Bandung: Widya Padjadjaran. 2010;94–102.
 56. Kosela S. *Cara mudah dan sederhana penentuan struktur molekul berdasarkan spektra data (NMR, MASS, IR, UV)*. Lembaga Penerbit Universitas Indonesia; 2010.
 57. Silverstein RM, Webster F x., and Kiemle DJ. *Silverstein - Spectrometric Identification of Organic Compounds* 7th ed.pdf. USA: John Wiley & Sons, Inc.; 2005.
 58. Reeves DS, I. P, William JD, and Wise R. Quantitative methods for

- bacterial sensitivity testing: Laboratory methods in antimicrobial chemotherapy. Chuchill Livingstone, Edinburgh.; 1978.
59. Botz L. BIOASSAYS | Bioautography. Reference Module in Chemistry, Molecular Sciences and Chemical Engineering. Elsevier Inc.; 2013. 1–8
 60. Balouiri M, Sadiki M, and Ibsouda SK. Methods for in vitro evaluating antimicrobial activity: A review. *J Pharm Anal*. 2016;6(2):71–9.
 61. Kloos WE, and Bannerman TL. Update on clinical significance of coagulase-negative staphylococci. *Clin Microbiol*. 1994;7:117–25.
 62. Bhatia A, Zahoor S. *Staphylococcus aureus* Enterotoxins: A Review. *J Clin diag*. 2007;2:188–97.
 63. Jawetz. M, Adelberg. Mikrobiologi Kedokteran. Edisi 23. Jakarta: EGC; 2007.
 64. Kayser FH, Bienz KH, Eckert J, and Zinkernagel RM. Medical Microbiology. German: Georg Thieme Verlag; 2005.
 65. Frengki. Isolasi, Elusidasi Struktur Dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman *Calophyllum Macrophyllum* Scheff. Universitas Indonesia; 2010.
 66. Dewanjee S, Gangopadhyay M, Bhattacharya N, Khanra R, and Dua TK. Bioautography and its scope in the field of natural product chemistry. *J Pharm Anal* [Internet]. 2015;5(2):75–84. Available from: <http://dx.doi.org/10.1016/j.jpha.2014.06.002>
 67. Husni E, Suharti N, dan Atma APT. Karakterisasi simplisia dan ekstrak pacar kuku (*lawsonia inermis linn*) serta penetuan kadar fenolat total dan uji aktivitas antioksidan. *J Sains Farm Klin* [Internet]. 2018;5(1):12–6. Available from: <http://jsfk.ffarmasi.unand.ac.id/index.php/jsfk/article/view/223>
 68. Wagner HSB. Plant Drug Analysis, A Thin Layer Chromatography Atlas. Springer; 1996.
 69. Davis W., and Stout T. Disc Plate Methods of Microbiological Antibiotic Assay. *Microbiology*. 1971;22(4):659–65.

70. Ismed F. Phytochimie de lichens du genre *Stereocaulon*: étude particulière de *S. halei* Lamb et *S. montagneanum* Lamb , deux lichens recoltés en Indonésie Thèse soutenue à Rennes. Thesis. Universite De Rennes1; 2012.
71. Santiago KAA, Borricano JNC, Canal JN, Marcelo DMA, Perez MCP, and Edison T. Antibacterial activities of fruticose lichens collected from selected sites in Luzon Island, Philippines. 1963;(2):18–29.
72. Arifa N. Isolasi dan Elusidasi Struktur Senyawa Metabolit Sekunder dari Lichen Sumatera *Stereocaulon graminosum* serta Pengujian Aktivitas Antibakteri. Universitas Andalas; 2018.
73. Tay T, Türk AÖ, Yilmaz M, Türk H, and Kivanç M. Evaluation of the antimicrobial activity of the acetone extract of the lichen *Ramalina farinacea* and its (+)-usnic acid, norstictic acid, and protocetraric acid constituents. Zeitschrift fur Naturforsch - Sect C J Biosci. 2004;59(5–6):384–8.

