

DAFTAR PUSTAKA

- Abdul, D. B. *et al.* (2017) 'Oleanane Triterpenes with Protein Tyrosine Phosphatase 1B Inhibitory Activity from Aerial Parts of *L. camara* Collected in Indonesia and Japan.', *Phytochemistry*, 144, pp. 106–112. doi: 10.1016/j.phytochem.2017.08.020.
- Achmad, S. A. (1990) *Kimia Organik Bahan Alam*. Jakarta: Universitas Terbuka.
- Al-Fadhli, A. A. and Nasser, J. A. (2014) 'Constituents from the root of *lantana camara*', *Asian J. Chem*, 26(23), pp. 8019–8021.
- Ali, A. A. and Elgimabi, M. E. (2015) 'Extraction and determination of antioxidants, polyphenols, flavonoids and antioxidants activity in some plants.', *Int J Chem Sci*, 13, pp. 1883–92.
- Anand, J., Chaudhary, S. and Rai, N. (2018) 'Analysis Of Antioxidant Activity, Total Phenolic Content And Total Flavonoid Content of *Lantana camara* Leaves And Flowers', *Asian Journal of Pharmaceutical and Clinical Research*, 11(4), pp. 203–206.
- Asadu, C. *et al.* (2015) 'In vitro antioxidant activity of methanol extract of *L. camara* leaves.', *Glob Vet*, 14, pp. 595–602.
- Asija, R., Kumar, V. and Sharma, A. K. (2015) 'Hepatoprotective Activity of *Lantana Camera* Against Carbontetra Chloride Induced Hepatotoxicity in Wister Rat', *International Journal of Pharmaceutical Erudition*, 4, pp. 1–7.
- Ayub, A., Tauseef, S., *et al.* (2017) 'Antioxidant activity of the medicinal plant *Lantana camara* L.', *Fuuast J Biol*, 7(2), pp. 227–230.
- Ayub, A., Begum, S., *et al.* (2017) 'Triterpenoids from the aerial parts of *Lantana camara*', *Journal of Asian Natural Products Research*.
- Ayub, A., Begum, S. and Ali, S. T. (2019) 'Isolation And Spectral Studies of a New Lactone Triterpenoid From *Lantana camara*', *Chemistry of Natural Compounds*, 55(3), pp. 478–481.
- B.D., M. (2009) *A Handbook of Spectroscopic Data Chemistry (UV, IR, PMR 13C-NMR and Mass Spectroscopy)*. Jaipur. India: Oxford Book Company.
- Baihaqi, A. (2016) *Bunga Tembelean, Tak Sedap Namun Banyak Khasiat*, *greeners.co*. Available at: <https://www.greeners.co/flora-fauna/bunga-tembelean-tak-sedap-namun-banyak-khasiat/> (Accessed: 20 January 2020).
- Bakkali, F. *et al.* (2008) 'Biological effects of essential oils – A review', *Food and Chemical Toxicology*, 46(2), pp. 446–475. doi: <https://doi.org/10.1016/j.fct.2007.09.106>.
- Barreto, F. *et al.* (2010) 'Antibacterial activity of *L. camara* Linn and *Lantana montevidensis* brig extracts from cariri-ceará, brazil.', *Journal of Young Pharmacists*, 2, pp. 42–44.
- Baser, K. H. C. and Buchbauer, G. (2015) *Handbook of Essential Oils: Science, Technology and Applications*. New York: CRC Press.

- Begum, S. *et al.* (2008) 'Pentacyclic Triterpenoids from the Aerial Parts of *Lantana camara* and Their Nematicidal Activity', *Helvetica Chimica Acta*, 5, pp. 1856–1866.
- Begum, S. *et al.* (2010) 'A new 28-noroleanane triterpenoid from the aerial parts of *Lantana camara*', *Natural Product Research: Formerly Natural Product Letters*, 24(13), pp. 1227–34. doi: 10.1080/14786410903034082.
- Begum, S., Wahab, A. and Siddiqui, B. (2008) 'Antimycobacterial activity of flavonoids from *Lantana camara* Linn', *Natural Product Research: Formerly Natural Product Letters*, 22(6), pp. 467–470.
- Begum, S., Wahab, A. and Siddiqui, B. S. (2003) 'Pentacyclic triterpenoids from the aerial parts of *L. camara*', *Chemical & Pharmaceutical Bulletin*, 51(2), pp. 134–137.
- Bhatia, N. *et al.* (2016) 'Evaluation of contact spermicidal potential of *L. camara* leaf extracts on human spermatozoa.', *Int J Reprod Contracept Obstet Gynecol*, 5, pp. 3935–3947.
- Coates, J. (no date) *Interpretation of Infrared Spectra, A Practical Approach, Encyclopedia of Analytical Chemistry*. John Wiley & Sons Ltd.
- Dachriyanus (2004) *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Padang: LPTIK Universitas Andalas.
- Dharmagadda, V. S. S., Tandonb, M. and Vasudevan, P. (2005) 'Biocidal activity of the essential oils of *L. camara*, *Ocimum sanctum* and, *Tagetes patula*.', *Journal of Scientific and Industrial Research*, 64, pp. 53–56.
- Ediruslan *et al.* (2015) 'Structure Elucidation of Brine Shrimp Toxic Compound from *L. camara* L. Leaves.', *Research, Journal of Chemical and Pharmaceutical*, 7(12), pp. 250–255.
- Fatope, M. O. *et al.* (2002) 'Larvicidal Activity of Extracts and Triterpenoids from *Lantana camara*', *Pharmaceutical Biology*, 40(8), pp. 564–567.
- Fattah, N. F. (2013) *Extraction of L. camara for Wound Healing Application*. University of Malaysia.
- Fayaz, M. *et al.* (2017) 'Antifungal activity of *L. camara* leaf extracts in different solvents against some pathogenic fungal strains', *Pharmacologia*, 8(3), pp. 105–112.
- Field, L. D., Sternhell, S. and Kalman, J. R. (2013) *Organic Structures from Spectra*. Fifth Edit. United Kingdom: John Wiley & Sons, Ltd.
- Ganatra, S. H. and Gurubaxani, B. S. (2016) 'Preliminary phytochemical and TLC profiling of *L. camara* leaf extracts', *J Chem Pharma Res*, 8, pp. 614–617.
- Ganjewala, D., Sam, S. and Khan, K. H. (2009) 'Biochemical compositions and antibacterial activities of *L. camara* plants with yellow lavender, red and white flowers.', *Eurasian Journal of Biosciences*, 3(1), pp. 69–77.
- Ghisalberti, E. L. (2000) '*Lantana camara* L. (Verbenaceae)', *Fitoterapia*, 71, pp. 467–485.

- Goswami-Giri, A. S. and Sawant, N. A. (2011) 'Cytotoxic Activity of Lantana Extract against Wood Destroying Agencies', *Biosciences Biotechnology Research Asia*, 8(2), pp. 821–824.
- Govindaraghavan, S. (2014) *Factors affect TLC reproducibility*. Available at: https://www.researchgate.net/post/What_factors_affect_TLC_reproducibility.
- Hamidi, M., Jovanova, B. and Panovska, T. (2014) 'Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina* L.) model', *Macedonian Pharmaceutical Bulletin*, 60(1), pp. 9–18.
- Harsukhlal, S. H., Baidya, M. and A.R., M. (2012) 'Isolation and Characterization of Chemical Constituents of Aerial Parts of *Lantana camara*', *International Journal of Pharmaceutical Research and Bio-Science*, 1(6), pp. 198–207.
- ITIS, R. (1996) *Lantana camara L., Integrated Taxonomic Information System Report*. Available at: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32175 (Accessed: 20 January 2019).
- Jamal, M. *et al.* (2018) 'A comparative Study for The Extraction Methods and Solvent Selection for Isolation, Quantitative Estimation and Validation of Ursolic Acid in The Leaves of *L. camara* by HPTLC method.', *Future Journal of Pharmaceutical Sciences*, 4(2), pp. 229–233.
- Jenie, U. A. *et al.* (2014) *Teknik Modern Spektroskopi NMR: Teori dan Aplikasi dalam Elusidasi Struktur Molekul Organik*. Jakarta: LIPI Press.
- Juang, F.-C. *et al.* (2005) 'Constituents From The Leaves Of *L. camara* (IV)', *J. Chin. Med*, 16, pp. 149–155.
- Katadi, S. *et al.* (2015) 'Formulasi Losio Antinyamuk Dengan Zat Aktif Minyak Atsiri', *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 2(1), pp. 2–5.
- Kazmi, I. *et al.* (2012) 'Anti-diabetic potential of ursolic acid stearyl glucoside: A new triterpenic glycosidic ester from *Lantana camara*', *Fitoterapia*, 83, pp. 142–146.
- Khan, M. *et al.* (2002) 'Chemical composition of leaf and flower essential oil of *Lantana camara* from India', *Flavour Fragr. J.*, 17, pp. 75–77.
- Khan, M., Mahmood, A. and Alkhatlan, H. Z. (2016) 'Characterization of leaves and flowers volatile constituents of *Lantana camara* growing in central region of Saudi Arabia', *Arabian Journal of Chemistry*, 9, pp. 764–774.
- KLHK (2018) *Luas Kawasan Hutan dan Kawasan Konservasi Perairan Indonesia, Badan Pusat Statistik Indonesia*. Available at: <https://www.bps.go.id/statictable/2013/12/31/1716/luas-kawasan-hutan-dan-kawasan-konservasi-perairan-indonesia-berdasarkan-surat-keputusan-menteri-lingkungan-hidup-dan-kehutanan-s-d-desember-2018.html> (Accessed: 4 May 2020).
- Kumar, R. *et al.* (2016) 'Lantana camara : An Alien Weed, Its Impact on Animal Health and Strategies to Control.', *Journal of Experimental Biology and Agricultural Sciences*, 4(3S), pp. 321–337.

- Lerner, L. and Bax, A. (1986) 'Sensitivity-enhanced two-dimensional heteronuclear relayed coherence transfer NMR spectroscopy', *J. Magn. Reson.*, 69, pp. 375–380.
- Machado, R. R. P. *et al.* (2012) 'Essential oil from leaves of *Lantana camara*: a potential source of medicine against leishmaniasis', *Brazilian Journal of Pharmacognosy*, 22(5), pp. 1011–1017.
- Meyer, B. N. *et al.* (1982) 'Brine Shrimp: A Convenient General Bioassay for Active Plant Constituents.', *Journal of Medicinal Plant Reseach*, 45, pp. 31–32.
- Mitchell, T. . and Costisella, B. (2007) *NMR From Spectra to Structures, an Experimental Approach*. 2nd editio. Germany: Springer-Verlag Berlin Heidelberg.
- Morton, J. F. (1994) 'Lantana or red sage (*L. camara* L. Verbenaceae), notorious weed and popular garden flower: Some cases of poisoning in Florida', *Economic Botany*, 48, pp. 259–270.
- MZ, K., Suryati and Efdi, M. (2018) 'A Triterpenoid from The Leaves of Tahi Ayam (*Lantana camara* Linn)', *Indonesian Journal of Fundamental and Applied Chemistry*, 3(1), pp. 18–22.
- Nea, F. *et al.* (2019) 'A new chemotype of *Lantana rhodesiensis* Moldenke essential oil from Côte d'Ivoire: Chemical composition and biological activities', *Industrial Crops & Products*, 141, pp. 1–12.
- Ningdyah, A. W., Alimuddin, A. H. and Jayuska, A. (2015) 'Uji Toksisitas Dengan Metode BSLT (Brine Shrimp Lethality Test) Terhadap Hasil Fraksinasi Ekstrak Kulit Buah Tampoi (*Baccaurea macrocarpa*)', *JKK*, 4(1), pp. 75–83.
- Nurdin, D. (1986) *Elusidasi Struktur Senyawa Organik*. Bandung: Angkasa.
- Patil, G. *et al.* (2015) 'Bioactive chemical constituents from the leaves of *Lantana Camara* L.', *Indian Journal of Chemistry*, 53, pp. 691–697.
- Paul, A. N. *et al.* (2016) 'The Chemistry Of Natural Product: Plant Secondary Metabolites', *International Journal of Technology Enhancements and Emerging Engineering Research*, 4(8).
- Pavia, D. L. *et al.* (2009) *Introduction to Spectroscopy*. Philadelphia: Sauders College.
- Pour, B. ., Latha, L. . and Sashidaran, S. (2011) 'Cytotoxicity and Oral Acute Toxicity Studies of *L. camara* Leaf Extract.', *Molecules*, 16.
- Pradhan, R. R., Hati, D. K. and Samal, S. (2012) 'Pharmacognostical phytochemical and antimicrobial studies on the leaves of *L. camara* .', *Pharm Lett*, 4, pp. 1648–1656.
- Qamar, F. *et al.* (2005) 'Nematicidal natural products, from the aerial parts of *L. camara* Linn.', *Natural Product Research*, 19, pp. 609–13.
- Raineri, M. (1981) 'Histochemical Localization of Chitin in Larvae of *Artemia salina* Leach (Phyllopoda)', *Italian Journal of Zoology*, 48(2), pp. 139–141.

- Ramar, M., Paulraj, M. G. and S, I. (2013) 'Preliminary Screening of Plant Essential Oils Against Larvae of *Culex quinquefasciatus* Say (Diptera: Culicidae)', *African Journal of Biotechnology*, 12(46), pp. 6480–6483.
- Ruhela, S., Shrivastava, V. and Mathur, A. (2017) 'Study of antimicrobial activity of solvent extract of leaves of *L. camara* .', *Eur J Pharm Med Res*, 4, pp. 668–72.
- Santoni, A. (2009) *Elusidasi Struktur Senyawa Metabolit Sekunder Kulit Batang Surian (Toona sinensis) Meliaceae dan Uji Aktivitas Insektisida*. Universitas Andalas. Padang.
- Sastri, B. N. (1962) *The Wealth of India*. New Delhi, India: CSIR.
- Shamsee, Z. *et al.* (2019) 'Cytotoxic and cell cycle arrest induction of pentacyclic triterpenoides separated from *Lantana camara* leaves against MCF-7 cell line in vitro', *Molecular Biology Reports*, 46, pp. 381–390. doi: 10.1007/s11033-018-4482-3.
- Shara, Y. (2014) *Analisis Komponen Kimia Dan Uji Aktivitas Antibakteri Minyak Atsiri Bunga Tembelekan (Lantana camara L)*. Universitas Sumatera Utara.
- Sitorus, M. (2009) *Spektroskopi Elusidasi Struktur Molekul Organik*. Yogyakarta: Graha Ilmu.
- Sonibare, O. O. and Effiong, I. (2008) 'Antibacterial activity and cytotoxicity of essential oil of *Lantana camara* L . leaves from Nigeria', 7(15), pp. 2618–2620. doi: 10.5897/AJB08.345.
- Sousa, E. O. and Costa, J. G. M. (2012) 'Genus *Lantana*: Chemical aspects and biological activities.', *Brazilian Journal of Pharmacognosy*, 22(5), pp. 1155–1180.
- Suarsa, I. W. (2005) *Spektroskopi*. Bali: Jurusan Kimia, FMIPA, Universitas Udayana.
- Sukadana, I. M. (2011) 'Kandungan Senyawa steroid - alkaloid pada ekstrak n-heksan daun beringin (*Ficus benjamina* L)', *Jurnal Kimia*, 5(2), pp. 169–174.
- Supratman, U. (2010) *Elusidasi Struktur Senyawa Organik*. Bandung: Widya Padjadjaran.
- Suryati *et al.* (2016) 'Antioxidant activity and total phenolic content of ethyl acetate extract and fractions of *Lantana camara* L. leaf', *Der Pharma Chemica*, 8(8), pp. 92–96.
- Suryati, Efdi, M., *et al.* (2019) 'A Cytotoxic Compound from n-Hexane Fraction of *Lantana camara* Linn Leaves', *Molekul*.
- Suryati, Mardiah, E., *et al.* (2019) 'Bioactivity of compounds isolated from the leaves of the *Lantana camara* Linn plant.', *J. Chin. Pharm. Sci*, 28(5), pp. 360–368.
- Venkatachalam, T. *et al.* (2011) 'Physico-chemical and preliminary phyto-chemical studies on the *L. camara* fruits.', *Int J Pharm Pharm Sci*, 3, pp. 52–54.
- Verma, S. C. *et al.* (2013) 'Rapid extraction, isolation, and quantification of

oleanolic acid from *L. camara* roots using microwave and HPLC-PDA techniques.’, *Acta Chromatogr*, 25, pp. 181–199.

Vyas, N. and Argal, A. (2014) ‘Isolation and Characterization of Oleanolic Acid From Roots of *L. camara* .’, *Asian Journal of Pharmaceutical and Clinical Research*, 7, pp. 189–191.

Wolfson, S. L. and Solomon, T. W. (1964) ‘Poisoning by fruit of *L. camara*’, *Am. J. Dis. Child.*, 107, pp. 109–112.

Zandi-Sohani, N., Hojjati, M. and Carbonell-Barrachina, Á. A. (2012) ‘Bioactivity Of *Lantana Camara* linn Essential Oil Against *Callosobruchus Maculatus* (Fabricius)’, *Chilean Journal Of Agricultural Research*, 72(4), pp. 502–506.

Zoubiri, S. and Baaliouamer, A. (2012) ‘GC and GC/MS analyses of the Algerian *Lantana camara* leaf essential oil: Effect against *Sitophilus granarius* adu’ *Journal of Saudi Chemical Society*, 16, pp. 291–297.

