

DAFTAR PUSTAKA

1. Arifianti AE, Anwar E, Nurjanah. Aktivitas Penghambatan Tirosinase dan Antioksidan Serbuk Rumput Laut dari *Sargassum plagyphyllum* Segar dan Kering. *J Pengolah Has Perikan Indones*. 2017;20(3):488–93.
2. Kurniasari A, Anwar E, Djajadisastra J. Potensi Ekstrak Biji Coklat (*Theobroma cacao* Linn) sebagai Inhibitor Tirosinase Untuk Produk Pencerah Kulit. *J Kefarmasian Indones*. 2018;8(1):34–43.
3. Zolghadri S, Bahrami A, Hassan Khan MT, Munoz-Munoz J, Garcia-Molina F, Garcia-Canoovas F, et al. AAAC Comprehensive Review on Tyrosinase Inhibitors. *J Enzyme Inhib Med Chem*. 2019;34(1):279–309.
4. Gutierrez-Orozco F, Failla ML. Biological Activities and Bioavailability of Mangosteen Xanthenes: A Critical Review of The Current Evidence. *Nutrients*. 2013;5(8):3163–83.
5. Hassan WNAW, Zulkifli RM, Basar N, Ahmad F, Yunus MAC. Antioxidant and Tyrosinase Inhibition Activities of α -mangostin and *Garcinia mangostana* Linn. Pericarp Extracts. *Journal of Applied Pharmaceutical Science*. 2015;5:37–40.
6. Arif N, Yahya A, Hamid M, Yaakob H, Zulkifli R. Development of Lightening Cream from Mangosteen Pericarp Extract with Olivoil Emulsifier. *Int Proc Econ Dev Res*. 2014;68.
7. Febrina D, Milanda T, Muchtaridi. Pharmacological Activity *Garcinia mangostana* Linn : A Review. *Int J Curr Med Sci*. 2018;8(5):430–3.
8. Moongkarndi P, Jaisupa N, Koşem N, Konlata J, Samer J, Pattanapanyasat K, et al. Effect of Purified α -mangostin from Mangosteen Pericarp on Cytotoxicity , Cell Cycle Arrest and Apoptotic Gene Expression in Human Cancer Cells. *World J Pharm Sci*. 2015;3(8):1473–84.
9. Mulia K, Ramadhan RMA, Krisanti EA. Formulation and Characterization of Nanoemulgel Mangosteen Extract in Virgin Coconut Oil For Topical Formulation. In: *MATEC Web of Conferences*. EDP Sciences; 2018.
10. Pratiwi L, Fudholii A, Martien R, Pramono S. Self-nanoemulsifying Drug Delivery System (SNEDDS) for Topical Delivery of Mangosteen Peels (*Garcinia mangostana* L.):Formulation Design and In vitro Studies. *J Young Pharm*. 2017;9(3):341–6.
11. Mishra RK, Soni GC, Mishra RP. A Review Article : on Nanoemulsion. *World J Pharm Pharm Sci*. 2014;3(9):258–74.

12. Pengon S, Chinatankul N, Limmatvapirat C, Limmatvapirat S. The Effect of Surfactant on The Physical Properties of Coconut Oil Nanoemulsions. *Asian J Pharm Sci.* 2018;13(5):409–14.
13. Miryanti YA, Sapei L, Budiono K, Indra S. Ekstraksi Antioksidan dari Kulit Buah Manggis (*Garcinia mangostana* L.). *Res Rep - Eng Sci.* 2011;2.
14. Anggraeni DNUR. Uji Stabilitas Fisik dan Aktivitas Inhibisi Tirosinase Terhadap Krim Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.) Yang Dibuat Dengan Metode Dingin dan Panas. Universitas Indonesia; 2010.
15. Aizat WM, Jamil IN, Ahmad-Hashim FH, Noor NM. Recent Updates on Metabolite Composition and Medicinal Benefits of Mangosteen Plant. *PeerJ.* 2019;
16. Nidyasari RRS, Akmal H, Ariyanti NSRI, Biologi D, Matematika F, Alam P, et al. Karakterisasi Morfologi dan Anatomi Tanaman Manggis dan Kerabatnya (*Garcinia* sp.) di Taman Buah Mekarsari. *J Sumberd Hayati.* 2019;4(1).
17. Obolskiy D, Pischel I, Heinrich M. *Garcinia mangostana* L.: A Phytochemical and Pharmacological Review. *Phyther Res.* 2009;23:1047–65.
18. Rohman A, Rafi M, Alam G, Muchtaridi M, Windarsih A. Chemical Composition and Antioxidant Studies of Underutilized Part of Mangosteen (*Garcinia mangostana* L.) Fruit. *J Appl Pharm Sci.* 2019;9(8):47–52.
19. S S, S DR, Kumar D. Analysis of Physicochemical Properties of Mangosteen Rind Extract from Industrial Waste. *Int J Trend Sci Res Dev.* 2018;2(6):1522–6.
20. Anggia V, Bakhtiar A, Arbain D. The Isolation of Xanthones from Trunk Latex of *Garcinia mangostana* linn. and Their Antimicrobial Activities. *Indones J Chem.* 2015;15(2):187–93.
21. Pedraza-Chaverri J, Cárdenas-Rodríguez N, Orozco-Ibarra M, Pérez-Rojas JM. Medicinal Properties of Mangosteen (*Garcinia mangostana*). *Food Chem Toxicol.* 2008;46(10):3227–39.
22. Supiyanti W, Dwi E, Dan W, Kusmita L, Tinggi S, Farmasi I, et al. Uji Aktivitas Antioksidan dan Penentuan Kandungan Antosianin Total Kulit Buah Manggis (*Garcinia mangostana* L.). *Maj Obat Tradis.* 2010;15(2):64–70.
23. Khumsupan P, Gritsanapan W. Anti Acne Activity of *Garcinia mangostana* L.: A Review. *Plant Sci Today.* 2014;1(3):147–50.

24. Srichayanurak C, Phadungkit M. Antityrosinase and Antioxidant Activities of Selected Thai herbal Extracts. 2008;13:673–6.
25. Cheok C-Y, Chin N-L. Antitumoral Properties of Xanthones from Mangosteen (*Garcinia mangostana* L.) Hull. 2017;1:20–4.
26. Andayani R, Wahyuni FS, Wirasti Y, Dachriyanus. Development and Validation of RP-HPLC Method for Quantitative Estimation of α -mangostin in The Rind Extract and Fractions of *Garcinia mangostana* L. and Their Cytotoxic Activity on T47D Breast Cancer Cell Line. International Journal of Pharmacy and Pharmaceutical Sciences. 2015;7: 174–8.
27. Lee K won, Ryu HW, Oh SS, Park S, Madhi H, Yoo J, et al. Depigmentation of α -melanocyte stimulating hormone Treated Melanoma Cells by β -mangostin is Mediated by Selective Autophagy. 2016;
28. Niu C, Aisa HA. Upregulation of Melanogenesis and Tyrosinase Activity: Potential Agents for Vitiligo. Molecules. 2017;22(8).
29. D’Mello SAN, Finlay GJ, Baguley BC, Askarian-Amiri ME. Signaling Pathways in Melanogenesis. Int J Mol Sci. 2016;17(1144):1–18.
30. Videira IF dos S, Moura DFL, Magina S. Mechanism Regulating Melanogenesis. An Bras Dermatologis. 2013;88(1):76–83.
31. Suryaningsih BE, Soebono H. Biologi Melanosit. MDVI. 2016;43(2):78–82.
32. Chang TS. An Updated Review of Tyrosinase Inhibitors. Int J Mol Sci. 2009;10:2440–75.
33. Sungthong B, Phadungkit M. Anti Tyrosinase and DPPH Radical Scavenging Activities of Selected Thai Herbal Extracts Traditionally Used as Skin Toner. Pharmacogn J. 2015;7(2):97–101.
34. Jung E, Lee JA, Shin S, Roh KB, Kim JH, Park D. Madecassoside Inhibits Melanin Synthesis by Blocking Ultraviolet Induced Inflammation. Molecules. 2013;18:15724–36.
35. Lee SY, Baek N, Nam TG. Natural, Semisynthetic and Synthetic Tyrosinase Inhibitors. J Enzyme Inhib Med Chem. 2016;31(1):1–13.
36. Wang T yang, Li Q, Bi K shun. Bioactive Flavonoids in Medicinal Plants: Structure, Activity and Biological Fate. Asian J Pharm Sci. 2018;13:12–23.
37. Mahajan HS, Savale SK. Nanoemulsions : A Versatile Mode of Drug Delivery System. Indian J Nov Drug Deliv Syst. 2016;8(3):123–32.
38. Savardekar P, Bajaj A. Nanoemulsion-A Review. IJRPC 2016.

2016;6(2):312–22.

39. Chellapa P, Ariffin F, Issa Y. Nanoemulsion for Cosmetic Application. *Eur J Biomed Pharm Sci*. 2016;3(7):8–11.
40. Kaur A, Sharma S, Singh M, Kaushik P, Jain UK. Nanoemulsion: A Review About General Introduction, Preparation Methods, Evaluation and Some Marketed Nanoemulsion Formulations. *Int Res J Pharm*. 2018;9(1):16–8.
41. Jaiswal M, Dudhe R, Sharma PK. Nanoemulsion: An Advanced Mode of Drug Delivery System. *Biotech*. 2015;5:123–7.
42. Marzuki NHC, Wahab RA, Hamid MA. An Overview of Nanoemulsion: Concepts of Development and Cosmeceutical Applications. *Biotechnol Biotechnol Equip*. 2019;33(1):779–97.
43. Gurpreet K, Singh SK. Review of Nanoemulsion Formulation and Characterization Techniques. *Indian J Pharm Sci*. 2018;80(5):781–9.
44. Choudhury H, Gorain B, Pandey M, Chatterjee LA, Sengupta P, Das A, et al. Recent Update on Nanoemulgel as Topical Drug Delivery System. *J Pharm Sci*. 2017;106(7):1736–51.
45. Nielloud F, Marti-Mestres G. *Pharmaceutical Emulsions and Suspensions*. New York: Marcel Dekker, INC; 2000.
46. Azmi NAN, Elgharbawy AAM, Motlagh SR, Samsudin N, Salleh HM. Nanoemulsions: Factory For Food, Pharmaceutical and Cosmetics Processes. 2019;7(617):1–34.
47. Rusdiana IA, Hambali E, Rahayuningsih M. Pengaruh Sonikasi Terhadap Sifat Fisik Formula Herbisida yang Ditambahkan Surfaktan Dietanolamida. *Agroradix*. 2018;1(2):34–41.
48. Henny L, Salman S, M Sukma H. Uji Daya Peningkat Penetrasi Virgin Coconut Oil (VCO) dalam Basis Krim. *J Sains dan Teknol Farm*. 2008;13(1).
49. Rowe RC, Sheskey PJ, Quinn ME. *Handbook of Pharmaceutical Excipients Sixth Edition*. London: Pharmaceutical Press; 2009.
50. Juniatik M, Hidayati K, Wulandari FP, Pangestuti N. Formulation of Nanoemulsion Mouthwash Combination of Lemograss Oil (*Cymbopogon citratus*) and Kaffir Lime Oil (*Citrus hystrix*) Against *Candida albicans* ATCC 10231. *Maj Obat Tradis*. 2017;22(1):7–15.
51. Handayani FS, Nugroho BH, Munawiroh SZ. Optimization of Low Energy Nanoemulsion of Grape Seed Oil Formulation Using D-Optimal Mixture Design (DMD). 2018;14(1):17–34.

52. Sulastri E, Ikram M, Yuliet Y. Uji Stabilitas dan Aktivitas Antioksidan Mikroemulsi Likopen Tomat (*Solanum lycopersicum* L.). *J Farm Galen*. 2017;3(1):10–7.
53. Bhagawan WS, Atmaja RRD, Atiqah SN. Optimization and Quercetin Release Test of Moringa Leaf Extract (*Moringa oleifera*) in Gel-Microemulsion Preparation. *J Islam Pharm*. 2017;2(2):34.
54. Noncy FY, Tahar, N AQ. Formulasi dan Uji Stabilitas Fisik Krim Susu Kuda Sumbawa dengan Emulgator Nonionik dan Anionik. *J Farm UIN Alauddin Makassar*. 2016;4(4):169–78.
55. Departemen Kesehatan Republik Indonesia. Kodeks Kosmetika Indonesia. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan; 1980.
56. Febriyenti, Sari LI, Nofita R. Formulasi Sabun Transparan Minyak Ylang-Ylang dan Uji Efektivitas Terhadap Bakteri Penyebab Jerawat. *J Sains Farm Klin*. 2014;1(1):61–71.
57. Departemen Kesehatan RI. Formularium Kosmetika Indonesia. Jakarta: Departemen Kesehatan Republik Indonesia; 1985.
58. Hasrawati A, Hasyim N, Irsyad NA. Pengembangan Formulai Mikroemulsi Minyak Sereh (*Cymbopogon nardus*) Menggunakan Emulgator Surfaktan Nonionik. *J Fitofarmaka Indones*. 3(1):151–4.
59. KNemichand SK, Laxman SD. Solubility Enhancement of Nebivolol by Micro Emulsion Technique. *J Young Pharm*. 2016;8(4):356–67.
60. Momtaz S, Mapunya BM, Houghton PJ, Edgerly C, Hussein A, Naidoo S, et al. Tyrosinase Inhibition by Extracts and Constituents of *Sideroxylon inerme* L. Stem Bark, Used in South Africa for Skin Lightening. *J Ethnopharmacol*. 2008;119:507–12.
61. Departemen Kesehatan Republik Indonesia. Farmakope Herbal Indonesia. 2nd ed. Jakarta: Departemen Kesehatan Republik Indonesia; 2017.
62. Andayani R, Ismed F. Analisis α -mangostin dalam Minuman Herbal Kulit Buah Manggis (*Garcinia mangostana* L.) dengan Metode Kromatografi Lapis Tipis-Densitometri. *J Sains Farm Klin*. 2017;4(2):61–6.
63. Nettippawan I, Saingam W, Sanrungmuang A. Development of HPLC Analysis of α -mangostin in BB Cream Containing *Garcinia mangostana* Fruit Rind Extract. In: The National Graduate Research Conference :1329–35.
64. Hasibuan RK, Fahrurroji A, Untari EK. Formulasi dan Uji Sifat Fisikokimia Sediaan Losio dengan Berbagai Variasi Konsentrasi Vitamin E. Universitas Tanjung Pura; 2014.

65. Pratiwi L, Fudholi A, Martien R, Pramono S. Uji Stabilitas Fisik dan Kimia Sediaan SNEDDS (Self-nanoemulsifying Drug Delivery System) dan Nanoemulsi Fraksi Etil Asetat Kulit Manggis (*Garcinia mangostana* L.). *Tradit Med J.* 2018;23(2):84–90.
66. Indratmoko S, Nurmayadah H, Nurwahidah AT. Pengembangan Formula Krim Nanosqualene Dengan Kombinasi Tween 80 dan PEG 400. *Borneo J Pharmascientech.* 2019;03(02):160–8.
67. Adi AC, Setiawaty N, Anindya AL, Rachmawati H. Formulasi dan Karakterisasi Sediaan Nanoemulsi Vitamin A. *Media Gizi Indones.* 2019;14(1):1–13.
68. Destiyana OY, Hajrah, Rijai L. Formulasi Nanoemulsi Kombinasi Ekstrak Bunga Mawar (*Rosa damascena* Mill.) dan Ekstrak Umbi Bengkuang (*Pachyrhizus erosus* L.) Menggunakan Minyak Pembawa Virgin Coconut Oil (VCO). *Proceeding Mulawarman Pharm Conf.* 2018;254–9.
69. Mumpuni E, Purwanggana A, Mulatsari E, Pratama R. Formulasi dan Evaluasi Larutan Pencuci Mulut dengan Bahan Antimikroba Senyawa 1,5-Bis (3'-Etoksi-4'-Hidroksifenil)-1,4-Pentadien-3-on. *J Ilmu Kefarmasian Indones.* 2019;17(1):87–94.
70. Lachman L, Lieberman HA. *Teori dan Praktek Farmasi Industri.* Edisi Kedua. Jakarta: UI Press; 1994.
71. Mardikasari SA, Jufri M, Djajadisastra J. Formulasi dan Uji Penetrasi In-Vitro Sediaan Topikal Nanoemulsi Genistein dari Tanaman *Sophora japonica* Linn. 2016;14(2):190–8.
72. Sothornvit R. Drying Process and Mangosteen Rind Powder Product. *Acta Hortic.* 2012;928:233–42.
73. Ayuningtias DDR, Nurahmanto D, Rosyidi VA. Optimasi Komposisi Polietilen Glikol dan Lesitin sebagai Kombinasi Surfaktan pada Sediaan Nanoemulsi Kafein. *e-Jurnal Pustaka Kesehat.* 2017;5(1):157–63.
74. Zulfa E, Novianto D, Setiawan D, Farmasi F, Wahid U, Semarang H. Formulasi Nanoemulsi Natrium Diklofenak Dengan Variasi Kombinasi Tween 80 dan Span 80 : Kajian Karakteristik Fisik Sediaan. *Media Farm Indones.* 14(1):1471–7.
75. Siqhny ZD, Azkia MN, Kunarto B. Karakteristik Nanoemulsi Ekstrak Buah Parijoto (*Medinilla speciosa* Blume). *J Teknol Pangan dan Has Pertan.* 2020;15(1):1–10.
76. Safitri D, Samsiar A, Astuti DY, Roanisca O. Nanoemulsi Ekstrak Daun Pelawan (*Tristanopsis merguensis*) Sebagai Antibakteri (*Escherichia coli* Dan *Staphylococcus aureus*) Menggunakan Microwave Assisted Extraction

(Mae). Pros Semin Nas Penelit Pengabdi Pada Masy. 2019;1-4.

77. Listyorini N, Wijayanti N, Astuti KW. Optimasi Pembuatan Nanoemulsi Virgon Coconut Oil. *J Kim.* 2018;12(1):8-12.
78. Herbianto AS. Pengaruh Perbedaan Konsentrasi Surfaktan Terhadap Karakter Fisik dan pH Nanoemulsi Pencerah Kulit. *J Ilm Mhs Univ Surabaya.* 2018;7(1):736-46.
79. Shaker DS, Ishak RA., Ghoneim A, Elhuoni MA. Nanoemulsion: A Review on Mechanisms for the Transdermal Delivery of Hydrophobic and Hydrophilic Drugs. *Sci Pharm.* 2019;87(17).
80. McClements DJ. Nanoemulsions Versus Microemulsions: Terminology, Differences, and Similarities. *Soft Matter.* 2012;8:1719-29.
81. Yuliani S., Hartini M, Stephanie, Pudyastuti B, Istyastono E. Comparison of Physical Stability Properties of Pomegranate Seed Oil Nanoemulsion Dosage Forms With Long-Chain Triglyceride and Medium-Chain Triglyceride As the Oil Phase. *Tradit Med J.* 2016;21(2):93-8.
82. Nuraeni W, Daruwati I, W EM, Sriyani ME. Verifikasi Kinerja Alat Particle size analyzer (PSA) Horiba Lb-550 Untuk Penentuan Distribusi Ukuran Nanopartikel. In: *Prosiding Seminar Nasional Sains dan Teknologi Nuklir.* 2013: 266-71.
83. Akbari S, Nour AH. Emulsion Types, Stability Mechanisms and Rheology: A Review. *Int J Innov Res Sci Stud.* 2018;1(1):14-21.
84. Dianingsih N, Purnomo EH, Muchtadi TR. Sifat Reologi Dan Stabilitas Fisik Minuman Emulsi Minyak Sawit. *J Teknol dan Ind Pangan.* 2016;27(2):165-74.
85. Aisha AF., Abu-Salah KM, Ismail Z, Majid AMS. Determination of Total Xanthones in *Garcinia mangostana* Fruit Rind Extract by Ultraviolet (UV) Spectrophotometry. *J Med Plants Res.* 2013;7(1):29-35.
86. Ananda RW, Kristiningrum N, Retnaningtyas Y. Validasi dan Penetapan Kadar Rhodamin B pada Lipstick yang Beredar Di Sekitar Universitas Jember Dengan Metode KLT-Densitometri. *e-Jurnal Pustaka Kesehat.* 2014;2(1):105-10.
87. Harmita. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian.* 2004;I(3):117-35.
88. Sholihah M, Ahmad U, Budiastra IW. Aplikasi Gelombang Ultrasonik untuk Meningkatkan rendemen Eksraksi dan Efektivitas Antioksidan Kulit Manggis. *J Keteknikan Pertan.* 2017;5(2):161-8.
89. Da'i M, Triharman F. Uji Aktivitas Penangkap radikal DPPH (1,1-difenil-

- 2-pikrilhidrazil) Isolat Alfa Mangostin Kulit Buah Manggis (*Garcinia mangostana* L.). *Pharmacon*. 2010;11(2):47–50.
90. Suhendra L, Raharjo S, Hastuti P, Hidayat C. Formulasi Dan Stabilitas Mikroemulsi O/W Sebagai Pembawa Fucoxanthin. *AGRITECH*. 2012;32(3):230–9.
91. Hashemi SM, Emami S. Kojic Acid-Derived Tyrosinase Inhibitors: Synthesis and Bioactivity. *Pharm Biomed Res*. 2015;1(1):1–17.
92. Sagala Z, Pratiwi RW, Azmi NU, Maap. Uji Aktivitas Inhibisi terhadap Enzim Tirozinase dari Ekstrak Etanol Daun Pepaya (*Carica papaya* L .) Secara In Vitro. *J Penelit Farm Indones*. 2019;7(2):34–8.

