

DAFTAR PUSTAKA

- Adaramoye, O. A., Osaimoje, D. O., Akinsanya, A. M., Nneji, C. M., Fafunso, M. A., Ademowo, O. G. 2008. Changes in antioxidant status and biochemical indices after acute administration of artemether, artemether-lumefantrine and halofantrine in rats. *Basic Clin Pharmacol Toxicol* .102(4):412–418.
- Aktaş, H.S., Ozel, Y., Ahmad, S. *et al.* 2019. Protective effects of resveratrol on hepatic ischemia reperfusion injury in streptozotocin-induced diabetic rats. *Mol Cell Biochem*. 460: 217–224.
- Arauz, J., Ramos-Tovar, E., Muriel, P. 2016. Redox state and methods to evaluate oxidative stress in liver damage: From bench to bedside. *Annals of Hepatology*. 15 (2) : 160-173
- Ardolino, M., Zingoni, A., Cerboni, C., Cecere, F., Soriani, A., Iannitto, M. L., & Santoni, A. 2011. DNAM-1 ligand expression on Ag-stimulated T lymphocytes is mediated by ROS-dependent activation of DNA-damage response: Relevance for NK–T cell interaction. *Blood*. 117(18): 4778–4786.
- Astawan, M. 2009. *Antioksidan Tingkatkan Pamor Bengkuang*. PT. Agromedia Pustaka. Jakarta.
- Bahmani, F., Tajadadi-Ebrahimi, M., Kolahdooz, F., Mazouchi, M., Hadaegh, H., Jamal, A., Mazrooi, N., Asemi, S., and Asemi, Z. 2016. The Consumption of Synbiotic Bread Containing *Lactobacillus sporogenes* and Inulin Affects Nitric Oxide and Malondialdehyde in Patients with Type 2 Diabetes Mellitus: Randomized, Double-Blind, Placebo-Controlled Trial. *Journal of the American College of Nutrition*. 35. (6) :506-513.
- Beauvieux, M.C., Roumes, H., Robert, N., Gin, H., Rigalleau, V., Gallis, J. L. 2008. Butyrate ingestion improves hepatic glycogen storage in the re-fed rat. *BMC Physiol*. 8:19.
- Bókkon, I. 2012. Recognition of functional roles of free radicals. *Current Neuropharmacology*. 10(4): 287–288.
- Boveris, A., Cadenas, E. 1997. *Cellular sources and steady-state levels of reactive oxygen species*, in: L.B. Clerch, D.J. Massaro (Eds.), *Oxygen, Gene Expression, and Cellular Function*. Marcel Dekker. New York. pp. 1– 25.
- Camacho-Ruiz, A., Esteban-Méndex, M. 2010. *Diabetes y radicales libres*, in: J.A. MoralesGonzález, E.O. Madrigal-Santillán, G. Nava-Chapa, I. Durante-Montiel, A. JongitudFalcón, J. Esquivel-Soto (Eds.), *Diabetes*, 2nd ed. Universidad Autónoma del Estado de Hidalgo, Pachuca, Hidalgo. México.

- Cashman, J. R. 1997. Monoamine oxidase and flavin-containing monooxygenases, in: F.P. Guengerich (Ed.). *Biotransformation*. Elsevier. pp. 69– 96.
- Cho, S. J., Roman, G., Yeboah, F., Konishi, Y. 2007. The road to advanced glycation end products: a mechanistic perspective. *Curr. Med. Chem.* 14. 1653–1671.
- Depkes RI. 2007. *Profil Kesehatan Indonesia*. Jakarta.
- Drozdowski, L.A., Reimer, R. A., Temelli, F., Bell, R. C., Vasanthan, T., Thomson, A. B. R. 2010. Beta-glucan extracts inhibit the in vitro intestinal uptake of long-chain fatty acids and cholesterol and down-regulate genes involved in lipogenesis and lipid transport in rats. *J. Nutr. Biochem.* 21 (8), 695–701.
- Eroschenko, V. P. 2008. *DiFiore's Atlas of Histology with Functional Correlations Eleventh Edition*. Lippincott Williams & Wilkins. Philadelphia.
- Fadhilah, Q. 2019. Pengaruh Serat Bengkuang (*Pachyrhizus erosus* L.) terhadap Perkembangan Obesitas pada Mencit Putih Jantan (*Mus musculus* L.) yang diberi pakan berlemak tinggi. *Skripsi*. Universitas Andalas. Padang.
- Fatimah, R. N. 2015. Diabetes Mellitus Type 2. *J Majority*. 4(04).
- Fauci, A. S., dan Longo, D. L. 2005. Jaundice and Evaluation of Liver Function. *Harrison's Principles of Internal Medicine. 16th Edition*. Mc Graw Hill. New York.
- Fernández, J., Redondo-Blanco, S., Gutiérrezdel-Río, I., Miguélez, E. M., Villar, C. J., Lombó, F.. 2016. Colon microbiota fermentation of dietary prebiotics towards short-chain fatty acids and their roles as anti-inflammatory and antitumor agents: a review. *J Funct Foods*. 25: 511– 522.
- Fridovich, I. 1995. Superoxide radical and superoxide dismutases, *Annu. Rev. Biochem.* 64: 97–112.
- Ighodaro, O. M. 2018. Molecular pathways associated with oxidative stress in diabetes mellitus. *Biomedicine & Pharmacotherapy*. 108 : 656–662.
- Giacco, F. dan Brownlee, M. 2010. Oxidative stress and diabetic complications. *Circ. Res.* 107:1058–1070.
- Guven, A., Yavuz, O., Cam, M., Ercan, F., Bukan, N., Comunoglu, C., *et al.* 2006. Effects of melatonin on streptozotocin-induced diabetic liver injury in rats. *Acta Histochem.* 108 :85–93.
- Goyal, A., Singh, S., Tandon, N., Gupta, N., Gupta, Y. K. 2014. Effect of atorvastatin on pancreatic beta-cell function and insulin resistance in type 2 diabetes mellitus patients: a randomized pilot study. *Can J Diabetes*. 38: 466–472.
- Guyton, A. C., dan Hall, J. E. 2011. *Textbook of Medical Physiology 12ed.* [e-book]. Saunders and Elsevier Inc. USA.

- Hamdaoui, L., Naifar, M., Rahmouni, F., Ayadi, F., Rebai, T. 2019. Sub-chronic exposure to Kalach 360 SL–induced damage in rats' liver and hematological system. *Environmental Science and Pollution Research*.
- Hariato, C. E. W., Hasian, T., Widyaningsih, T. D. 2018. Uji Hepatoprotektor Ekstrak Bawang Lanang Pada Tikus Wistar Jantan yang Diinduksi Paracetamol. *Jurnal Pangan dan Agroindustri*. 6.(04):1-10.
- Hastuti, U. S. 2006. Pengaruh Berbagai Dosis Citrinin terhadap Kerusakan Struktur Hepatosit Mencit (*Mus Musculus*) pada Tiga Zona Lubulus Hepar. *Jurnal Kedokteran Brawijaya*. 22(3): 121-124
- Hickman, I. J., Macdonald, G. A. 2007. Impact of diabetes on the severity of liver disease. *Am J Med*. 120: 829-834.
- Hu, G. X., Chen, G. R., Xu, H., Ge, R. S., Lin, J. 2010. Activation of the AMP activated protein kinase by short-chain fatty acids is the main mechanism underlying the beneficial effect of a high fiber diet on the metabolic syndrome. *Medical Hypotheses* 74 : 123–126.
- Huda, S. A. 2016. Hubungan Antara Kadar Glukosa Darah dengan Tekanan Darah Manusia di RW 03 Kebayoran Lama Jakarta Selatan. *Bioedukasi* 7 (2).
- Insani, S. J. 2019. Pengaruh Serat Bengkuang (*Pachyrhizus erosus* L.) terhadap gula darah dan kinerja insulin serta struktur histologi pankreas pada mencit putih jantan (*Mus musculus* L.) yang diberi pakan berlemak tinggi. *Skripsi*. Universitas Andalas. Padang.
- International Diabetes Federation (IDF). 2017. *IDF Diabetes Atlas Eight Edition*. [https://www.idf.org/e-library/epidemiology-research/diabetes.\[e-book\]](https://www.idf.org/e-library/epidemiology-research/diabetes.[e-book]). Diakses 31 Agustus 2019.
- Jawi, I. M., Suprpta, D. N., Sutirtayasa, I. W. P. 2007. Efek antioksidan ekstrak umbi ubi jalar ungu (*Ipomoiea batatas* L) terhadap hati setelah aktivitas fisik maksimal dengan melihat kadar AST dan ALT darah pada mencit. *Dexa Media*. 20 (1):116-119.
- Kaplan, L. and Pesce, J. 2005. *Clinical Chemistry: Theory Analysis and Correlation*. Edisi ke-3. Mosby Year Book. New York.
- Kastorini, C. M., Panagiotakos, D. B. 2009. Dietary patterns and prevention of type 2 diabetes: from research to clinical practice; a systematic review. *Curr Diabetes Rev*. 5: 221-227.
- Kee, J. L. 2007. *Pedoman pemeriksaan laboratorium & diagnostik*. Ed 6. EGC. Jakarta.
- Kim, S. K., Choi, H. J., Won, J. F., Park, J. H., Lee, I. J., Park, S. Y. 2009. Introduction of yam bean (*Pachyrhizus* spp.) in Korea. *Korean J Plant Res* 22: 546-551.

- Kishida, K. T., and Klann, E. 2007. Sources and targets of reactive oxygen species in synaptic plasticity and memory. *Antioxidants & redox signaling*. 9(2): 233–244.
- Kumalasari, I. D., Nishi, K., Harmayani, E., Raharjo, S., Sugahara, T. 2013. Effect of bengkuang (*Pachyrhizus erosus*) fiber extraction murine macrophage-like J774.1 cells and mouse peritoneal macrophages. *Journal of Functional Foods*. 5:582–589.
- Kumalasari, I. D., Nishi, K., Harmayani, E., Raharjo, S., Sugahara, T. 2014. Immunomodulatory activity of Bengkuang (*Pachyrhizus erosus*) fiber extract in vitro and in vivo. *Cytotechnology* 66:75–85.
- Lai, Y. C, Chen ,C. K., Tsai, S. F., Lee, S. S. 2012. Triterpenes as a-glucosidase inhibitors from a-glucosidase *Fagus hayatae*. *Phytochemistry*. 74:206-211.
- Lattimer, J. M dan Haub, M. D. 2010. Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients*. 2: 1266-1289.
- Lau, T.W.L., Tan, K. E. K., Choo, J. C. J., Ng, T.G., Tavintharan, S., Chan, J. C. N. 2018. Regional evidence and international recommendations to guide lipid management in Asian patients with type 2 diabetes with special reference to renal dysfunction. *Journal of Diabetes*.10: 200-212.
- LeRoith, D., Taylor, S., Olefsky, J. M. 2008. *Diabetes Mellitus a Fundamental and Clinical Text*. LippincottWilliam&Wilkins. Philadelphia.
- Longo, D. L., Fauci, A. S., Kasper, D. L., Hauser, S. L., Jameson, J. L., Loscalzo, J. 2011. *Harrison's Principles of Internal Medicine. Volume 2, 18th ed.* McGraw-Hill. New York. USA.
- Loria, P., Leonardo, A., Anania, F. 2013. Liver and diabetes. A vicious circle. *Hepatology Res.* 43 (1): 51–64.
- Lustig, R., Schmidt, L., Brindis, C. 2012. The toxic truth about sugar. *Nature*. 487: 9-27.
- Masek, T., Filipovic, N., Vuica, A., Starcevic, A. 2017. Effects of treatment with sucrose in drinking water on liver histology, lipogenesis and lipogenic gene expression in rats fed high-fiber diet. *Prostaglandins, Leukotrienes and Essential Fatty Acids*. 116 : 1–8.
- Mulyono, A., Ristiyanto., Soesanti, N. 2006. Karakteristi Histopatologi Hepar Tikus Got *Rattus norvegicus* Infektif *Leptospira* Sp. *Jurnal Vektora*. 1(2):84-92
- Nannipieri, M., Gonzales, C., Baldi, S., Posadas, R., Williams, K., Haffner, S. M., *et al.* 2005. Liver enzymes, the metabolic syndrome, and incident diabetes: The Mexico City diabetes study. *Diabetes Care*. 28:57–62.

- Natarajan, N., Vujic, A., Das, J., Wang, A. C., Phu, K. K., Kiehm, S. H., Ricci-Blair, E. M., Zhu, A. Y., Vaughan, K. L., Couman, R. J., Mattison, J. A., Lee, R. T. 2019. Impact of dietary fat and sucrose consumption on cardiac fibrosis in mice and rhesus monkeys. *JCI Insight*.
- Nielsen, M.F., Caumo, A., Aagaard, N. K., Chandramouli, V., Schumann, W. C., Landau, B. R., Schmitz, O., Vilstrup, H. 2005. Contribution of defects in glucose uptake to carbohydrate intolerance in liver cirrhosis: assessment during physiological glucose and insulin concentrations. *Am J Physiol Gastrointest Liver Physiol*. 288: G1135-G1143.
- Nishikawa, T., Edelstein, D., Du, X. L., Yamagishi, S.-i. 2000. Normalizing mitochondrial superoxide production blocks three pathways of hyperglycaemic damage. *Nature*. 404 (6779) . 787.
- Nursandi, F., Machmudi, M., Santoso, U., Indratmi, D. 2017. Properties of different aged jicama (*Pachyrhizus erosus*) plants. *IOP Conf.Ser.: Earth Environ Sci*. 77(01):2003.
- Nugroho, D. A., dan Armalina, D. 2019. Pengaruh pemberian kombinasi vitamin C dan E terhadap gambaran histologi hepar tikus wistaryang dipapar gelombang elektromagnetik ponsel. *Jurnal Kedokteran Diponegoro*. 8(1): 133-141.
- Noman, A. S. M., Hoque, M. A., Haque, M. M., Pervin, F., & Karim, M. R. 2007. Nutritional and anti-nutritional components in *Pachyrhizus erosus* L. tuber. *Food Chemistry* 102 : 1112–1118.
- Olaniyi, K. S., Amusa, O. A. 2020. Sodium acetate-mediated inhibition of histone deacetylase alleviates hepatic lipid dysregulation and its accompanied injury in streptozotocinnicotinamide-induced diabetic rats. *Biomedicine & Pharmacotherapy*. 128:110-226.
- Oron-Herman, M., Kamari, Y., Grossman, E., Yeger, G., Peleg, E., Sabtay, Z., Shamiss, A., Sharabi, Y. 2008. Metabolic syndrome: comparison of the two commonly used animal models. *Am J Hypertens*. 21 (10):18-22.
- Park, C. J and Han, J. S. 2015. Hypoglycemic Effect of Jicama (*Pachyrhizus erosus*) Extract on Streptozotocin-Induce Diabetic Mice. *Prev. Nutr. Food Science*. 20(2):88-93.
- Park, C. J., Lee H. A., Han, J. S. 2016. Jicama (*Pachyrhizus erosus*) extract increases insulin sensitivity and regulates hepatic glucose in C57BL/Ksj-db/db mice. *J-Clin.Biochem.Nutr*. 58(01): 56-58.
- Picardi, A., D'Avola, D., Gentilucci, U. V., Galati, G., Fiori, E., Spataro, S., Afeltra, A. 2006. Diabetes in chronic liver disease: from old concepts to new evidence. *Diabetes Metab Res Rev*. 22: 274-283.
- Price, A. S. dan Wilson, M. L. 2002. *Patofisiologi Konsep Klinis Proses-Proses Penyakit. Edisi 4*. EGC. Jakarta. p 426-430.

- Putra, S. R. 2012. *Optimalkan Kesehatan Wajah dan Kulit dengan Bengkuang*. Cetakan Pertama. DIVA Press. Yogyakarta.
- Qodriyati, N. L. Y., Sulistyani, E., dan Yuwono B. 2016. Kadar Serum Glutamic Oxaloacetic Transaminase (SGOT) pada Tikus Wistar (*Rattus norvegicus*) Jantan yang Dipapar Stresor Rasa Sakit Electrical Foot Shock selama 28 Hari. *e-Jurnal Pustaka Kesehatan*. 4 (1): 73-77.
- Qu, L., Zhu, Y., Liu, Y., Yang, H., Zhu, C., Ma, P., Jianjun, D., Fan, D. 2019. Protective effects of ginsenoside Rk3 against chronic alcohol-induced liver injury in mice through inhibition of inflammation, oxidative stress, and apoptosis. *Food and Chemical Toxicology*. 126 : 277–284.
- Quinn, M.T., Gauss, K. A. 2004. Structure and regulation of the neutrophil respiratory burst oxidase: comparison with nonphagocyte oxidases. *J. Leukoc. Biol.* 76. 760– 781.
- Rahayu, 2014. *Manfaat Bengkuang. Penebar Swadaya*. PT. Mirota Indah Indonesia. Jakarta.
- Rajagopalan, K.V. 1997. Xanthine dehydrogenase and aldehyde oxidase, in: F.P. Guengerich (Ed.). *Biotransformation. Elsevier*. pp. 165–178.
- Ramos-de-la-Peña, A. M., Renard, C. M. G. C., Wickerc, L. 2013. Contreras-Esquivel JC. Advances and perspectives of *Pachyrhizus* spp. in food science and biotechnology. *Trends in Food Sci Technol.* 29: 44–54.
- Rankainen, J., Huusko, T.J., Soininen, R., Mondini, E., Cinti, F., Makela, K.A., Kovalainen, M., Herzig, K.H., Järvelin, M.R., Sebert, S., Savolainen, M.J., Salonen, T. 2015. Fat mass- and obesity-associated gene Fto affects the dietary response in mouse white adipose tissue. *Scie. Report.* 5: 9233.
- Raouf, G. A. M., Vaibhav, K., Khan, A., Tabassum, R., Ahmed, M. E., Javed, H., Chander, K., Islam, F., Siddiqui, M. S. 2013. Terminalia arjuna bark extract inhibits histological alterations by mitigating oxidative stress in lead intoxicated mice. *Orient Pharm Exp Med.* 13 : 253-265.
- Reid, A. E. 2006. Non-alcoholic fatty liver disease. In: Feldman M, Friedman LS, Brandt LJ, Eds. Sleisenger and Fordtran's Gastrointestinal and Liver Disease: Pathophysiology diagnosis management, 8th ed. St. Louis, Missouri, USA: Saunders. Pp. 1772–99.
- Rolo, A. P., Palmeira, C. M. 2006. Diabetes and mitochondrial function: role of hyperglycemia and oxidative stress. *Toxicol. Appl. Pharmacol.* 212. 167–178.
- Sakamoto, E., Seino, Y., Fukami, A., Mizutani, N., Tsunekawa, S., Ishikawa, K., *et al.* 2012. Ingestion of a moderate high-sucrose diet results in glucose intolerance with reduced liver glucokinase activity and impaired glucagonlike peptide-1 secretion. *J Diabetes Investig.* 3(4): 32–40.

- Santoso, P., Amelia, A., Rahayu, R. 2019a. Jicama (*Pachyrhizus erosus*) fiber prevents excessive blood glucose and body weight increase without affecting food intake in mice fed with high-sugar diet. *Journal of Advanced Veterinary and Animal Research* 6 (02):222-230.
- Santoso, P., Maliza, R., Fadhilah, Q., Insani, S. J. 2019b. Beneficial Effect Of *Pachyrhizus erosus* L Fibe Aa A Supplemental Diet To Counteract High Sugar-Induced Fatty Liver Disease In Mice. *Rom J Diabetes Nutr Metab Dis.* 26(4):353-360.
- Sauer, H., Wartenberg, M., & Hescheler, J. 2001. Reactive oxygen species as intracellular messengers during cell growth and differentiation. *Cellular Physiology and Biochemistry.* 11(4): 173–186.
- Schieber, M., & Chandel, N. S. 2014. ROS function in redox signaling and oxidative stress. *Current Biology.* 24(10): R453–R462.
- Seino, Y., Yabe, D. 2013. Glucose-dependent insulinotropic polypeptide and glucagon-like peptide-1: incretin actions beyond the pancreas. *J Diabetes Investig.* 4:108–130.
- Selvin, E., Coresh, J., Golden, S. H., Boland, L. L., Brancati, F. L. M. W. 2005. Glycemic control, atherosclerosis, and risk factors for cardiovascular disease in individuals with diabetes: the atherosclerosis risk in communities study. *Diabetes Care.* 28: 1965–1973.
- Sherwood, L. 2014. *Fisiologi Manusia Dari Sistem ke Sel. Ed kedepalan editor by Ong-Ho.* p.647-648.
- Shihabudeen, H. M. S., Priscilla, D. H., Thirumurugan, K. 2011. Cinnamon extract inhibits a-glucosidase activity and dampens postprandial glucose excursion in diabetic rats. *Nutr Metab (Lond)* 29:46.
- Siddiq, M. N. A. A., Marliyati, S. A., Riyadi, H., Winarsih, W. 2019. Effects of Kersen Leaves Extract (*Muntingia calabura* L.) on SGOT and SGPT Levels of Soft Drink Induced Mice. *J. Gizi Pangan.* 14(2):69-76.
- Sinaga, F. A. 2015. Pengaruh Pemberian Virgin Coconut Oil Terhadap Kadar malondialdehid Tikus Pada Aktifitas Fisik Maksimal. *Jurnal Pendidikan Kimia.*
- Sinaga, F. A., Purba, P. H., Silalaban, R., Marpaung, D. R., Ginting, M., Fitri, K. 2018. Efek Hepatoprotektif Minyak Buah Merah Pada Serum Tikus Dengan Aktifitas Fisik Maksimal. *Sains Olahraga: Jurnal Ilmu Olahraga.*
- Situmorang, P. C., Ilyas, S., Hutahaean, S., Rosidah. 2019. Effect of Nanoherbal Andaliman (*Zanthoxylum acanthopodium*) and Extra Virgin Olive Oil Combination on Preeclamptic Rats Liver Histology. *Macedonian Journal of Medical Sciences.* 7(14):2226-2231.

- Situmorang, P. and Ilyas, S. 2019. Description of Kidney Histology of *Mus musculus* After Giving Nano Herbal *Rhodomyrtus tomentosa* (Haramounting). *International Journal of Ecophysiology*. 01(01): 26–33.
- Slavin, J. 2013. Fiber and Prebiotics: Mechanisms and Health Benefits. *Nutrients*. 5: 417-1435.
- Smith, J. B. dan Mangkoewidjojo, S. 1988. *Pemeliharaan, Pembiakan Dan Penggunaan Hewan Percobaan Di Daerah Tropis*. UI Press. Jakarta.
- Solano-Silva, M., Bazan-de Santillana, I., SotoRodriguez, I., Bautista-Pina, C., Alexander-Aguilera, A. 2019. Tissue change in the development of fatty liver by chronic ingestion of sucrose associated with obesity and dyslipidemia in rats. *Int J Vitam Nutr Res* .1-9.
- Stanhope, K. L. 2015. Sugar Consumption, Metabolic Disease and Obesity: The State of Controversy, Critical reviews in Clinical Laboratory Sciences. *Taylor and Francis*. 184(53):207-237.
- Starkoy, A. A., Fiskum, G., Chinopoulos, C., Lorenzo, B. J., Browne, S. E., Patel, M. S., Beal, M. F. 2004. Mitochondrial α -ketoglutarate dehydrogenase complex generates reactive oxygen species, *J. Neurosci*. 24. 7779– 7788.
- Stockham, S. L., dan Scott, M. A. 2008. *Fundamentals of Clinical Veterinary Pathology*. Iowa State University Press. Iowa.
- Styskal, J., Van Remmen, H., Richardson, A., Salmon, A. B. 2012. Oxidative stress and diabetes: what can we learn about insulin resistance from antioxidant mutant mouse models? *Free Radic. Biol. Med.* 52 (1): 46–58.
- Tan, S., Caparros-Martin, J. A., Matthews, V. B., Koch, H., O’Gara, F., Croft, K. D. *et al.* 2018. Isoquercetin and inulin synergistically modulate the gut microbiome to prevent development of the metabolic syndrome in mice fed a high fat diet. *Sci Rep*. 8(1):10100.
- Thaptimthong, T., Kasemsuk, T., Sibmooh, N., Unchern, S. 2016. Platelet inhibitory effects of juices from *Pachyrhizus erosus* L. root and *Psidium guajava* L. fruit: a randomized controlled trial in healthy volunteers. *BMC Complementary and Alternative Medicine*. 16:269.
- Utomo, Y., Hidayat, A., Dafip, M., Sasi, F. A. 2012. Studi Histopatologi Hati Mencit Putih (*Mus musculus* L.) yang Diinduksi Pemanis Buatan. *Jurnal MIPA*. 35 (2): 122-129.
- Vanni, E., Bugianesi, E., Kotronen, A., DeMinicis, S., Yki-Jarvinen, H., Svegliati-Baroni, G. 2010. From the metabolic syndrome to NAFLD or vice versa?. *Dig Liver Dis*. 42(3):20-30.

- Villalobos, G. T., Perez, N. H., Tovar, A. R., Nava, G. O., Benitez, B. M., Villalozo, I. T. *et al.* 2015. Combined high fat diet and sustained high sucrose consumption promotes NAFLD in a murine model. *Annals of Hepatology*. 14(4):540-546.
- Wang, H., Du, Y. J., Song, H. C. 2010. A-Glucosidase and a-amylase inhibitory activities of guava leaves. *Food Chem*. 123: 6-13.
- Wilson ED, Fisher KH, Garcia PA. 2000. *Principles of nutrition*. John Wiley & Sons. Brisbane.
- Wiryanawan, T. D. 2008. Efek Madu Sebagai Hepatopraktor Terhadap Kerusakan Struktur Histologi Hepar Mencit yang di Induksi Parasetamol. *Skripsi*. Universitas Muhamadiyah Surakarta. Surakarta.
- Yaribeygi. H., Atkin. S. L., Sahebkar. A. 2018. A review of the molecular mechanisms of hyperglycemia-induced free radical generation leading to oxidative stress. *Wiley J Cell Physiol* p. 1-13.
- Young-Hyman, D.L., Davis, C.L. 2010. *Disordered eating behavior in individuals with diabetes: Importance of context, evaluation, and classification*. Diabetes Care.
- Younossi, Z. M., Golabi, P., Avila, L. D., Paik, J. M., Shrisord, M., Fukui, N., Qiu, Y., Burns, L., Afendy, A., Nader, F. 2019. The global epidemiology of NAFLD and NASH in patients with type 2 diabetes: a systematic Review and meta-analysis. *J. Hepatol*. 06 : 021.
- Zhao, H., Lai, Q., Zhang, J., Huang, C., Jia. L. 2018. Antioxidant and hypoglycemic effects of acidic-extractable polysaccharides from *Cordyceps militaris* on type 2 diabetes mice. *Oxid. Med. Cell. Longev*. 1-15.
- Zhao, Y., Jayachandran, M., Xu, B. 2020. In-vivo antioxidant and anti-inflammatory effects of soluble dietary fiber Konjac glucomannan in type-2 diabetic rats. *International Journal of Biological Macromolecules*. 05.105
- Zhang, Q., Yu, H., Xiao, X., Hu, L., Xin, F., Yu, X. 2018. Inulin-type fructan improves diabetic phenotype and gut microbiota profiles in rats. *PeerJ*. 6:c4446.
- Zhou, X., Han, D., Xu, R., Li, S., Wu, H., Qu, C., Wang, F., Wang, X., Zhao, Y. 2014. A model of metabolic syndrome and related diseases with intestinal endotoxemia in rats fed a high fat and high sucrose diet. *PloS ONE*. 9(12): e115148.
- Zhong, Y. F., Shi, C. M., Zhou, Y. L., Chen, Y. J., Lin, S. M., Tang, R. J. 2020. Optimum dietary fiber level could improve growth, plasma biochemical indexes and liver function of largemouth bass, *Micropterus salmoides*. *Aquaculture*. 518 (15) : 734661
- Zimmet, P., Alberti K. G. M. M., Shaw, J. 2001. Global and societal implications of the diabetes epidemic. *Nature*. 414: 782-787.