

DAFTAR PUSTAKA

1. American Cancer Society. Facts & Figure 2019. Am Cancer Soc. 2019; 1- 76
2. Swantara IMD, Rita WS, Hemindya A. Identifikasi Isolat Antikanker Spons *Hyrtios Erecta*. Indonesian Journal of Cancer. 2016;10(4):123–9.
3. Setyowati EP, Jenie UA, Kardono B, Rahmat R, Meiyanto E. Isolasi Senyawa Sitotoksik Spons Kalapisis. J Makal Indones. 2007;18(4):183–9.
4. Ebada SS, Edrada RA, Lin W, Proksch P. Methods for isolation, purification and structural elucidation of bioactive secondary metabolites from marine invertebrates. Nat Protoc. 2008;3(12):1820–31.
5. Proksch P, Edrada RA, Ebel R. Drugs from the seas - Current status and microbiological implications. Appl Microbiol Biotechnol. 2002;59(2– 3):125–34.
6. Trianto A, Ambaryanto, Murwani R. Skrining Bahan Anti Kanker pada Berbagai Jenis Sponsge dan Gorgonian Terhadap L1210 Cell Line. Ilmu Kelautan. 2004;9(3):120–124.
7. Bara R. Isolasi Antimikroba Dari Jamur Yang Bersimbiosis Dengan Biota Laut. Jurnal LPPM Bidang Sains dan Teknologi. 2015;2:36–41.
8. Ashok Phani Kiran K, Murali Mohan CH. Antioxidant and cytotoxic activity of beuveria bassiana crude mycelia extracts against A-549 cell line. Indian J Pharm Sci. 2018;80(4):776–80.
9. Purwanto N, Rismawati E, Sadiyah esti R. Uji Sitotoksik ekstrak biji salak (*Salacca zalacca* (Gaert) Voss dengan menggunakan metode *Brine Shrimp Lethality Test* (Bsl). Pros Penelit Spes Unisiba prodi Farm FMIPA. 2015;616–22.
10. Zhang H, Zhao Z, Wang H. Cytotoxic natural products from marine sponsge-derived microorganisms. Mar Drugs. 2017;15(3).
11. Mehbub MF, Lei J, Franco C, Zhang W. Marine sponsge derived natural products between 2001 and 2010: Trends and opportunities for discovery of bioactives. Mar Drugs. 2014;12(8):4539–77.
12. Noveri Rahmawati, Dan Handayani NM. Skrining Aktivitas Sitotoksik Ekstrak Dan Fraksi Beberapa Jenis Spons Laut Asal Pulau Mandeh Sumatera Barat. 2008;58–63.
13. Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. Nat Protoc. 2010;5(3):479–90.
14. Handayani D, Sandrawati N, Hati SP, Yunita F, Putra AE, Ismed F, Tallei TE, et al. Antimicrobial and cytotoxic activities of marine sponge-derived fungal extracts isolated from *Dactylospongia* sp. J Appl Pharm Sci. 2020;10(4):28–33.
15. Tutik M, Rachmaniar R. Isolasi Substansi Bioaktif Antimikroba dari Spons Asal Pulau dari Kepulauan Seribu. Prosiding Seminar Bioteknologi Kelautan Indonesia I'98. 1998; 151-58.
16. Rudy A, Tarumingkeng C, Zahrial C, Hardjanto. Kajian Bioaktif Spons

- Laut (Forifera: Demospongiae) Suatu Peluang Alternatif Pemanfaatan Ekosistem Karang Indonesia Dalam Dibidang Farmasi. Makal Pribadi Falsafah Sains. 2005;3(2).
17. Bara R. Isolasi Antimikroba Dari Jamur Yang Bersimbiosis Dengan Biota Laut *Talaromyces wortmannii* endophyte View project Indobio View project. 2015;2:36–41.
 18. Handayani D, Rasyid W, Rustini, Zainudin EN, Hertiani T. Cytotoxic activity screening of fungal extracts derived from the West Sumatran marine sponge *Haliciona fascigera* to several human cell lines: Hela, WiDr, T47D and Vero. *J Appl Pharm Sci*. 2018;8(1):055–8.
 19. Lindholm P. Cytotoxic Compounds of Plant Origin - Biological and Chemical Diversity. 2005.
 20. Ahmad A. Managing Cytotoxic Drugs. *Malaysian J Pharm*. 2002;1(3):63–8.
 21. Pinto MCX, Dias DF, Del Puerto HL, Martins AS, Teixeira-Carvalho A, Martins-Filho OA, et al. Discovery of cytotoxic and pro-apoptotic compounds against leukemia cells: Tert-butyl-4-[(3-nitrophenoxy) methyl]- 2,2-dimethyloxazolidine-3-carboxylate. *Life Sci*. 2011;89(21–22):786–94.
 22. Thiele J. Studien über pazifische Spongien. II. Ueber einige Spongien von Celebes. *zoologica. Orig aus dem Gesamtgebiete der Stuttgart*. 1899; 24 (2): 1–33.
 23. V. Vasanthabharathi. Bioactive potential of symbiotic bacteria and fungi from marine sponges. *African J Biotechnol*. 2012;11(29):7500–11.
 24. Blunt JW, Copp BR, Hu WP, Munro MHG, Northcote PT, Prinsep MR. Marine natural products. *Nat Prod Rep*. 2009;26(2):170–244.
 25. Jeon YJ, Sim CJ. A new species of the genus *chelonaplysilla* (demospongiae: Dendroceratida: Darwinellidae) from korea. *Animal Cells Syst (Seoul)*. 2008;12(4):245–8.
 26. Hagiwara K, Garcia Hernandez JE, Harper MK, Carroll A, Motti CA, Awaya J, et al. Pupehenol, a potent antioxidant antimicrobial meroterpenoid from a Hawaiian deep-water *Dactylospongia* sp. sponge. *J Nat Prod*. 2015;78(2):325–9.
 27. Gocik E, König GM, Wright AD, Kaminsky R. Pelorol from the tropical marine sponge *Dactylospongia elegans*. *J Nat Prod*. 2000;63(8):1150–2.
 28. Mycobank. [Internet]. 2007. Available from : <http://www.mycobank.org/Bio/MICS.aspx?TableKey=14682616000000067&Rec=425962&Fields=All>
 29. Yang J, Lien S, Chou Y, Kirschner R. *Cladosporium halotolerans*, a new record of an indoor fungus in Taiwan. 2016; 31 (1):1-6.
 30. Imhoff JF. Natural products from marine fungi - Still an underrepresented resource. *Mar Drugs*. 2016;14(1).
 31. Gesner S, Cohen N, Ilan M, Yarden O, Carmeli S. Pandangolide 1a , a Metabolite of the Sponge-Associated Fungus *Cladosporium* sp ., and the Absolute Stereochemistry of Pandangolide 1 and iso -Cladospolide B. 2005;1350–3.
 32. Pang X, Lin X, Wang J, Liang R, Tian Y, Salendra L. Three new highly oxygenated sterols and one new dihydroisocoumarin from the marine sponge-derived fungus *Cladosporium* sp . SCSIO41007. *Steroids*.

- 2017;30(40):1–6.
33. Mukhrani. Ekstraksi Pemisahan Senyawa dan Identifikasi Senyawa Aktif. *J Kesehat.* 2014;VII(2):361–7.
 34. Sarker SD, Latif Z, Gray AI. Natural Products Isolation: an overview. *Nat Prod Isol.* 2006;864:1–25.
 35. Lestari MS, Himawan T, Abadi AL, Retnowati R. Research Article Toxicity and phytochemistry test of methanol extract of several plants from papua using *Brine Shrimp Lethality Test* (BSLT). *J Chem Pharm Res.* 2015;7(4):866–72.
 36. Meyer BN, Ferrigni NR, Putnam JE. Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Med.* 1982;45(1):31–4.
 37. Dumitrascu M. *Artemia salina*. *Balneo Res J.* 2011;2(4):119–22.
 38. Asem A. Historical record on brine shrimp *Artemia* more than one thousand years ago from Urmia Lake, Iran. *J Biol Res.* 2008;9(February):113–4.
 39. Paffenhöfer GA. Caloric content of larvae of the brine shrimp *Artemia salina*. *Helgoländer Wissenschaftliche Meeresuntersuchungen.* 1967;16(1–2):130–5.
 40. Susilowati F. Uji *Brine Shrimp Lethality Test* (Bslt) Ekstrak Etil Asetat Spons *Calthropella* Sp. Asal Zona Intertidal Pantai Krakal Gunung Kidul Yogyakarta. *Pharm J Islam Pharm.* 2017;1(1):1-5.
 41. Randhawa MA. Calculation of LD50 values from the method of Miller and Tainter, 1944. *J Ayub Med Coll Abbottabad.* 2009;21(3):184–5.
 42. Departemen Kesehatan Republik Indonesia. *Farmakope Indonesia*. Edisi III. Jakarta : Departemen kesehatan Republik Indonesia ; 1979.
 43. Arambaşi MB, Randhawa MA. Comparison of the Methods of Finney and Miller-Tainter for the Calculation of LD 50 Values. *World Appl Sci J.* 2014;32(10):2167–70.
 44. Gandjar IG, Abdul R. *Kimia Farmasi Analisis*. Yogyakarta. Pustaka Pelajar; 2008. 1-487p.
 45. Deinstrop E. *Applied Thin-Layer Chromatography* 2nd ed. Weinheim; Wiley-VCA. 2007. 1-314p.
 46. Naumiec GR, Del Padre AN, Hooper MM, St. Germaine A, Deboef B. A modern apparatus for performing flash chromatography: An experiment for the organic laboratory. *J Chem Educ.* 2013;90(3):376–8.
 47. Pratiwi S. *Mikrobiologi Farmasi*. Jakarta. Gelora Aksara Pratama; 2008.
 48. Habibah C. Isolasi Senyawa Metabolit Sekunder Dari Jamur *Penicillium Chrysogenum* Adsh1 Dan Uji Sitotoksik Dengan Metode *Brine Shrimp Lethality Test*. [Skripsi]. Padang: Universitas Andalas; 2018
 49. Djamal R. *Kimia Bahan Alam Prinsip-prinsip dasar isolasi dan identifikasi*. Padang. Universitas Baiturrahmah; 2010.
 50. Pinalia A. Penentuan Metode Rekristalisasi Yang Tepat Untuk Meningkatkan Kemurnian Kristal Amonium Perklorat (Ap). *Maj Sains dan Teknol Dirgant.* 2012;6(2):64–70.
 51. Dachriyanus. *Analisis Struktur Senyawa Organik Secara Spektroskopi*. Lembaga Pengembangan Teknologi Informasi dan Komunikasi Universitas Andalas; 2004
 52. White WP. Melting point determination. *Am J Sci.* 1909;s4-28(167):453–

- 73.
53. Reddy CSK, Khan KKA, Nagaraja C. A Review on the Determination of Melting Point Measurement System. *Int J Adv Res Electr Electron Instrum Eng*. 2016;5(2):975–9.
54. Dewi D. Prosedur tetap uji sitotoksik metode MTT. In : *Cancer Chemoprevention Research Center*. Yogyakarta. Fakultas Farmasi UGM. 2009;1–7.
55. HiMedia. Sabouraud Dextrose Agar Warning and Precautions: 2018;1–3. Available from: www.himedialabs.com.
56. Walke HR, Gaikwad AA PS. Original Research Article Clinico-mycological profile of dermatophytosis in patients attending dermatology OPD in tertiary care hospital , India. *Int J Curr Microbiol App Sci*. 2014;3(10):432–40.
57. VanderMolen KM, Raja HA, El-Elmat T, Oberlies NH. Evaluation of culture media for the production of secondary metabolites in a natural products screening program. *AMB Express*. 2013;3:1–7.
58. Rowe RC, Shekey PJ. *Handbook of Pharmaceutical Excipient Sixth Edition*. Pharmaceutical Press and American Pharmacist Association. USA. 2009.
59. Harborne JB. *Phytochemical Methods*. Phytochemical Methods. 1980.
60. Maryati, Sutrisna EM. Potensi Sitotoksik Tanaman Ceplukan (*Physalis angulata* L) Terhadap Sel HeLa. *Pharmacol*. 2007;8(1):1–6.
61. Atun S. Metode Isolasi dan Identifikasi Struktural Senyawa Organik Bahan Alam. *J Konserv Cagar Budaya*. 2014;8(2):53–61.
62. Lesty W. *Kromatografi Lapis Tipis*. PT. Taman Kampus Presindo, Jember. 2011. 20-26p.
63. Siadi K. Ekstrak Bungkil Biji Jarak (*Jatropha Curcas*) sebagai Biopeptida yang Efektif dengan Penambahan Larutan NaCl. *J MIPA*. 2012;35 (1).
64. Claudia Schmidt, Dannert. Biosynthesis of Terpenoid Natural Product in Fungi. *Adv Biochem Eng Biotechnol*. 2014.
65. Sugjanto NE, Dorra BL. Antimicrobial Activity of *Cladosporium oxysporum* Endophytic Fungus Extract Isolated From *Aglia odorata* Lour. *Indones J Med*. 2016;01(02):108–15.
66. Suryelta, Sri Benti Eka, Nivi Suci Kumia. Isolasi dan Karakterisasi Senyawa Steroid dari Daun Cemara Natal (*Cupressus funebris* Endl). *Eksakta*. 2017; 18(1).
67. Silverstein RM, Webster FX, and Kiemle DJ. *Spectrometric Identification of Organic Compounds Seventh Edition*. John Wiley & Sons, Inc. Lampung; 2005.
68. Anderson JE, Goetz CM, McLaughlin JL, Suffness M. A blind comparison of simple benchtop bioassays and human tumour cell cytotoxicities as antitumor prescreens. *Phytochem Anal*. 1991;2(3):107–11.
69. Ikalinus R, Widyastuti S, Eka Setiasih N. Skrining Fitokimia Ekstrak Etanol Kulit Batang Kelor (*Moringa Oleifera*). *Indones Med Veterinus*. 2015;4(1):71–9.
70. Tatang SJ. *Fitokimia*. Universitas Islam Indonesia. Yogyakarta; 2019.
71. Liambo NP, Malik A, Ahmad AR. Uji Antimitosis Ekstrak Etanol Kulit Sirsak (*Annona Muricata* L.) Terhadap Sel Telur Landak Laut (*Tripneustes*

- Gratilla L.*) Terfertilisasi. *J Fitofarmaka Indones.* 2016;3(2):169–74.
72. Nurani LH. Uji Sitotoksitas Dan Antiproliferatif Sel Kanker Payudara T47d Dan Sel Vero Biji *Nigella Sativa*, *L. Pharmacia.* 2012;2(1).
73. Xia M, Huang R, Witt KL, Southall N, Fostel J, Cho MH, et al. Compound cytotoxicity profiling using quantitative high-throughput screening. *Environ Health Perspect.* 2008;116(3):284–91.
74. Sassa T, Ooi T, Nukina M, et al. Structural Confirmation of Cotylenin A, a novel Fusicoccane-diterpene Glycoside with Potent Plant Growth-regulating Activity from *Cladosporium* sp.501-7w. *Japan Society for Bioscience.* 1998;62(9):1815-18.
75. Sassa T, Negoro T, Ueki H. Production and Characterization of a New Fungal Metabolite, Cotylenol. *Agr Biol Chem.* 1972;36(13):2281-85.
76. Anderson JE. The Use of Biological Assays to Evaluate Botanicals. *Drug Information J.* 1998;32:513-24.

