

DAFTAR PUSTAKA

1. Junizaf. Buku Ajar Ginekologi. 2003; 7-10.
2. Stewart WF, Van Rooyen JB, Cundiff GW, et al. Prevalence and burden of overactive bladder in the United States. World J Urol. 2003; 20(6): 327-36.
3. Irwin DE, Milsom I, Hunskaar S, et al. Population-based survey of urinary incontinence, overactive bladder, and other lower urinary tract symptom in five countries: Result of the EPIC study. Eur Urol. 2006; 50:1306-15pp.
4. Tirtayasa PMW, Rahardjo HE. A survey on the management of overactive bladder by Indonesian urologists. Med J Indones. 2015; 24(2): 91-6.
5. Drake MH, Mills IW, Gillespie JI. Model of peripheral autonomous modules and a myovesical plexus in norma and overactive bladder function. Lancet. 2001; 358: 401-3.
6. Aragón IM, Herrera-Imbroda B, Queipo-Ortuño MI, et al. The urinary tract microbiome in health and disease. Eur Urol Focus. 2018; 4:128–38pp.
7. Pearce MM, Hilt EE, Rosenfeld AB, et al. The female urinary microbiome: a comparison of women with and without urgencyurinary incontinence. MBio. 2014; 5:e01283–314.
8. Thomas-White K, Brady M, Wolfe AJ, et al. The bladder is not sterile: History and current discoveries on the urinary microbiome. Curr Bladder Dysfunct Rep. 2016; 11: 18–24.
9. Purnomo BB. Dasar-dasar urologi ed.3. Jakarta: Sagung seto. 2011; 165-72.
10. Herschorn S. Female pelvic floor anatomy the pelvic floor, supporting structure and pelvic organ. ReV Urol; suppl. 2004; 5: S2-S10.
11. Siddighi S. Anatomy relevant to femal reconstructive pelvic surgery. Part I in Siddighi S, Hardesty. Urogynecology and female pelvic reconstructive surgery. Mc. Grow-Hill. Medical publication division. 2006; 1-4.
12. DeLancey JOL. Anatomy of the female bladder and urethra. In Bent AE, Osteogart DR, Cundiff GW, Swift SE, eds. Osteogart. Urogynecology and pelvic floor disfunction. 5th ed Philadelphia, PA: Lippincott William and Wilkins. 2003; 3-18.
13. Semins MJ, Chancellor MB. Diagnosis and management of patients with overactive bladder syndrome and abnormal detrusor activity. Nature Clinical Practice Urology. 2004; 1(2): 78-84.
14. Abrams P, Cardozo L, Fall M, et al. The standardisation of terminology of lower urinary tract function: report from the Standardisation Subcommittee of the International Society. Am J Obstet Gynecol. 2002; 187: 116-26.
15. Wein AJ, Rovner ES. Definition and epidemiology of overactive bladder. Urology. 2002; 60 (5 Suppl 1): 7-12.
16. Haylen BT, de Ridder D, Freeman RM, et al. An international urogynecological association (IUGA)/international continence society (ICS) joint report on the terminology for female pelvic floor dysfunction. Neurourol. Urodynam. 2010; 29:4-10.

17. Rahnama'i S. Terminology discussion: overactive bladder. 2018. <https://www.ics.org/committees/standardisation/terminologydiscussions/overactivebladder>
18. Link CL, Steers WD, Kusek JW, et al. The association of adiposity and overactive bladder appears to differ by gender. Results from the Boston Area Community Health Survey. *J Urol.* 2011; 185: 955-63.
19. Patra PB, Patra S. Sex differences in the physiology and pharmacology of the lower urinary tract. *Curr Urol.* 2013; 6: 187-88.
20. Corcos J, Schick E. Prevalence of overactive bladder and incontinence in Canada. *Can J Urol.* 2004; 11: 2278-84.
21. Choo MS, Ku JH, Lee JB, et al. Cross-cultural differences for adapting overactive bladder symptoms: Results of an epidemiologic survey in Korea. *World J Uro.* 2007; 25: 505-11.
22. Coyne KS, Secton CC, Vats V, et al. National community prevalence of overactive bladder in the United States stratified by sex and age. *Urology.* 2011; 77: 1081-7.
23. Moller LA, Lose G, Jorgensen T. The prevalence and bothersomeness of lowe injury tract symptoms in women 40-60 years of age. *Acta Obstet Gynecol Scan.* 2000; 79: 298-305.
24. Donaldson MM, Thompson JR, Matthews RJ, et al. The natural history of overactive baldder and stress urinary incontinence in older women in the community: A three-year prospective cohort study. *Neuronal Urodyn.* 2006; 25: 709-16.
25. Abrams P, Cardozo L, Fall M, et al. The standardization of terminology in lower urinary tract function: report from the standardization sub-committee of the International Continence Society. *Urology.* 2003; 61: 37-49.
26. Ouslander JG. Management of overactive bladder. *N Engl J Med.* 2004; 350: 786-99.
27. Brown JS, Vittinghoff E, Wyman JF, et al. Urinary incontinence: does it increase risk for falls and fractures? Study of Osteoporotic Fractures Research Group. *J Am geriatr Soc.* 2000; 48: 721-5
28. Brading AF, Symes S. Ischemia as an etiological factor in bladder instability: Implications for therapy. *Adv Exp Med Biol.* 2003; 539: 255-69.
29. Brading AF. Overactive bladder: Why it occurs. *Women's Health Medicine.* 2005; 2: 20-23.
30. Mills IW, Greenland JE, McMurray G, et al. Studies of the pathophysiology of idiopathic detrusor instability: The physiological properties of the detrusor smooth muscle an its pattern of innervations. *J Urol.* 2000; 163: 646-51.
31. Kessler TM, Burkhard FC, Z'Brun S, et al. Effect of thalamic deep brain stimulation on lower urinary tract function. *Eur Urol.* 2008; 53: 607-12.
32. Griffiths D, Tadic SD. Bladder control urgency, and urge incontinence: Evidence from functional brain imaging. *Neurorol Urodyn.* 2008; 27: 466-74.
33. O'Reilly BA, Kosaka AH, Knight GF, et al. P2X receptors and their role in female idiopathic detrusor instability. *J Urol.* 2002; 167: 157-64.
34. Graham CW, Dmochowski RR. Questionnaires for women with urinary symptoms. *Neurorol Urodyn.* 2002; 21: 4738-31.

35. Rosenberg MT, Newman DK, Tallmman CT, Page SA. Overactive bladder: Recognitio requires vigilance for symptoms. *Cleveland Clinic J Med.* 2007; 74:S3:S21-9.
36. Wyman JF, Choi SC, Harkins SW, Wilson MS, Fantl JA. The urinary diary in evaluation of incontinent women: a test-retest analysis. *Obstet Gynecol.* 1988; 71: 812-7.
37. Locher JL, Goode PS, Roth DL, Worrell RL, Buirio KL. Reliability assessment of the bladder diary for urinary incontinence in elder woman. *J Gerontol A Biol Sci Med.* 2001; 56: M32-5
38. Semijurnal Farmasi & Kedokteran Ethical Digest. Overactive Bladder. 2009; 66: 28-37.
39. Hashim H, Abrams P. How should patients with an overactive bladder manipulate their fluid intake? *BJU Int.* 2008;102:62-6. <https://doi.org/10.1111/j.1464-410X.2008.07463.x>
40. Ngatirah, Harmayani E, Rahayu ES, Utami T. Seleksi Bakteri Asam Laktat Sebagai Agensia Probiotik yang Berpotensi Menurunkan Kolesterol. Seminar Nasional Industri Pangan. Perhimpunan Ahli Teknologi Pangan Indonesia. Surabaya; 2000
41. Bryant CM, Dowell CJ, Fairbrother G. Caffeine reduction education to improve urinary symptoms. *Br J Nurs.* 2002;11:560-5. <https://doi.org/10.12968/bjon.2002.11.8.10165>
42. Abrams P, Cardozo L, Khoury S, Wein A. Incontinence volume 2 Management; 2005
43. Gormley EA, Lightner DJ, Burgio KL, et al (). Diagnosis and treatment of overactive bladder (non-neurogenic) in adults: AUA/SUFU guideline. Available at: 2014 <https://www.auanet.org/common/pdf/education/clinical-guidance/Overactive-Bladder.pdf>
44. Newman DK, Giovannini D. The overactive bladder: A nursing perspective. *Am J Nurs.* 2002;102:36-46. <https://doi.org/10.1097/00000446-200206000-00042>
45. Martono H, Pranaka K. Geriatri ed.4. Jakarta: FK-UI; 2009
46. Chapple CR, Khullar V, Gabriel Z, et al. The effects of antimuscarinic treatments in overactive bladder: An update of a systematic review and meta-analysis. *EurUrol.* 2008;54: 543-62. <https://doi.org/10.1016/j.eururo.2008.06.047>
47. Madhuvrata P, Cody JD, Ellis G, et al.Which anticholinergic drug for overactive bladder symptoms in adults. *Cochrane Database Syst Rev.* 2012;1:CD005429. <https://doi.org/10.1002/14651858. cd005429.pub2>
48. Cui Y, Zong H, Yang C, et al. The efficacy and safety of mirabegron in treating OAB: A systematic review and meta-analysis of phase 3 trials. *IntUrolNephrol.* 2014;46:275-84. <https://doi.org/10.1007/s11255-013-0509-9>
49. Claesson, M.J., van Denyer, D. dan O'Toole, P.W. The genus *Lactobacillus* - a genomic basis for understanding its diversity. *Federation of European Microbiological Society Microbiology Letters.* 2007; 269(1): 22-8.
50. Usmiati, S., Miskiyah dan Rarah, R.A.M. The effect of bacteriosin of *Lactobacillus* sp. SCG 1223 to the microbiological quality of fresh beef. *Jurnal Ilmu Ternak dan Veteriner.* 2009; 14(2): 150-66.

51. Salih, A.M.M., Hassan, Z.R. dan El Sanousi, S.M. Antimicrobial activity of selected probiotic bacteria isolated from Sudanese traditional dairy product "Rob".*Pakistan Journal of Nutrition*. 2011; 10(7): 637-9.
52. Ndaw, A.D., Faid, M., Bouseta, A. dan Zinedine, A. Effect of controlled lactic acid bacteria fermentation on the microbiological and chemical quality of Moroccan Sardines (*Sardina pilchardus*).*International Journal of Agriculture and Biology*. 2008; 10(1): 21-7.
53. Gan, B.S., Kim, J., Reid, G., Cadieux, P. dan Howard, J.C. *Lactobacillus fermentum* RC-14 inhibits *Staphylococcus aureus* infection of surgical implants in rat. *The Journal of Infectious Diseases*. 2002; 185: 1369-72.
54. Klayraung, S. dan Okonogi, S. Antibacterial and antioxidant activities of acid and bile resistant strains of *Lactobacillus fermentum* isolated from Miang. *Brazilian Journal of Microbiology*. 2009; 40: 757-66.
55. Ahmed Z, Wang Y, Cheng Q, Imran I. *Lactobacillus acidophilus* bacteriocin, from production to their application: an overview. *Afr J Biotechnol*. 2010; 9:2843-50
56. Rahayu ES. Potensi dan Peranan Prebiotik dan Probiotik Dalam Makanan Sehat. Seminar Prebiotik, Probiotik dan Makanan Sehat. Fakultas Biologi Universitas Atmajaya. Yogyakarta; 2001
57. Sofjan O, Aulaniam, Surisdiarta, Rosdiana A, Supiyati. Isolasi dan identifikasi *Bacillus* sp. Dari Usus Ayam Petelur Sebagai Sumber Probiotik. *J I Hayati*. 2010; 15: 153-66
58. Budiyanto MAK. Mikrobiologi Umum. Malang: Universitas Muhammadiyah Malang Press; 2005
59. Brubaker L, Nager CW, Richter HE, et al. Urinary bacteria in adult women with urgency urinary incontinence. *Int Urogynecol J*. 2014;25:1179–84
60. Waluyo, Lud. Mikrobiologi Umum. Malang : Universitas Muhammadiyah Malang Press; 2005
61. Aragon IM, et al. Urinary tract microbiome in health and disease. *European Urology Focus*. 2016; 1-11
62. Pometto A, Shetty K, Paliyath G, Levin RE. Food biotechnology. Ed 2. Boca Raton, FL: CRC Press; 2005
63. Siddiqui H, Lagesen K, Nederbragt AJ, Jeansson SL, Jakobsen KS. Alterations of mikrobiota in urine from women with interstitial cystitis. *BMC Microbiol*. 2012;12:205
64. Lamont RF, Sobel JD, Akins RA, et al. The vaginal microbiome: new information about genital tract flora using molecular based techniques. *Br J Obstet Gynaecol*. 2011;118:533–49
65. Darbro BW, Petroelje BK, Doern GV. *Lactobacillus delbrueckii* as the cause of urinary tract infection. *J Clin Microbiol*. 2009;47:275–7.
66. Nickel JC, Stephens A, Landis JR, et al. Search for microorganisms in men with urologic chronic pelvic pain syndrome: a culture-independent analysis in the MAPP research network. *J Urol*. 2015;194: 127–35

67. Nelson DE, Van Der Pol B, Dong Q, et al. Characteristic male urine microbiomes associate with asymptomatic sexually transmitted infection. *PLoS One*. 2010;5:e14116.
68. Pearce MM, Zilliox MJ, Rosenfeld AB, et al. The female urinary microbiome in urgency urinary incontinence. *Am J Obstet Gynecol*. 2015; 213:347.e1–347.e11
69. Karstens L, Asquith M, Davin S, et al. Does the urinary microbiome play a role in urgency urinary incontinence and its severity? *Front Cell Infect Microbiol*. 2016;6:78.
70. Wu P, Chen Y, Zhao J, et al. Urinary microbiome and psychological factors in women with overactive bladder. *Front Cell Infect Microbiol*. 2017;7:488.
71. Drake MJ, Morris N, Apostolidis A, Rahnama'i MS, Marchesi JR. The urinary microbiome and its contribution to lower urinary tract symptoms; ICI-RS 2015. *Neurourol Urodyn*. 2017; 36:850–3.
72. Khasriya R, Sathiananthamoorthy S, Ismail S, et al. Spectrum of bacterial colonization associated with urothelial cells from patients with chronic lower urinary tract symptoms. *J Clin Microbiol*. 2013; 51: 2054–62.
73. Nelson DE, Dong Q, Van Der Pol B, et al. Bacterial Communities of the coronal sulcus and distal urethra of adolescent males. *PLoS One*. 2012; 7: e36298.
74. Keay S, Birder L, Chai T. Evidence for bladder urothelial pathophysiology in functional bladder disorders. *Biomed Res Int*; 2014:865463.
75. Schroeder B, Bäckhed F. Signals from the gut microbiota to distant organs in physiology and disease. *Nat Med*. 2016; 22:1079–89
76. Tadic SD, Griffiths D, Schaefer W, Cheng CI, Resnick NM. Brain activity measured by functional magnetic resonance imaging is related to patient reported urgency urinary incontinence severity. *J Uro*. 2010; 183:221–8.
77. Anderson G, Palermo J, Schilling J, Roth R, Heuser J, Hultgren S. Intracellular bacterial biofilmlike pods in urinary tract infections. *Science*. 2003; 301:105–7.
78. Ayres J. Cooperative Microbial Tolerance Behaviors in Host-Microbiota Mutualism. *Cell*. 2016; 165:1323–31.
79. Becknell B, Schwaderer A, Hains DS, Spencer JD. Amplifying renal immunity: the role of antimicrobial peptides in pyelonephritis. *Nat Rev Nephrol*. 2015; 11:642–55.
80. Le PT, Pearce MM, Zhang S, Campbell EM, Fok CS, Mueller ER, Brincat CA, Wolfe AJ, Brubaker L. IL22 regulates human urothelial cell sensory and innate functions through modulation of the acetylcholine response, immunoregulatory cytokines and antimicrobial peptides: assessment of an in vitro model. *PLoS One*. 2014; 9:e111375.
81. Utama BI. 2019. Insidensi penderita Overactive Bladder (OAB) pada pasien poli KIA Puskesmas pauh Kota Padang periode Januari 2019. FK UNAND; 2019
82. Sastroasmoro S, Sofyan I. Dasa-dasar penelitian klinis edisi ke-5. Jakarta: Sagung Seto; 2015
83. Pearce MM, Hilt EE, Rosenfeld AB, Zilliox MJ, Thomas-White K, Fok C, Kliethermes S, Schreckenberger PC, Brubaker L, Gai X, Wolfe AJ. The female urinary microbiome: a comparison of women with and without urgency urinary incontinence. *mBio*. 2014; 5(4):e01283-14.

84. Kim J.M., dan Park Y.J. Lactobacillus and Urine Microbiome in Association with Urinary Tract Infections and Bacterial Vaginosis. *Urigenit Tract Ubfct* 2018 Apr. 2018;13(1):7-13.
85. Santoso I. B., Khusen D. Peranan Hyaluronan dalam Pengobatan Cystitis. Majalah Medika - Jurnal Kedokteran Indonesia Edisi No. 05, Tahun ke XLIII bulan Mei 2017; 2015
86. Laporan Tahunan Tahun 2017. Dinas Kesehatan Kota Padang.
87. Natasha Curtissa AB, Louise Krskab, Claire Peppiatt-Wildmanb, Scott Wildmanb, Jonathan Duckett. Case controlled study examining the bladder microbiome in women with Overactive Bladder (OAB) and healthy controls. *European Journal of Obstetrics & Gynecology and Reproductive Biology*. 2017; 214:31-5.
88. Hilt EE MK, Pearce MM, Rosenfeld AB, Zilliox MJ, Mueller ER, et al. Urine is not sterile: use of enhanced urine culture techniques to detect resident bacterial flora in the adult female bladder. *J Clin Microbiol*. 2014; 52:871-6.
89. Claesson MJ, van Denyer, D. dan O'Toole, P.W. The genus Lactobacillus - a genomic basis for understanding its diversity. *Federation of European Microbiological Society Microbiology Letters*. 2007; 269(1):22-8



