

DAFTAR PUSTAKA

1. Satwika P, Pujawati A. Studi Produksi Plastik PHA dengan Pengaruh Penggunaan Media Minimal Cair dan Glukosa oleh *Ralstonia pickettii*. Jurnal Sains dan Seni. 2016;5(1):6–9.
2. Wijayanti KP, Dermawan N, Faisah SN, Prayogi V, Nugraha T, Listyorini NT, et al. Bio-Degradeable Bioplastics Sebagai Plastik Ramah Lingkungan. Journal Science Technol Surya Octag Interdiscip. 2016;1(2):131–153.
3. Aripin S, Saing B, Kustiyah E, Bhayangkara U, Raya J. Studi Pembuatan Bahan Alternatif Plastik Biodegradable. Jurnal Tek Mesin. 2017;06:79–84.
4. Krisyanella, Djamaan A, Aulia W. Optimasi Proses Produksi Bioplastik Poli(3-Hidroksibutirat) Dengan Bakteri *Bacillus* Sp FAAC 20801 Menggunakan Bahan Dasar Jerami Padi Secara Fermentasi. Jurnal Sains dan Teknologi Farmasi. 2012;17(1):60–73.
5. Dewi AP, Yesti Y. Pengujian Biodegradasi Filem Plastik Campuran Polimer Sintetis (Polistiren) dan Biopolimer. Pros Semin Nas Fis. 2018;(September).
6. Tan G-YA, Mutiara I, Razaad N, Li Y, Zhao L, Mo Y, et al. Start a Research on Biopolymer Polyhydroxyalkanoate (PHA): A Review. Journal Polym. 2014;6:706–754.
7. Peña C, Castillo T, García A, Millán M, Segura D. Minireview Biotechnological strategies to improve production of microbial poly- (3-hydroxybutyrate): a review of recent research work. Journal Microb Biotechnol. 2014;7(4):278–293.
8. Mendes RE, Mendoza M, Banga Singh KK, Castanheira M, Bell JM, Turnidge JD, et al. Regional resistance surveillance program results for 12 Asia-Pacific nations (2011). Antimicrob Agents Chemother. 2013;57(11):5721–5726.

9. Arrosyid H, Yogi Sugito. Response of Six Varieties Sugar Cane (*Saccharum officinarum* L.) on Salt Stress Condition. *Jurnal Produksi Tanam*. 2018;6(4):678–684.
10. Kumalawai Z, Kafrawi, Asmawati. Identifikasi dan Isolasi Spora Tunggal Cendawan Mikoriza Arbuskula Pada Rhizosferen Tebu (*Saccharum officinarum* L.). *Pros Semin Nas Mikrobiol Kesehat dan Lingkung*. 2015;63–71.
11. Fitriani, Sutarni, Irawati L. Factors Affecting Production , Consumption and Work Expended Sugarcane farmers in Lampung Province. *Jurnal Ilm*. 2013;7(1).
12. Maudy RN, Shovitri EZM. Karakter Isolat Bakteri P1 dari Rhizosfer Tanaman Tebu (*Saccharum officinarum*). *Jurnal Sains dan Seni*. 2019;8(2):2–3.
13. Steenis CG. *Flora* : M. Surjowinoto, Trans. Jakarta Timur: PT. Balai Pustaka; 2013.
14. Nador AI, Syauqi A, Zayadi H, Kimia P. Colony Diversity of Rizosphere Microorganisms of Sugarcane (*Saccharrum officinarum*) Field on Bio-Slurry and Chemical Fertilizers Utilization. *Journal Bioscience*. 2019;5(1):25–30.
15. Holderman M V, Queljoe E De, Rondonuwu SB, Biologi PS. Identification Of Bacteria In Handrail Escalator On Shopping Center In Manado. *Jurnal Ilmiah Sains*. 2017;17(1):13–18.
16. Brooks GF, Carroll KC, Butel J s., Morse SA, Mietzner TA. *Medical Microbiology*. 26th ed. Mc Graw-Hill; 2013.
17. Al-mohanna MT. *Morphology and classification of bacteria*. 2017.

18. Hayati LN, Tyasningsih W, Praja RN, Chusniati S, Yunita MN, Wibawati PA. Isolasi dan Identifikasi *Staphylococcus aureus* pada Susu Kambing Peranakan Etawah Penderita Mastitis Subklinis di Kelurahan Kalipuro, Banyuwangi. *Jurnal Medik Vet.* 2019;2(2):76–82.
19. Elfina S, Jamarun N, Arief S, Djamaan A. Optimanization Of Manufacturing Of Biodegradable Plastic Starch Jicama (*Pachyrhizus Erosus*). *Journal Int Glob.* 2019;1–2.
20. Alves MI, Macagnan KL, Rodrigues AA, Assis DA de, Torres MM, Oliveira PD de, et al. Poly(3-hydroxybutyrate)-P(3HB): Review of Production Process Technology. *Journal Ind Biotechnology.* 2017;13(July 2018):192–208.
21. Maryuni AE, Mangiwa S. Biodegradability of Bioplastic Base of Caragenaan Extracted from Red Seaweed From Biak Island. *Journal Chem Avogadro.* 2019;3(1):21–26.
22. Lubis M, Harahap MB, Kartika T, Yudhistira B, Riyadi NH, Pangestika AD. Production of bioplastic from jackfruit seed starch (*Artocarpus heterophyllus*) reinforced with microcrystalline cellulose from cocoa pod husk (*Theobroma cacao* L.) using glycerol as plasticizer Production of bioplastic from jackfruit seed starch (Arto. *IOP Conf Ser Mater Sci Eng.* 2018;1–9.
23. Brodin M, Vallejos M, Opedal MT, Area MC, Chinga-Carrasco G. Lignocellulosics as sustainable resources for production of bioplastics – A review. *Journal Clean Prod.* 2017;162:646–664.
24. Kobayashi J, Kondo A. Disruption of poly (3-hydroxyalkanoate) depolymerase gene and overexpression of three poly (3-hydroxybutyrate) biosynthetic genes improve poly (3-hydroxybutyrate) production from nitrogen rich medium by *Rhodobacter sphaeroides*. *Journal Microbiology Cell Factories.* 2019;1–13.

25. Šprajcar M, Horvat P, Kržan A. Biopolymers and Bioplastics : Plastics Aligned with Nature.
26. Mulyatni A, Eris DD, Prakoso H. Characterization of PHA produced by *Pseudomonas aeruginosa* and *Bacillus subtilis* inoculated in palm oil mill effluent (POME) media Irma. *Journal Biotechnology*. 2016;82(2):57–63.
27. Van-Thuoc D, Huu-Phong T, Thi-Binh N, Thi-Tho N, Minh-Lam D, Quillaguamán J. Polyester Production By Halophilic And Halotolerant Bacterial Strains Obtained from Mangrove Soil Samples Located In Northern Vietnam. *Journal Microbiol Open*. 2012;1(4):395–406.
28. Ranaivoarisoa TO, Singh R, Rengasamy K, Guzman MS, Bose A. Towards sustainable bioplastic production using the photoautotrophic bacterium *Rhodospseudomonas palustris* TIE-1. *Journal Ind Microbiology Biotechnology*. 2019;46(9):1401–1417.
29. Higuchi-Takeuchi M, Morisaki K, Numata K. A Screening Method for the Isolation of Polyhydroxyalkanoate-Producing Purple Non-Sulfur Photosynthetic Bacteria From Natural Seawater. *Journal Front Microbiol*. 2016;7(Sep):1–7.
30. Sabnis RW. Handbook of Biological Dyes and Stains: Synthesis and Industrial Applications. *Handbook of Biological Dyes and Stains: Synthesis and Industrial Applications*. America: John Wiley & Sons, Inc; 2010.
31. Stanbury PF, Whitaker A, Hall SJ. Principle of Fermentation Technology. second edi. Oxford: Butterworth Heinemann.1995.
32. Irwandi, Djamaan A, Agustien A. Pengaruh Konsentrasi Minyak Kelapa Sawit Mentah Terhadap Jumlah Biomassa Bakteri *Bacillus* spp. Penghasil Biopolimer Poli (3-Hidroksibutirat). *Jurnal Farm dan Kesehat*. 2018;8(1):64–72.

33. Rakesh P, Charmi P. Quantitative Analytical applications of FTIR Spectroscopy in Pharmaceutical and Allied Areas. *Journal Adv Pharm Educ Res.* 2014;4(2):145–157.
34. Rohman A. Application Of Fourier Transform Infrared Spectroscopy For Quality Control Of Pharmaceutical Products: A Review. *Journal Pharmacy Indonesian.* 2012;23(1):1–8.
35. Anam C, Sirojudin, Firdausi KS. Analisis gugus fungsi pada sampel uji, bensin dan spiritus menggunakan metode spektroskopi FTIR. *Journal Berk Fis.* 2007;10(1):79–85.
36. Duygu DY, Baykal T, Açikgöz Đ, Yildiz K. Fourier Transform Infrared (FT-IR) Spectroscopy for Biological Studies. *GU Journal Science.* 2009;22(3):117–121.
37. Naumann D, Keller S, Helm D, Schultz C, Schrader B. FT-IR Spectroscopy and FT-Raman Spectroscopy are powerful analytical tools for the non-invasive characterization of intact microbial cells. *Elsevier Journal Moleculer Struct.* 1995;347:399–405.
38. Vinod PS, Kulkarni DS, Sulochana MB. Production and Characterization of Polyhydroxybutarate from Halophilic Bacteria. *Journal Science Technol.* 2018;4(11):44–52.
39. Suardi M, Hamdani AS, Ariyati B, Suci RP, Djamaan A. Utilization of Rice Straw (*Oryza sativa* Linn) Agricultural Waste as Substrate for Poly (3-Hydroxybutyrate) Production Using *Pseudomonas aeruginosa*. *Journal Pure Appl Microbiol.* 2018;12(3):1163–1169.
40. Irwandi, Djamaan A, Agustien A. Produksi Bioplastik (P3HB) Dari Bahan Dasar Minyak Kelapa Sawit dengan Isolat *Bacillus* sp. *Chempublish Journal.* 2018;3(2):85–93.

41. Wulandari D, Purwaningsih D. Morphological, Biochemical, and Molecular Identification and Characterization of Amylolytic Bacteria in Tubers of *Colocasia esculenta*. *Journal Bioteknologi dan Sains*. 2020;6(June 2019):247–258.
42. Ed-har AA, Widyastuti R, Djajakirana G. Isolation and Identification of Cellulose and Pectin-Degrading Soil Microbes from Rhizosphere of *Aquilaria malaccensis*. *Buletin Tanah dan Lahan*. 2017;1(1):58–64.
43. Sanders ER. Aseptic Laboratory Techniques: Plating methods. *J Vis Exp*. 2012;(63):1–18.
44. Pantazaki AA, Papanephytous CP, Lambropoulou DA. Simultaneous polyhydroxyalkanoates and rhamnolipids production by *Thermus thermophilus* HB8. *Journal Springer Open*. 2011;1–13.
45. Getachew A, Woldesenbet F. Production of biodegradable plastic by polyhydroxybutyrate (PHB) accumulating bacteria using low cost agricultural waste material. *BioMed Cent Res Notes*. 2016;9(1):1–9.
46. Kustarianingsih IW, Nawfa R. Produksi Polihidroksialkanoat oleh Bakteri. *Jurnal Sains dan Seni*. 2015;4(2):143–146.
47. Haryo R, Setiarto B, Widhyastuti N, Saskiawan I. Effect of Lactic Acid Bacteria, Fungi and Yeast Fermentation on Nutritional Quality of Sorghum Flour. *Journal Agritechnology*. 2016;36(4):440–449.
48. Correia I, Nunes A, Barros AS, Delgadillo I. Screening of lactic acid bacteria potentially useful for sorghum fermentation. *Journal Cereal Science*. 2010;52:9–15.

49. Pradhan S, Borah AJ, Poddar MK, Dikshit PK, Rohidas L, Moholkar VS. Microbial Production, Ultrasound – Assisted Extraction and Characterization of Biopolymer Polyhydroxybutyrate (PHB) from Terrestrial (*P. hysterophorus*) and Aquatic (*E. crassipes*) Invasive Weeds. *Journal Bioresource Technology*. 2017.
50. Bhuwal AK, Singh G, Aggarwal NK, Goyal V, Yadav A. Isolation and Screening of Polyhydroxyalkanoates Producing Bacteria from Pulp, Paper, and Cardboard Industry Wastes. *International Journal Biomater*. 2013;1–10.
51. Alarfaj AA, Arshad M, Sholkamy EN, Murugan A. Extraction and Characterization of Polyhydroxybutyrates (PHB) from *Bacillus thuringiensis* KSADL127 Isolated from Mangrove Environments of Saudi Arabia. 2015;58(October):781–788.
52. Kumalaningsih S, Hidayat N, Aini N. Optimization of Polyhydroxyalkanoates (PHA) Production From Liquid Bean Curd Waste by *Alcaligenes Latus* Bacteria. *Journal Agric Food Technology*. 2011;1(5):63–67.
53. Sultanpuram MT, Reddy V, Mahmood SK. Production and characterization of PHB from two novel strains of *Bacillus* spp. isolated from soil and activated sludge. 2010;271–278.
54. Atifah N, Syamsu K, Suryani A. The Fermentation Study on Polyhydroxyalkanoates Produced Produced by *Ralstonia eutropha* from Hydrolized Sago Starch as The Carbon Source. 2001;160–171.
55. Cappuccino JG, Welsh C. *Microbiology, A Laboratory Manual*. Pearson Education Limited. England: Pearson Education Limited; 2017; 561 .