

DAFTAR PUSTAKA

1. Jessen M dan Malrn L. *Definition, prevalence and development of nasal obstruction.* Allergy. 1997;52: 3–6.
2. Hsu DW dan Suh JD. *Anatomy and Physiology of Nasal Obstruction.* Otolaryngol Clin North Am. 2018;51(5):853-865.
3. Myer CM III dan Cotton RT. *Nasal obstruction in the pediatric patient.* Pediatrics. 1983;72(6):766-777.
4. Clark DW, Del Signore AG, Raithatha R, Senior BA. *Nasal airway obstruction: Prevalence and anatomic contributors.* Ear Nose Throat J. 2018;97(6):173-176.
5. Jaruvongvanich V, Mongkolpathumrat P, Chantaphakul H, dan Klaewsongkram J. *Extranasal symptoms of allergic rhinitis are difficult to treat and affect quality of life.* Allergol Int. 2016;65(2):199-203.
6. Kaya M, Dağlı E, dan Kirat S. *Does Nasal Septal Deviation Affect the Eustachian Tube Function and Middle Ear Ventilation?.* Turk Arch Otorhinolaryngol. 2018;56(2):102-105.
7. Irfandy D, Budiman BJ, dan Huryati E. *Relationship between deviations of nasal septum and mucociliary transport time using saccharin test.* Otorinolaringol. 2019;69:30-5.
8. Willatt D. *The evidence for reducing inferior turbinates.* Rhinology. 2009; 47:227-36.
9. Colorado State University. Framework. <https://libguides.colostate.edu/erhs693C/frameworks>. –Diakses Juni 2020.
10. Tawfik GM, Dila KAS, Mohamed MYF, dkk. *A step by step guide for conducting a systematic review and meta-analysis with simulation data.* Trop Med Health. 2019;47:46.
11. Chohan A, Lal A, Chohan K, Chakravarti A, Gomber S. *Systematic review and meta-analysis of randomized controlled trials on the role of mometasone in adenoid hypertrophy in children.* Int J Pediatr Otorhinolaryngol. 2015;79(10):1599-1608.
12. van den Aardweg MT, Schilder AG, Herkert E, Boonacker CW, dan Rovers MM. *Adenoidectomy for recurrent or chronic nasal symptoms in children.* Cochrane Database Syst Rev. 2010;2010(1).
13. Mishra A, Kawatra R, dan Gola M. *Interventions for atrophic rhinitis.* Cochrane Database Syst Rev. 2012;(2).
14. Gopalakrishnan S dan Ganeshkumar P. *Systematic Reviews and Meta-analysis: Understanding the Best Evidence in Primary Healthcare.* J Family Med Prim Care. 2013;2(1):9-14.
15. Nissen T dan Wynn R. *The clinical case report: a review of its merits and limitations.* BMC Res Notes. 2014;7:264.
16. Islam MM, Iqbal U, Walther B, dkk. *Benzodiazepine Use and Risk of Dementia in the Elderly Population: A Systematic Review and Meta-Analysis.* Neuroepidemiology. 2016;47(3-4):181-191.
17. Lauritano D, Boccalari E, Di Stasio D, dkk. *Prevalence of Oral Lesions and Correlation with Intestinal Symptoms of Inflammatory Bowel Disease: A Systematic Review.* Diagnostics (Basel). 2019;9(3):77.

18. Chung JH, Kang DH, Jo JK, dan Lee SW. *Assessing the quality of randomized controlled trials published in the Journal of Korean Medical Science from 1986 to 2011.* J Korean Med Sci. 2012;27(9):973-980.
19. Bhargava R dan Chakravarti A. *A double-blind randomized placebo-controlled trial of topical intranasal mometasone furoate nasal spray in children of adenoidal hypertrophy with otitis media with effusion.* Am J Otolaryngol. 2014;35(6):766-770.
20. Said SA, McChembe MD, Chalya PL, Rambau P, dan Gilyoma JM. *Allergic rhinitis and its associated co-morbidities at Bugando Medical Centre in Northwestern Tanzania; A prospective review of 190 cases.* BMC Ear Nose Throat Disord. 2012;12:13.
21. Arslan F, Binar M, dan Aydin U. *Assessment of nasal functions and their relationship with cholesteatoma formation in patients with unilateral chronic otitis media.* J Laryngol Otol. 2018;132(11):974-977.
22. Lee KS, Yum HY, Sheen YH, dkk. *Comorbidities and Phenotypes of Rhinitis in Korean Children and Adolescents: A Cross-sectional, Multicenter Study.* Allergy Asthma Immunol Res. 2017;9(1):70-78.
23. Pau B.C. dan Ng D.K. *Prevalence of otitis media with effusion in children with allergic rhinitis, a cross sectional study.* Int. J. Pediatr. Otorhinolaryngol. 2016;84:156–160.
24. Walker RE, Bartley J, Flint D, Thompson JM, dan Mitchell EA. *Determinants of chronic otitis media with effusion in preschool children: a case-control study.* BMC Pediatr. 2017;17(1):4.
25. Marchisio P, Varricchio A, Baggi E, dkk. *Hypertonic saline is more effective than normal saline in seasonal allergic rhinitis in children.* Int J Immunopathol Pharmacol. 2012;25(3):721-730.
26. Alexandrino AS, Santos R, Melo C, Tomé D, Bastos JM, dan Postiaux G. *Immediate effects of a rhino-pharyngeal clearance protocol in nasal obstruction and middle ear condition of children under 3 years of age with upper respiratory infections: A randomized controlled trial.* Acta Otorrinolaringol Esp. 2019;70(4):192-199.
27. Toros SZ, Karaca CT, Onder S, Caypinar B, Sahin-Yilmaz A, dan Oysu C. *Nasal obstruction and unilateral chronic otitis media: evaluation by acoustic rhinometry.* Ann Otol Rhinol Laryngol. 2013;122(12):734-736.
28. Heo KW, Kim MJ, dan Lee JH. *Impact of nasal conditions on chronic otitis media: a cross-sectional study in Koreans.* Acta Otolaryngol. 2018 Feb;138(2):116-121.
29. Park MS, Lee HY, Kang HM, Ryu EW, Lee SK, dan Yeo SG. *Clinical manifestations of aural fullness.* Yonsei Med J. 2012 Sep;53(5):985-91.
30. Hong H, Chen F, Zheng X, dkk. *Decreased frequency of adenoidectomy by a 12-week nasal budesonide treatment.* Ther Clin Risk Manag. 2017;13:1309-1316.
31. Durgut O dan Dikici O. *The effect of adenoid hypertrophy on hearing thresholds in children with otitis media with effusion.* Int J Pediatr Otorhinolaryngol. 2019;124:116-119.
32. Maier W dan Krebs A. *Is surgery of the inner nose indicated before tympanoplasty? Effects of nasal obstruction and reconstruction on the eustachian tube.* Laryngo- Rhino- Otologie. 1998 Des;77(12):682-688.

33. Robb PJ dan Williamson I. *Otitis Media with Effusion*. Dalam: Watkinson JC dan Clarke RW, editor, Scott-Brown's *Otorhinolaryngology Head and Neck Surgery* Ed 8. Vol 2. Boca Raton: CRC Press; 2018. hal 115-135.
34. Pelikan Z. *Role of nasal allergy in chronic secretory otitis media*. Curr Allergy Asthma Rep. 2009 Mar;9(2):107-13.
35. Alles R, Parikh A, Hawk L, dkk. *The prevalence of atopic disorders in children with chronic otitis media with effusion*. Pediatr Allerg Immunol. 2001; 12: 102–6.
36. Weinberg EG. *The Allergic March*. CME. Feb 2010;28(2):64-68.
37. Portnoy JM dan Partridge MR. *Health Care Delivery and Health Economics in Allergy*. Dalam: Pawankar R, Holgate ST, Canonica GW, dan Lockey RF, editor. *White Book on Allergy*. World Allergy Organization: 2011.
38. Chantzi FM, Papadopoulos NG, Bairamis T, dkk. *Human rhinoviruses in otitis media with effusion*. Pediatr Allerg Immunol. 2006; 17: 514–18.
39. Souter MA, Mills NA, Mahadevan M, dkk. *The prevalence of atopic symptoms in children with otitis media with effusion*. Otolaryngology–Head and Neck Surgery. 2009;141(1):104-107.
40. Lazo-Sáenz JG, Galván-Aguilera AA, Martínez-Ordaz VA, Velasco-Rodríguez VM, Nieves-Rentería A, dan Rincón-Castañeda C. *Eustachian tube dysfunction in allergic rhinitis*. Otolaryngol Head Neck Surg. 2005 Apr;132(4):626-9.
41. Kim WJ, Kim BG, Chang KH, Oh JH. *Detection of bacteria in middle ear effusions based on the presence of allergy: does allergy augment bacterial infection in the middle ear?* J Otolaryngol Head Neck Surg. 2015 Dec 29;44:58
42. Snell RS. *Clinical Anatomy by Regions*. Edisi 9. Philadelphia: Lippincott Williams and Wilkins; 2012.hal.562-7.
43. Dhingra PL dan Dhingra S. *Disease of Ear,Nose, and Throat, & Head and Neck Surgery* Edisi 7. New Delhi: RELX India Pvt. Ltd;2018. hal.61-5.
44. Ghada MWF. *Ear Anatomy*. Glob J Otolaryngol. 2018;4(1):1-18.
45. Kivekäs I dan Poe D. *Anatomy and Physiology of the Eustachian Tube*. Dalam: Lalwani AK, editor. *Sataloff's Comprehensive Textbook of Otolaryngology Head and Neck Surgery: Otology/Neurotology/Skull Base Surgery*. Ed 1. Vol 1. New Delhi: Jaypee; 2016.hal.83-97
46. Fireman P. *Otitis media and Eustachian tube dysfunction: connection to allergic rhinitis*. J Allergy Clin Immunol. 1997;99(2):5787-797.
47. Gelardi M, Passalacqua G, Fiorella ML, dan Quaranta N. *Assessment of biofilm by nasal cytology in different forms of rhinitis and its functional correlations*. Eur Ann Allergy Clin Immunol. 2013 Feb;45(1):25-9.
48. Hall-Stoodley L, Hu FZ, Gieseke A, Nistico L, Nguyen D, Hayes J, dkk. *Direct detection of bacterial biofilms on the middle-ear mucosa of children with chronic otitis media*. JAMA. 2006 Jul 12;296(2):202-11.
49. Yolazenia Y, Budiman BJ, Irfandy D. Biofilm Bakteri pada Penderita Rinosinusitis Kronis. Jurnal Kesehatan Melayu. 2018;1:106-13.
50. Jero J dan Karma P. *Bacteriological findings and persistence of middle ear effusion in otitis media with effusion*. Acta Otolaryngol Suppl. 1997; 529: 22-6.

51. Yolazenia Y, Budiman BJ, Huriyati E, Djamal A, Machmud R, dan Irfandy D. Peran biofilm bakteri terhadap derajat keparahan rinosinusitis kronik berdasarkan skor Lund-Mackay. ORLI. 2017; 47:113-22.
52. Dlugaszewska J, Leszezynska M, Lenkowska M, Tatarska A, Pastusiak T, dan Szyfter W. *The pathophysiological role of bacterial biofilms in chronic sinusitis*. Eur Arch Otorhinolaryngol. 2015. —Diakses melalui: <http://www.springerlink.com>.
53. Coates H, Thornton R, Langlands J, dkk. *The role of chronic infection in children with otitis media with effusion: evidence of intracellular persistence of bacteria*. Otolaryngol Head Neck Surg. 2008; 138:778–81.

