

## DAFTAR PUSTAKA

1. Antono D, Hamonangani R. Penyakit Arteri Perifer. In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Sehati S, editors. Buku Ajar Ilmu Penyakit Dalam. Jilid II Edisi VI. Jakarta: Interna Publishing; 2017. 1516-1526.
2. Gerhard-Herman M D, Gornik H L, Barrett C et al. 2016 AHA/ACC guideline on the management of patients with lower extremity peripheral artery disease: a report of the American College of Cardiology/American Heart Association Task Force on clinical practice guidelines. *J Am Coll Cardiol.* 2011; 69(11): 71 - 126.
3. Fowkes FG, Rudan D, Rudan I, Aboyans V, Denenberg JO, McDermott MM, et al. Comparison of global estimates of prevalence and risk factors for peripheral artery disease in 2000 and 2010: A systematic review and analysis. *Lancet.* 2013; 382: 1329-1340.
4. Fowkes FG, Aboyans V, Fowkes FJ, McDermott MM, Sampson UK, et al. Peripheral Artery Disease: Epidemiology and Global Perspectives. *Nature Reviews Cardiology.* 2016; 14: 156-170.
5. Fowkes FGR, Low LP, Tuta S, Kozak J. Ankle-brachial index and extent of atherothrombosis in 8891 patients with or at risk of vascular disease: Results of the international AGATHA study. *Eur Heart J.* 2006;27(15):1861–1867.
6. Fowkes FGR, Houseley E, Cawood EHH, Macintyre CCA, Ruckley CV, Prescott RJ. Edinburgh Artery Study: prevalence of asymptomatic and symptomatic peripheral arterial disease in the general population. *Int J Epidemiol.* 1991;20:384–392.
7. Norgren L, Hiatt WR, Dormandy JA, Nehler MR, Harris KA, Fowkes FG, et al. TASC II inter-society consensus for the management of peripheral arterial disease. *Eur J Vasc Endovasc Surg* 2007; 33(1):71-75.
8. Tenders M, Victor A, Marie LB, Iris B, Denis C, Jean PC, et al., ESC Guidelines on the diagnosis and treatment of peripheral artery diseases. The Task Force on the Diagnosis and Treatment of Peripheral Artery Diseases

- of the European Society of Cardiology (ESC). *Eur Heart J*. 2011; 32: 2851–2906.
9. Meijer WT, Grobbee DE, Hunink MG, Hofman A, Hoes AW. Determinants of Peripheral Arterial Disease in The Elderly: The Rotterdam Study. *Archives Internal Medicine*. 2000. 160:2934-2938.
  10. Criqui MH, Aboyans V. Epidemiology of Peripheral Artery Disease. *Circulation Research*. 2015; 116: 1509-1526.
  11. White CJ. Atherosclerotic peripheral arterial disease. In: Goldman L, Scafer AI, editors. *Cecil Medicine*. Volume 1 Edisi 25. New York: Elsevier; 2016. 497-503.
  12. Hennion DR, Siano KA. Diagnosis Treatment of Peripheral Arterial Disease. *American Family Physician*. 2013: 306-310.
  13. World Health Organization (WHO). 2013. Available at <https://www.who.int/tobacco/about/partners/bloomberg/idn/en/>
  14. Riset Kesehatan Dasar (Riskesdas). In: Badan Penelitian dan Pengembangan Kesehatan Kementerian RI. 2018. Available at <https://www.who.int/tobacco/about/partners/bloomberg/idn/en/>
  15. World Health Organization (WHO). 2016. Available at [https://www.who.int/diabetes/country-profiles/idn\\_en.pdf](https://www.who.int/diabetes/country-profiles/idn_en.pdf)
  16. Debus ES, Kriston L, Schwaneberg T, Hischke S, Rieß HC, et al. Rationale and methods of the IDOMENEO health outcomes of the peripheral arterial disease revascularisation study in the GermanVasc registry. *VASA*. 2018 Oct;47(6):499-505.
  17. Shu J, Santulli G. Update on Peripheral Artery Disease: Epidemiologi and Evidence based Facts. *Atherosclerosis*. 2018; 275: 379-381.
  18. Aronow WS. Peripheral Arterial Disease of the Lower Extremities. *Arch Med Sci*. 2012;8(2): 375-388.
  19. Zemaitis MR, Boll JM, Dreyer MA. Peripheral Arterial Disease. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; 2020. Available at <https://www.ncbi.nlm.nih.gov/books/NBK430745/>
  20. Newman AB, Siscovick DS, Manolio TA, Polak J, Fried LP, Borhani NO, Wolfson SK. Ankle-arm index as a marker of atherosclerosis in the

- Cardiovascular Health Study. Cardiovascular Heart Study (CHS) Collaborative Research Group. *Circulation*. 1993; 88:837–845.
21. Criqui MH, Fronek A, Barrett-Connor E, Klauber MR, Gabriel S, Goodman D. The prevalence of peripheral arterial disease in a defined population. *Circulation*. 1985; 71:510–515.
  22. Rhee SY, H G, ZM L, SW-K C, S W, P P. Multi-country study on the prevalence and clinical features of peripheral arterial disease in Asian type 2 diabetes patients at high risk of atherosclerosis. *Diabetes Res Clin Pract*. 2007;76(1):82–92.
  23. Sofian N, Prasetyo G, Wibisono S. Penyakit Arteri Perifer Disertai Kaludikasio Intermitten di Daerah Terpencil Kabupaten Sikka, Flores dengan Metode Palpasi Nadi dan Faktor Risikonya. *Jurnal Penyakit Dalam Indonesia Vol 4 No 3*. 2017. 137 – 145.
  24. Kullo IJ, Rooke TW. Peripheral Artery Disease. *N Engl J Med*. 2016; 374: 861-871.
  25. Krishna SM, Moxon JV, Golledge J. A Review of the Pathophysiology and Potential Biomarkers for Peripheral Artery Disease. *Int J Mol Sci*. 2015; 16(5): 11294-11322.
  26. Coats P., Wadsworth R. Marriage of resistance and conduit arteries breeds critical limb ischemia. *Am. J. Physiol. Heart Circ. Physiol*. 2005;288:1044–1050
  27. Schoen FJ, Cotran RS. Pembuluh Darah. In: Kumar V, Abbas A, Aster J, editors. *Robbins Basic Pathology*. Edisi 9. Philadelphia: Elsevier . 2012. 365-404.
  28. Serrano FJ, Hernando S, Conejero M. Peripheral Artery Disease: Pathophysiology, Diagnosis and Treatment. *Rev Esp Cardiol*. 2007; 60(9): 969-982.
  29. Obara H, Matsubara K, Kitagawa Y. Acute Limb Ischemia. *Ann Vasc Dis*. 2018; 11(4): 443-448.
  30. Ao ST, Hobbs JT, Irvine WT. Ankle systolic pressure measurements in arterial disease affecting the lower extremities. *Br J Surg*. 1969; 56:676–679.

31. Au BT, Golledge J, Walker PJ, Haigh K, Nelson M. Peripheral Artery Disease: Diagnosis and Management in general Practice Vol 42 No 6. 2013: 397-400.
32. Al-Qaisi M, Nott DM, King DH, Kaddoura S, Hamady M. Imaging of peripheral vascular disease. *Medical Imaging* 2009;2:25–34.
33. Faulkner K, House A, Castleden W. The effect of cessation of smoking on the accumulative survival rates of patients with symptomatic peripheral vascular disease. *Med J Aust* 1983;1:217–219.
34. Mills E, Eyawo O, Lockhart I, Kelly S, Wu P, Ebbert J. Smoking cessation reduces postoperative complications: a systematic review and meta-analysis. *Am J Med* 2011;124:144–154.
35. McDermott M, Ades P, Guralnik J, et al. Treadmill exercise and resistance training in patients with peripheral arterial disease with and without intermittent claudication: a randomized controlled trial. *JAMA* 2009;301:165–174.
36. Ahimastos A, Pappas E, Buttner P, Walker P, Kingwell B, Golledge J. A meta-analysis of the outcome of endovascular and noninvasive therapies in the treatment of intermittent claudication. *J Vasc Surg* 2011;54:1511–1521.
37. Cleveland Clinic. Peripheral arterial disease (PAD) and exercise. 2012. Available at <http://my.clevelandclinic.org/heart/disorder/vascular>
38. National Health and Medical Research Council. Dietary guidelines for Australian adults. 2003. Available at [www.nhmrc.gov.au/filesnhmrc/publications/attachments/n33.pdf](http://www.nhmrc.gov.au/filesnhmrc/publications/attachments/n33.pdf)
39. Momsen AH, Jensen MB, Norager CB, Madsen MR, Vestersgaard AT, Lindholt JS. Drug therapy for improving walking distance in intermittent claudication: a systematic review and meta-analysis of robust randomised controlled studies. *Eur J Vasc Endovasc Surg* 2009; 38: 463–474.
40. Tendera M, Victor A, Marie LB, Iris B, Denis C, Jean PC, et al., ESC Guidelines on the diagnosis and treatment of peripheral artery diseases. The Task Force on the Diagnosis and Treatment of Peripheral Artery Diseases

of the European Society of Cardiology (ESC). *Eur Heart J*.2011; 32: 2851–2906.

41. Nguyen CH, Marzolini S, Oh P, Thomas SG. Entering Cardiac Rehabilitation With Peripheral Artery Disease: Aretrospective Comparison to Coronary Artery Disease. *Journal of Cardiopulmonary Rehabilitation and Prevention*. 2020. Available at <https://pubmed.ncbi.nlm.nih.gov/31904679/>
42. Criqui MH, Alberts MJ, Fowkes FG, Hirsch AT, O'Gara PT, Olin JW. Atherosclerotic Peripheral Vascular Disease Symposium II: screening for atherosclerotic vascular diseases. *Circulation*. 2009;119(25):e604.
43. Feringa HHH, Bax JJ, Hoeks S. A pPognostic Risk Index for Long-term Mortality in Patients With Peripheral Arterial Disease. *Arch Intern Med*. 2007; 167(22): 2482-2489.
44. Lu TJ, Creager MA. The Relationship of Cigarette Smoking to Peripheral Arterial Disease. *Reviews in Cardiovascular Medicine* Vol 5 No 4. 2004: 189-193.
45. Joosten MM, Pai JK, Bertolia ML, Rimm EB, Spiegelman D, Mittleman MA, Mukamal KJ. Associations between conventional cardiovascular risk factors and risk of peripheral artery disease in men. *JAMA*. 2012; 308:1660–1667.
46. Benowitz NL, Gourlay SG. Cardiovascular toxicity of nicotine: implications for nicotine replacement therapy. *J Am Coll Cardiol*. 1997;29:1422–1431.
47. Liu JM, Cui TX, Shiuchi T, Liu HW, Min LJ, Okumura M, et al. Nicotine Enhances Angiotensin II-induced Mitogenic Response in Vascular Smooth Muscle Cells and Fibroblasts. *Arterioscler Thromb Vasc Biol*. 2004; 24(1): 80-84
48. Yulianti S, Fitrianiingsih Y, Jati DR. Analisis Gas Karbonmonoksida (CO) pada Ruas Jalan Gajad Mada Pontianak. *Jurnal Teknologi Lingkungan Lahan Basah* Vol 2 No 1. 2014: 1-10.
49. Celermajer DS, Sorensen KE, Georgakopoulos D, et al. Cigarette smoking is associated with doserelated and potentially reversible impairment of

- endothelium-dependent dilation in healthy young adults. *Circulation*. 1993;88:2149–2155.
50. Adams MR, Jessup W, Celermajer DS. Cigarette smoking is associated with increased human monocyte adhesion to endothelial cells: reversibility with oral L-arginine but not vitamin C. *J Am Coll Cardiol*. 1997;29:491–497.
51. Mukopadhyay J, Monodeep B, Jayeeta B. Hypertension and atherosclerosis: the cardiovascular risk continuum. *Medicine Update*. 2011. Available at [http://apiindia.org/wpcontent/uploads/pdf/medicine\\_update\\_2011/09\\_hypertension\\_and\\_atherosclerosis.pdf](http://apiindia.org/wpcontent/uploads/pdf/medicine_update_2011/09_hypertension_and_atherosclerosis.pdf)
52. Viridis A, Emiliano D, Stefano T. Oxidative stress and vascular damage in hypertension: role of angiotensin II. *International Journal of Hypertension*. 2011;1-7.
53. Bohm F, John P. The importance of endothelin-1 for vascular dysfunction in cardiovascular disease. *Cardiovascular Research*. 2007; 76:8-18.
54. Perkumpulan Endokrinologi Indonesia. Panduan Pengelolaan Dislipidemia di Indonesia. Indonesia:PERKENI. 2015. Available at <https://pbperkeni.or.id/wp-content/uploads/2019/01/3.-Panduan-Pengelolaan-Dislipidemia-PERKENI-2015.pdf>
55. Creager M, Libby P. Peripheral Arterial Disease In: Mann DL, Zipes DP, Libby P, Bonow RO, editors. *Braunwald's Heart Disease : A Textbook of Cardiovascular Medicine*. 10th ed. Philadelphia: Elsevier Saunders. 2015; 1312.
56. Aryani E, Nugroho KH, Margawati A. Hubungan antara Dislipidemia dengan Status Penyakit Arteri Perifer pada Pasien Diabetes Mellitus Tipe 2 Terkontrol Sedang. *Jurnal Kedokteran Dipenogoro Vol 5 No 4*. 2016; 720-736.
57. Kementerian Kesehatan Republik Indonesia (KEMENKES RI). Situasi dan Analisis Diabetes. 2014. Available at <https://www.kemkes.go.id/article/view/15021800007/situasi-dan-analisis-diabetes.html>

58. Dorland WAN. Abjad O. In: Arfan A, Mahode AA, Intasari DM, editors . Kamus Kedokteran Dorland. Edisi 31. Jakarta: EGC. 702, 1003.
59. Berg AH, Scherer PE (2005) Adipose tissue, inflammation, and cardiovascular disease. *Circ Res.*2005; 96(9): 939–949.
60. Suwitra K. Penyakit Ginjal Kronik, Mekanisme Penyakit Ginjal Kronik. . In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Sehati S, editors. Buku Ajar Ilmu Penyakit Dalam. Jilid II Edisi VI. Jakarta: Interna Publishing; 2017. 2159-2165.
61. Stenvinkel P. Inflammatory and atherosclerotic interactions in the depleted uremic patient. *Blood Purif* 2001;19:53–61.
62. Boaz M, Weinstein T, Matas Z. Peripheral vascular disease and serum phosphorus in hemodialysis: a nested case-control study. *Clin Nephrol.*2005;63:98–105.
63. Fukagawa M, Komaba H, Kakuta T. Hyperparathyroidism in chronic kidney disease patients: an update on current pharmacotherapy. *Expert Opin Pharmacother.*2013;14:863–871.
64. Guyton, Hall JE. Jantung. In:Rachman Ry, Hartanto H, Novrianti A, Wulandari N,editors. Buku Ajar Fisiologi Keokteran. Edisi XII. Jakarta: EGC; 2014.165-303.
65. Departemen Kesehatan Republik Indonesia (DEPKES RI). Pedoman Teknis Penemuan dan Tatalaksana Penyakit Diabetes Mellitus.2008. Available at [https://www.academia.edu/8370030/Pedoman\\_teknis\\_penemuan\\_dan\\_tatalaksana\\_penyakit\\_diabetes\\_mellitus](https://www.academia.edu/8370030/Pedoman_teknis_penemuan_dan_tatalaksana_penyakit_diabetes_mellitus)
66. Gowda S, Desai PB, Kulkarni SS, Hull VV, Math AAK, Vernekar SN. Markers of renal function tests. *N Am J Med Sci.* 2010; 2(4): 170-3.
67. Mahyar K, Iyad NI, Kent RB, Iftikhar JK. Family histor as arisk factor peripheral arterial disease. *Am J Cardiol.* 2015; 114(6): 928–932
68. Aman MA, Soewondo P, Soelistijo SA, Arsana PM, Wismandari, et al. Pedoman pengelolaan dislipidemia di Indonesia. PERKENI. 2019. Available at <https://pbperkeni.or.id/wp-content/uploads/2019/12/Panduan-pengelolaan-dislipidemia-2019.pdf> .

69. Soelistijo SA, Novida H, Rudijanto A, Soewondo P, Suastika K, Manaf A, et al. Pengelolaan dan pencegahan DM tipe 2 di Indonesia. PERKENI. 2015. Available at <https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf>
70. Selvin E, Erlinger TP. Prevalence of and Risk Factor for Peripheral Arterial Disease in the United States: Results From the National Health and Nutrition Examination Survey 1999-2000. *Circulation*. 2004; 110:738-743.
71. Blanes JI, Cairols MA, Marrugat J. Prevalence of Peripheral Artery Disease and its Associated Risk Factors in Spain: The ESTIME Study. *International Angiology*. 2009; 28(1): 20-25.
72. United Nations. In: Department of Economic and Social Affairs Population Dynamics. 2020. Available at <https://population.un.org/wpp/Maps/>
73. Miller J, Lu W. These are The World's Healthiest Nations. Bloomberg. 2019. Available at <https://www.bloomberg.com/news/articles/2019-02-24/spain-tops-italy-as-world-s-healthiest-nation-while-u-s-slips>
74. Meijer WT, Grobbee DE, Hunink M, et al. Determinants of peripheral Arterial Disease in The Eldery: The Rotterdam Study. *Arch Intern Med*. 2000;160(19): 1934-2938.
75. Guyton, Hall JE. Sirkulasi. In: Rachman Ry, Hartanto H, Novrianti A, Wulandari N, editors. *Buku Ajar Fisiologi Keokteran*. Edisi XII. Jakarta: EGC; 2014.165-303.
76. Sihombing B. Prevalensi Penyakit Arteri Perifer Pada Populasi Penyakit Diabetes Mellitus di Puskesmas Kota Medan. *Respiratory USU*. 2008; 1-82.
77. Kramer CK, Zinman B, Retnakaran R. Are Metabolically Healthy Overweight and Obesity Benign Conditions? : A Systematic Review and Meta-analysis. *Annals of Internal Medicine*. 2013; 159:758-769.
78. Liew YP, Bartholomew JR, Demirjian S, Michaels J, Schreiber MJ Jr. Combined effect of chronic kidney disease and peripheral arterial disease



on all-cause mortality in a high-risk population. *Clin J Am Soc Nephrol.*2008;3:1084–1089.

79. Fowkes FGR, Housley E, Riemersma RA, Macintyre CC, Cadwood EHH, Prescott RJ, et al. Smoking, Lipids, Glucose Intolerance and Blood Pressure as Risk Factor for Peripheral Atherosclerosis Compared with Ischemic Heart Disease in The Edinburg Artery Study. *American Journal of Epidemiology.* 1992; 135(4):331-340.
80. Aday AW, Lawler PR, Cook NR, Ridker PM, Mora S, Pradhan AD. Lipoprotein Particle Profiles, Standard Lipids and Peripheral Artery Disease Incidence. *Circulation.*2018;138:2330-2341.
81. O'Hare AM, Rodriguez RA, Bacchetti P. Low Ankle-Brachial Index Associated With Rise in Creatinine Level Over Time: Results From the Atherosclerosis Risk in Communities Study. *Arch Intern Med.* 2005;165(13):1481-1485.
82. Joosten MM, Pai JK, Bertola ML, Gansevoort RT, Bakker SJL, Cooke JP, et al.  $\beta_2$  Microglobulin, Cystatin C and creatinine and Risk of Symptomatic Peripheral Artery Disease. *J Am Heart Assoc.* 2014;3(4): 1-12.
83. Sagita TC, Setiawan AA, Hardian. Hubungan Derajat Keparahan Gagal Ginjal Kronik dengan Kejadian Penyakit Jantung Koroner. *Jurnal Kedokteran Diponegoro.* 2018; 7(2): 472-484.
84. Allison MA, Ho E, Denenberg JO, Langer RD, Newman AB, Fabsitz RR, Criqui MH. Ethnic-specific prevalence of peripheral arterial disease in the United States. *Am J Prev Med.* 2007;32:328–333.
85. Hirsch AT, Haskal ZJ, Hertzner NR, Bakal CW, Creager MA, Halperin JL, et al. ACC/AHA 2005 practice guidelines for the management of patients with peripheral arterial disease. *Circulation.* 2006;113:e463–e654.
86. American College of Cardiology Foundation/American Heart Association (ACC/AHA). Pocket guideline: management of patient with peripheral artery disease (lower extremity, renal, mesenteric and abdominal aortic). 2011. Available at [https://www.acc.org/~media/clinical/pdf-files/approved-pdfs/2012/02/16/14/42/2011\\_pad\\_pktguide.pdf](https://www.acc.org/~media/clinical/pdf-files/approved-pdfs/2012/02/16/14/42/2011_pad_pktguide.pdf)

87. Sofian N, Prasetyo G, Wibisono S. Penyakit Arteri Perifer Disertai Klaudikasio Intermitten di Daerah Terpencil Kabupaten Sikka, Flores: Studi Potong Lintang dengan Metode Palpasi Nadi dan Faktor Risikonya. *Jurnal Penyakit Dalam Indonesia*. 2017;4(3): 137-145.
88. Murabito JM, D'Agostino RB, Silbershatz H, Wilson PWF. Intermitten Claudication A Risk Profile From The Framingham Heart Study. *Circulation*. 1997;96: 44-49.
89. Pepine CJ and Eileen NM. The vascular biology of hypertension and atherosclerosis and therapy with calcium antagonist and angiotensin-converting enzyme. *Clin Cardiol*. 2001;24(V):1-5.
90. Joosten MM, Pai JK, Bertioia ML, Rimm EB, Spiegelman D, Mittleman MA, et al. Associations between conventional cardiovascular risk factors and risk of peripheral artery disease in men. *JAMA*. 2012;308:1660–1667.
91. Faulkner KW, House AK, Castleden WM. The effect of cessation of smoking on the accumulative survival rates of patients with symptomatic peripheral vascular disease. *Med J Aust*. 1983;1:217–219.
92. Celermajer DS, Sorensen KE, Georgakopoulos D, et al. Cigarette smoking is associated with dose-related and potentially reversible impairment of endothelium-dependent dilation in healthy young adults. *Circulation*. 1993;88:2149–2155.
93. Barua RS, Ambrose JA, Eales-Reynolds LJ, et al. Dysfunctional endothelial nitric oxide biosynthesis in healthy smokers with impaired endothelium-dependent vasodilatation. *Circulation*. 2001;104:1905–1910.
94. Heitzer T, Yla-Herttuala S, Luoma J. Cigarette Smoking Potentiates Endotelial Dysfunction of Forearm Resistance Vessel in Patients with Hypercholesterolemia: Role of Oxidized LDL. *Circulation*. 1996; 9: 1346-1353
95. Nishio E, Watanabe Y. Cigarette Smoke Extract Inhibits Plasma Paraoxonase Activity by Modification of the Enzyme's Free Thiols. *Biochem Biophys Res Commun*. 1997; 236 : 289-293.

96. Yarlioglues M, Ardic I, Dogdu O, Akpek M, Zencir C, Kasapkara HA, et al. The acute effects of passive smoking on mean platelet volume in healthy volunteers. *Angiology*. 2012 Jul; 63(5): 353-357.
97. Hioki H, Aoki N, Kawano K, Homori M, Hasumura Y, Yasumura T, et al. Acute effects of cigarette smoking on platelet-dependent thrombin generation. *European Heart Journal*. 2001 Jan; 22(1): 56-61.
98. Yeboah K, Pупlampu P, Yorke E, Antwi DA, Gyan B, Amoah AGB. Body Composition and Ankle-Brachial Index in Ghanaians with Asymptomatic Peripheral Arterial Disease in A Tertiary Hospital. *BMC Obes*. 2016; 3: 27.
99. Sugondo S. Obesitas. In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Sehati S, editors. *Buku Ajar Ilmu Penyakit Dalam*. Jilid II Edisi VI. Jakarta: Interna Publishing; 2017. 2559 – 2568.
100. Lavie CJ, Milani RV, Ventura MD. Obesity and Cardiovascular Disease: Risk Factor, Paradox and Impact of Weight Loss. *Journal of the American College of Cardiology*. 2009; 53(21): 1925-1932.
101. Wahjuni S. Metabolisme Lemak. In: Atmaja J, editors. *Metabolisme Biokimia*. Bali: Udayana University Press, 2013. 34 – 65.
102. Tian S, Tian X, Han Q, Axelsson J, Wang T. Presence of Peripheral Arterial Disease Predicts Loss of Residual Renal Function in Incident CAPD Patients. *Perit Dial Int*. 2012;32(1):67-72.
103. Liew YP, Bartholomew JR, Demirjian S, Michaels J, Schreiber MJ Jr. Combined effect of chronic kidney disease and peripheral arterial disease on all-cause mortality in a high-risk population. *Clin J Am Soc Nephrol*. 2008;3:1084–1089.
104. Wassel CL, Looma R, Ix JH, Allison MA, Denenberg JO, Criqui MH. Family history of peripheral artery disease is associated with prevalence and severity of peripheral artery disease: the San Diego population study. *J Am Coll Cardiol*. 2011;58:1386–1392.