

## DAFTAR PUSTAKA

1. Matsuo K, Palmer JB. Anatomy and physiology of feeding and swallowing-normal and abnormal. *Phys Med Rehabil Clin N Am.* 2009;19(4):691-707
2. Lund W.S. Deglutition. In: Kerr AG. *Scott-Brown's Otolaryngology-Basic Science.* Great Britain: Reed Educational and Professional Publishing Ltd; 1997.p.1-15
3. Smith LJ, Gross RD. Upper digestive tract anatomy and physiology. In: Johnson JT. Rosen CA. *Bailey's Head and Neck Surgery Otolaryngology.* Edisi ke-5. New York: Lippincott Williams&Wilkins; 2014.p.817-24
4. Swain S, Turner C, Tyrrell P, Rudd A. Diagnosis and Initial Management of Acute Stroke and Transient Ischaemic Attack (TIA). *BMJ.* 2008;337(7664):291-3
5. Kementrian Kesehatan. Riset kesehatan dasar. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI; 2018
6. Karkos PD, Papouliakos S, Karkos CD, Theochari EG. Current evaluation of the dysphagic patient. *Hippokratia.* 2009;13(3):141-6.
7. Cho SY, Choung RS, Saito YA, Schleck CD, Zinsmeister AR, Locke GR, dkk. Prevalence and risk factors for dysphagia: a U.S. community study. *Neurogastroenterol motil.* 2015;27(2):212-9.
8. Wilkins T, Gillies RA, Thomas AM, Wagner PJ. The prevalence of dysphagia in primary care patients: a hamesnet research network study. *J Am Board Fam Med.* 2007;20(2):144-150
9. Broadley S, Croser D, Cottrell J, Creevy M, Teo E, Yiu D, dkk. Predictors of prolonged dysphagia following acute stroke. *J Clin Neurosci.* 2003;10(3):300-5
10. González-Fernández M, Ottenstein L, Atanelov L, Christian AB. Dysphagia after stroke: an overview. *Curr phys med rehabil rep.* 2012;40(6):1301-15.
11. Teuschl Y, Trapl M, Ratajczak P, Matz K, Dachenhausen A, Brainin M. Systematic dysphagia screening and dietary modifications to reduce stroke-associated pneumonia rates in a stroke-unit. *Plos one.* 2018;13(2):1-16
12. Martino R, Foley N, Bhogal S, Diamant N, Speechley M, Teasell R.

Dysphagia after stroke: Incidence, diagnosis, and pulmonary complications. *Stroke*. 2005;36(12):2756-63.

13. Bonilha HS, Simpson AN, Ellis C, Mauldin P, Martin-Harris B, Simpson K. The one-year attributable cost of post-stroke dysphagia. *Dysphagia*. 2014;29(5):545-52
14. Armstrong JR, Mosher BD. Aspiration Pneumonia After Stroke : Intervention and Prevention. *The neurohospitalist*. 2011;1(2):85-93
15. Malagelada JR, Bazzoli F, Boeckxstaens G, De Looze D, Fried M, Kahrilas P, Lindberg G, dkk. World gastroenterology organisation global guidelines: dysphagia-global guidelines and cascades. *J Clin Gastroenterol*. 2015;49(5):370-8
16. Arslan SS, Demir N, Kilinc HE, Karaduman AA. The Ability of the Eating Assessment Tool-10 to Detect Aspiration in Patients With Neurological Disorders. *Journal of Neurogastroenterology and Motility*. 2017;23(4):550-4.
17. Wilmskoetter J, Bonilha H, Hong I, Hazelwood RJ, Martin-Harris B, Velozo C. Construct validity of the Eating Assessment Tool. *Disabil Rehabil*. 2019;41(5):549-59.
18. Kelly AM, Hydes K, McLaughlin C. Fiberoptic endoscopic evaluation of swallowing ( FEES ): The role of speech and language therapy. *Royal College of Speech and Language Therapists*. 2007:1-39.
19. Groher ME, Crary M. *Dysphagia: Clinical Management in Adults and Children*. Edisi ke-2. Missouri: Elsevier; 2016. p.41-2
20. Baijens LWJ, Pilz W, Kremer B, Passos VL. Identifying Patterns of FEES-Derived Swallowing Trajectories Using Group-Based Trajectory Model. *Dysphagia*. 2015;30(5):529-39.
21. Rosenbek JC, Robbins JA, Roecker EB, Coyle JL, Wood JL. A penetration-aspiration scale. *Dysphagia*. 1996;11(2):93-8.
22. Arrese LC, Carrau R, Plowman EK. Relationship Between the Eating Assessment Tool-10 and Objective Clinical Ratings of Swallowing Function in Individuals with Head and Neck Cancer. *Dysphagia*. 2017;32(1):83-9.
23. Cheney DM, Tausif SM, Litts JK, Kuhn MA, Belafsky PC. The ability of the 10-item eating assessment tool (EAT-10) to predict aspiration risk in persons

- with dysphagia. *Ann Otol Rhinol Laryngol.* 2015;124(5):351-4.
24. Woodson GE, Berzofsky C. The larynx. Dalam: Lee KJ. *Essential Otolaryngology Head and Neck Surgery*. Edisi ke-11. New York: Mc Graw Hill Education; 2016.p.767-79.
  25. Kuhn MA, Belafsky PC. Functional assesment of swallowing. Dalam: Johnson JT. Rosen CA. Bailey's *Head and Neck Surgery Otolaryngology*. Edisi ke-5. New York: Lippincott Williams&Wilkins; 2014.p.825-37
  26. Dinata CA, Safrita Y, Sastri S. Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan Periode 1 Januari 2010-31 Juni 2012. *Jurnal Kesehatan Andalas.* 2013;2(2):57-61.
  27. Arifianto AS, Sarosa M, Setyawati O. Klasifikasi Stroke Berdasarkan Kelainan Patologis dengan Learning Vector Quantization. *Jurnal EECCIS.* 2014;8(2):117-22.
  28. Ministry of health and social policies (Spain). *Clinical Practice Guideline for the Management of Stroke Patients in Primary Health Care*. Madrid: Ministry of science and innovation. 2009.p.39-41
  29. Caplan LR, Kasner SE, Dashe JF. Etiology, classification, and epidemiology of stroke. *UpToDate* [serial online] 2020 April [disitasi 5 Mei 2020]. Tersedia dari: URL: <https://www.uptodate.com/contents/etiology-classification-and-epidemiology-of-stroke>
  30. Truelsen T, Begg S, Mathers C. The global burden of cerebrovascular disease. *World Health Organization.* 2006.p.1-3
  31. Caplan LR. Basic pathology, anatomy and pathophysiology of stroke. Dalam: Caplan (editor). *Caplan's Stroke: a clinical approach*. Edisi ke-5. Cambridge: Cambridge University Press;2009;p.22-24.
  32. Clavé P, Rofes L, Arreola V, Allmiral J, Cabre M, Campins L, dkk. Diagnosis and management of oropharyngeal dysphagia and its nutritional and respiratory complications in the elderly. *Gastroenterol Res Pract.* 2011;2011:1-13
  33. Prasad GA. Clinical approach to a patient with dysphagia. *Medicine update.* 2007;17(1/e): 374-6.

34. Cohen DL, Roffe C, Beavan J, Blackett B, Fairfield CA, Hamdy S, dkk. Post-stroke dysphagia : A review and design considerations for future trials. *International journal of stroke*. 2016;11(4):399-411.
35. Kumar MM, Prasad AS. Clinical evaluation of dysphagia with bedside tests and FEES in patients with aspiration-A comparative study. *International journal of scientific study*. 2017;5(8):110-4.
36. Nacci A, Ursino F, La Vela R, Matteucci F, Mallardi V, Fattori B. Fiberoptic endoscopic evaluation of swallowing (FEES): proposal for informed consent. *Acta Otorhinolaryngol Ital organo Uff della Soc Ital di Otorinolaringol e Chir Cerv-facc*. 2008;28(4):206-11.
37. Rourke FO, Vickers K, Upton C, Chan D. Swallowing and oropharyngeal dysphagia. *Clinical medicine*. 2014;14(2):196-9.
38. Belafsky PC, Mouadeb DA, Rees CJ, Pryor JC, Allen J, Postma GN, dkk. Validity and Reliability of the Eating Assessment Tool (EAT-10). *Ann Otol Rhinol Laryngol*. 2014;117(12):919-24.
39. Arnold M, Liesirova K, Broeg-Morvay A, Meisterernst J, Schlager M, Mono M dkk. Dysphagia in acute stroke: Incidence, burden and impact on clinical outcome. *PLoS One*. 2016;11(2):1-11.
40. Radhakrishnan S, Menon U, Anandakuttan A. A combined approach of bedside clinical examination and flexible endoscopic evaluation of swallowing in poststroke dysphagia: A pilot study. *Ann Indian Acad Neurol*. 2013;16(3):388
41. Park WY, Lee TH, Ham NS, Park JW, Lee YG, Cho SJ dkk. Adding endoscopist-directed flexible endoscopic evaluation of swallowing to the videofluoroscopic swallowing study increased the detection rates of penetration, aspiration, and pharyngeal residue. *Gut Liver*. 2015;9(5):623-8.
42. Sarwat SA, Ahmed-Abdelhamid. The role of fiberoptic endoscopic evaluation of swallowing in the assessment of pediatric dysphagia. *The Egyptian Journal of Otolaryngology*. 2016;32(1):67-74.
43. Aviv JE, Kim T, Thomson JE, Sunshine S, Kaplan S, Close LG. Fiberoptic endoscopic evaluation of swallowing with sensory testing (FEESST) in healthy controls. *Dysphagia*. 1998;13(2):87-92.

44. Balamurali K, Sekar D, Thangaraj M, Kumar MA. Dysphagia in patients with stroke: a prospective study. *Int J Contemp Med Surg Radiol*. 2018;3(2):116-20.
45. Zhang FL, Guo ZN, Wu YH, Liu YH, Luo Y, Sun MS, Xing YQ dkk. Prevalence of stroke and associated risk factors: A population based cross sectional study from northeast China. *BMJ Open*. 2017;7(9):1-12.
46. Kamal A, Aslam S, Khattak S. Frequency of risk factors in stroke patients admitted to dhq teaching hospital. *Gomal J Med Sci*. 2010;8(2):200-3.
47. Setyopranoto I, Bayuangga HF, Panggabean AS, Alifaningdyah S, Lazuardi L, Dewi FST, Maluekaet RG. Prevalence of stroke and associated risk factors in sleman district of Yogyakarta Special Region, Indonesia. *Stroke Res Treat*. 2019;2019:1-8
48. Appelros P, Stegmayr B, Terent A. Sex differences in stroke epidemiology: A systematic review. *Stroke*. 2009;40(4):1082-90.
49. Venketasubramanian N, Yoon BW, Pandian J, Navarro JC. Stroke epidemiology in south, east, and south-east asia: A review. *J Stroke*. 2017;19(3):286-94.
50. Feigin VL, Lawes CM, Bennett DA, Barker-Collo SL, Parag V. Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review. *Lancet Neurol*. 2009;8(4):355-69.
51. Sellars C, Campbell AM, Stott DJ, Stewart M, Wilson JA. Swallowing abnormalities after acute stroke: A case control study. *Dysphagia*. 1999;14(4):212-18.
52. Rofes L, Arreola V, Mukherjee R, Clavé P. Sensitivity and specificity of the Eating Assessment Tool and the Volume-Viscosity Swallow Test for clinical evaluation of oropharyngeal dysphagia. *Neurogastroenterol Motil*. 2014;26(9):1256-65.
53. Cordier R, Joosten A, Clavé P, Schindler A, Bulow M, Demir N, Arslan S dkk. Evaluating the psychometric properties of the Eating Assessment Tool (EAT-10) using Rasch Analysis. *Dysphagia*. 2017;32(2):250-60.
54. Florie M, Pilz W, Kremer B, Verhees F, Waltman G, Winkens B, Winter N, dkk. EAT-10 scores and Fiberoptic Endoscopic Evaluation of Swallowing in

- head and neck cancer patients. *Laryngoscope*. 2020;(131)1:45-51.
55. Shapira Y, Ruth G, Doron Y, Michael H, Yonatan W. Does the Hebrew Eating Assessment Tool - 10 correlate with pharyngeal residue, penetration and aspiration on Fiberoptic Endoscopic Examination of Swallowing?. *Dysphagia*. 2019;34(3):372-81
56. Borders JC, Brates D. Use of the Penetration-Aspiration Scale in dysphagia research: A systematic review. *Dysphagia*. 2020;35(4):583-97.
57. Dziejwas R, Warnecke T, Ölenberg S, Teismann I, Zimmermann J, Krämer C, Ritter M, dkk. Towards a basic endoscopic assessment of swallowing in acute stroke-development and evaluation of a simple dysphagia score. *Cerebrovasc Dis*. 2008;26(1):41-7.
58. Han H, Shin G, Jun A, dkk. The relation between the presence of aspiration or penetration and the clinical indicators of dysphagia in poststroke survivors. *Ann Rehabil Med*. 2016;40(1):88-94.
59. Kendall KA, Ellerston J, Heller A, Houtz DR, Zhang C, Presson AP. Objective measures of swallowing function applied to the dysphagia population : A one year experience. *Dysphagia*. 2016;31(4):538-46
60. Shapira-galitz Y, Shoffel-havakuk H, Halperin D, Lahav Y. Correlation between pharyngeal residue and aspiration in Fiberoptic Endoscopic Evaluation of Swallowing : An observational study. *Arch Phys Med Rehabil*. 2018;100(3):488-94
61. Sugiyono. *Metode penelitian pendidikan pendekatan kuantitatif, kualitatif dan R&D*. Bandung: Alfabeta; 2015
62. Steele CM, Alsanei WA, Ayanikalath S, Barbon CE, Chen J, Cichero JAY dkk. The Influence of Food Texture and Liquid Consistency Modification on Swallowing Physiology and Function: A Systematic Review. *Dysphagia*. 2015; 30(1):2-26
63. May NH, Pisegna JM, Marchina S, Langmore SE, Kumar S, Pearson WG. Pharyngeal Swallowing Mechanics Secondary to Hemispheric Stroke. *J Stroke Cerebrovasc Dis*. 2017; 26(5): 952-61.