

DAFTAR PUSTAKA

1. Mostazo-López, M., Ruiz-Rosas, R., Morallón, E., & Cazorla-Amorós, D.; Nitrogen doped superporous carbon prepared by a mild method. Enhancement of supercapacitor performance: *International Journal Of Hydrogen Energy*. 2016, 41(43): 19691-19701.
2. Peng, C., Yan, X., Wang, R., Lang, J., Ou, Y., & Xue, Q.; Promising activated carbons derived from waste tea-leaves and their application in high performance supercapacitors electrodes. *Electrochimica Acta*. 2013, 87: 401–408.
3. Purnomo, Sri Edi.; Pembuatan arang aktif dari kulit biji kopi dan aplikasinya sebagai adsorben warna Nephthilen Blue (Kation) dan Napthol Yellow (Anion), *Skripsi*, Universitas Islam Negeri Sunan Kalijaga, Yogyakarta; 2010.
4. Rasdiansyah.; Darmadi.; Supardan, M D.; Optimasi proses Pembuatan Karbon Aktif Dari Ampas Bubuk Kopi Menggunakan Aktivator $ZnCl_2$. *JTIP Indonesia*. 2014, 3(6), 54-58.
5. Ahmed, S.; A. Ahmed; M Rafat.; Supercapacitor performance of activated carbon derived from rotten carrot in aqueous, organic and ionic liquid based electrolytes. *Journal of Saudi Chemical Society*. 2018, 993–1002.
6. Chiu, Y., & Lin, L.; Effect of activating agents for producing activated carbon using a facile one-step synthesis with waste coffee grounds for symmetric supercapacitors. *Journal Of The Taiwan Institute Of Chemical Engineers*. 2019. 101: 177-185.
7. Mariana.; Marwan.; F Mulana.; Activation and characterization of waste coffee grounds as bio-sorbent. *IOP Conf. Series: Materials Science and Engineering*. 2018, 334: 1-8.
8. Towaha Juniaty, Balittri.; Ampas kopi sebagai bahan baku pembuatan biodiesel. *Pusat penelitian dan Perkembangan Perkebunan*. 2014, 3(6), 9-11.
9. Riyanto, A.; Kapasitor elektrokimia sebagai Piranti Penyimpan Energi Listrik Masa Depan. *Jurnal Ilmiah Pendidikan Fisika Al-Biruni*. 2014, 3(2):153-159.
10. Tetra, O, N; Emriadi.; Gesti, U.: Pemanfaatan Limbah Tempurung Biji Karet Sebagai Bahan Elektroda Kapasitor. *Laporan penelitian Dosen Muda DIPA*, Unand, 2015.
11. Aziz, H. Tetra, O, N. Alif, A. Syukri. Ramadhan, W. Electrical Properties of Supercapacitor Electrode-Based on Activated Carbon from Waste Palm Kernel Shells. *Der Pharma Chemica*, 2016, 8(15):227-232.
12. Cao, Y., Wang, K., Wang, X., Gu, Z., Fan, Q., Gibbons, W., Hoefelmeyer, J., Kharel, P. and Shrestha, M.; Hierarchical porous activated carbon for supercapacitor derived from corn stalk core by potassium hydroxide activation. *Electrochimica Acta*. 2016. 212: 839-847.
13. Feng, H., Hu, H., Dong, H., Xiao, Y., Cai, Y., Lei, B., Liu, Y., Zheng, M.; Hierarchical structured carbon derived from bagasse wastes: A simple and efficient

- synthesis route and its improved electrochemical properties for high-performance supercapacitors. *Journal Of Power Sources*. 2016. 302: 164-173.
14. Lebedeva, M., Yeletsky, P., Ayupov, A., Kuznetsov, A., Yakovlev, V., & Parmon, V.; Micro-mesoporous carbons from rice husk as active materials for supercapacitors. *Materials For Renewable And Sustainable Energy*, 2015. 4(4): 1-9.
 15. Wang, P., Wang, Q., Zhang, G., Jiao, H., Deng, X., & Liu, L.; Promising activated carbons derived from cabbage leaves and their application in high-performance supercapacitors electrodes. *Journal Of Solid State Electrochemistry*. 2015. 20(2): 319-325.
 16. Zequine, C., Ranaweera, C., Wang, Z., Singh, S., Tripathi, P., Srivastava, O., Gupta, B., Ramasamy, K., Kahol, P., Dvornic, P., Gupta, R.; High Performance and Flexible Supercapacitors based on Carbonized Bamboo Fibers for Wide Temperature Applications. *Scientific Reports*. 2016. 6: 31704.
 17. Yan, Y., Xu, M., Luo, Y., Ma, J., Pang, H., & Xue, H.; Preparation of N, P co-doped activated carbons derived from honeycomb as an electrode material for supercapacitors. *RSC Adv.*, 2017. 7(75): 47448-47455.
 18. Elaiyappillai, E., Srinivasan, R., Johnbosco, Y., Devakumar, P., Murugesan, K., Kesavan, K., & Johnson, P.; Low cost activated carbon derived from Cucumis melo fruit peel for electrochemical supercapacitor application. *Applied Surface Science*. 2019. 486: 527-538.
 19. Sesuk, T., Tammawat, P., Jivaganont, P., Somton, K., Limthongkul, P., & Kobsiriphat, W.; Activated carbon derived from coconut coir pith as high performance supercapacitor electrode material. *Journal Of Energy Storage*. 2019. 25: 100910.
 20. Le Van, K., and Thuy Luong Thi, T.; Activated carbon derived from rice husk by NaOH activation and its application in supercapacitor. *J. of progress in natural science*. 2014. 191-198.
 21. Tetra, O N.; Aziz H.; Emriadi.; Ibrahim, S.; Alif, A.: Superkapasitor berbahan dasar karbon aktif dan larutan ionik sebagai elektrolit. *Jurnal Zarah*. 2018, 1(6) : 39-46
 22. Sembiring, M. T. dan Sinaga, T. S.; Arang Aktif (Pengenalalan dan Proses Pembuatan), *USU Digital Library*, Sumatra Utara. 2003.
 23. Wang, C.-H.; Wen, W.-C.; Hsu, H.-C.; & Yao, B.-Y.: High-capacitance KOH-activated nitrogen-containing porous carbon material from waste coffee grounds in supercapacitor. *Advanced Powder Technology*. 2016, 27(4), 1387–1395.
 24. Min Hong Park, Young Soo Yun, Se Youn Cho, Na Rae Kim and Hyoung Joo Jin,; Waste coffee grounds-derived nanoporous carbon nanosheets for supercapacitors. *Carbon Letters*. 2016. 66-71.
 25. Yuliusman; Nasruddin; M. K Afdhol; Farandy H.; Rahmatika A.A.; Afdhal, H.; I. T., Ramadhan. Production of Activated Carbon from Coffee Grounds Using Chemical

- and Physical Activation Method. *American Scientific Publishers*. 2017. Vol. 23, 5751–5755.
26. Gunawan B, Azhari C: Karakterisasi spektrofotometri IR dan Scanning Electron Microscopy (SEM) Sensor Gas dari bahan Polimer Poly Etylen Glicol (PEG). *Jurnal Sains dan Teknologi*, 2010. 3(2): 1-17.
 27. Sujatno, Agus; R. Salam; Bandriyana; A. Dimiyati.; Studi Scanning Electron Microscopy (SEM) untuk Karakterisasi Proses Oksidasi Paduan Zirkonium. *Jurnal Forum Nuklir (JFN)*. Pusat Sains dan Teknologi Bahan Maju. PSTBM-BATAN. 2015.
 28. Setyaningsih, N. E.; R, Muttaqin; I, Mar'ah.; Optimalisasi Waktu Pelapisan Emas-Palladium pada Bahan Komposit Alam untuk Karakterisasi Morfologi dengan Scanning Electron Microscopy (SEM) – Energy Dispersive X-Ray Spectroscopy (EDX). *Journal Unnes*. 2017. 36-40.
 29. Grandys, P Rika.; D Istria.; P.R Ahmad.; F Amanda, P.; Analisis luas permukaan arang aktif dengan menggunakan metode BET (SAA). *Universitas Negeri Semarang*. Semarang. 2004.
 30. Lu, W. Hartman, R. Nanocomposite electrodes for high performance supercapacitors, *Journal of Physical Chemistry Letters*, 2011, 43: 655-660.
 31. Sulistyani, M.; Nuril, H. Optimasi Pengukuran Spektrum Vibrasi Sampel Protein Menggunakan Spektrofotometer Fourier Transform Infrared (FT-IR). *Indonesian Journal of Chemical Science*. 2017, 6(2): 173-180
 32. Hendawy, A.A.; Variation In The FTIR spectra of a biomass under impregnation, carbonization and oxidation conditions. *Journal of Analytical Applied Pyrolysis*. 2006. 75, 159-166.
 33. Li, S.; High-performance Activated Carbons Prepared by KOH Activation of Gulfweed for Supercapacitors. *International Journal Of Electrochemical Science*. 2018. 1728-1743.
 34. Kanaka Raju P.; Purna Chandra Rao M.: Design and development of portable digital LCR meter by auto balancing bridge method. *International Journal of Innovations in Engineering and Technology (IJJET)*. 2016, 7(3), 130-137.
 35. Daud, T.: Pengaruh arus listrik dan waktu proses terhadap ketebalan dan massa lapisan yang terbentuk pada proses elektroplating pelat baja. *Jurnal Ilmiah Sains*. 2011, 11(1): 97 – 101.
 36. Sunardi.; Konversi abu layang batu bara menjadi zeolit dan pemanfaatannya sebagai adsorben merkuri (II). *Sains dan Terapan Kimia*. 2007. 1, (1), 1-10.
 37. Alif, A.; Tetra, O N.; Aziz, H.; Defri, H.: Pengaruh perlakuan sokletasi dan aktivator KOH terhadap kinerja karbon aktif cangkang kelapa sawit sebagai elektroda superkapasitor. *Jurnal Zarah*. 2017, 2(5) : 38-43.

38. Wang, C., & Liu, T.; Nori-based N, O, S, Cl co-doped carbon materials by chemical activation of $ZnCl_2$ for supercapacitor. *Journal Of Alloys And Compounds*. 2017. 696: 42-50.
39. Mandasari, T.: Superkapasitor Berbahan Dasar Karbon Aktif Ampas Biji Kopi Aceh Dengan Aktivator KOH, *Skripsi*, FMIPA, Universitas Andalas, Padang, 2016.
40. Kurniati, E.: Pemanfaatan cangkang kelapa sawit sebagai arang aktif, *Jurnal Penelitian Ilmu Teknik*. 2008, 2(8): 96 – 103.
41. Anas, M.; Jahiding, M.; Ratna.: Analisis Uitimate dan Sifat Struktur Karbon dari Kulit Biji Mete: Pengaruh Temperatur Aktivasi. *Jurnal Pendidikan Fisika FKIP*; Universitas Haluoleo, 2014.
42. Jamilatun, S dan Setyawan, M.; Pembuatan Karbon Aktif dari Tempurung Kelapa dan Aplikasinya untuk Penjernihan Asap Cair. *Spektrum Industri*. 2014. 12(1): 1-112.
43. Marsh, Harry.; Rodriguez, Francisco.; Reinoso.: Activated Carbon. *Elsevier Science & Technology Books*. United Kingdom. 2006.
44. Deng, X., Zhao, B., Zhu, L., & Shao, Z. Molten salt synthesis of nitrogen-doped carbon with hierarchical pore structures for use as high-performance electrodes in supercapacitors. *Carbon*. 2015. 93, 48-58.
45. Jutakridsada, P., Prajaksud, C., Kuboonya-Aruk, L., Theerakulpisut, S., & Kamwilaisak, K.; Adsorption characteristics of activated carbon prepared from spent ground coffee. *A review : Clean Technologies and Environmental Policy*. Berlin. 2016, 18(3), 639-645.
46. Ghosh, S., Santhosh, R., Jeniffer, S., Raghavan, V., Jacob, G., Nanaji, K., Kollu, P., Jeong, S.K., Grace, A.; Natural biomass derived hard carbon and activated carbons as electrochemical supercapacitor electrodes. *Scientific Reports*. 2019, 9, 16315.
47. Yadav, N., Singh, M., Yadav, N., & Hashmi, S.; High performance quasi-solid-state supercapacitors with peanut-shell-derived porous carbon. *Journal Of Power Sources*. 2018. 402: 133-146.
48. Ramasahayam, S., Clark, A., Hicks, Z., & Viswanathan, T.; Spent coffee grounds derived P, N co-doped C as electrocatalyst for supercapacitor applications. *Electrochimica Acta*. 2015. 168: 414-422.
49. Erlina.; Umiatin.; Budi, S.: Pengaruh Konsentrasi Larutan KOH Pada Karbon Aktif Tempurung Kelapa Untuk Adsorpsi Logam Cu. *Prosiding Seminar Nasional Fisika (e-journal) SNF*. 2015, 4: 55-60
50. Kaiwen, Z.; Yuanyuan, L.; Ming, Z.: The Porous Carbon Derived From Water Hyacinth With Well-Designed Hierarchical Structure For Supercapaitors. *Journal of Power Sources*. 2017, 366: 270-277.
51. Fristina, R.; Pemanfaatan Kertas Karbon Sebagai Bahan Elektroda pada Superkapasitor, *Skripsi*. Fakultas MIPA, Universitas Andalas. 2016.

52. Adi Sutrisno, Bambang, Chomsin S. Widodo, dan Gancang Saroja.; Studi Pengukuran Kapasitansi dan Konstanta Dielektrik pada Cabe Merah (*Capsicum Annum L.*) Giling. *FMIPA Universitas Brawijaya*: Malang.
53. Pradana, H. Y.; Sintesis Rgo/Glukosa Dengan Variasi Perbandingan Massa Dan Proses Eksfoliasi Secara Kimia Untuk Bahan Elektroda Superkapasito. *Skripsi*. Fakultas MIPA, Institut Teknologi Sepuluh November, Surabaya, 2017.
54. Yantika, R.: Pengaruh elektrolit H₂SO₄ terhadap sifat listrik elektroda campuran zeolit dari bottom ash dan resin damar sebagai superkapasitor. *Skripsi*. FMIPA, Universitas Andalas, 2014.
55. Fitriana, V. N., Diantoro, N., Nasikhudin: Sintesis dan Karakterisasi Superkapasitor Berbasis Nanopartikel Berbasis Nanopartikel TiO₂/C. *Skripsi*. FMIPA, Universitas Negeri Malang, 2014.
56. Qu, D. Y.; Shi, H.: Studies of activated carbons used in doublelayer capacitors. *Journal of Power Sources*. 1998. 74 : 99-107.
57. Rosdianty, A.: Pengaruh Suhu Pembakaran Terhadap Performance TiO₂/C Berpendukung Keramik Sebagai Elektroda Superkapasitor. *Skripsi*. FMIPA: Universitas Andalas; Padang, 2015.
58. Aliza, R.; Tetra, O. N.; Admin, A.: Pengaruh Suhu Pembakaran Terhadap Performance TiO₂/C Berpendukung Keramik Sebagai Elektroda Superkapasitor; *Skripsi*: FMIPA Unuversitas Andalas, 2015.
59. Permatasari, Novita R.; dan Prisma, M.; Kapasitansi dan karakteristik superkapasitor, Prodi D3 Metrologi dan Instrumentasi: Universitas Gadjah Mada, Yogyakarta.

