

DAFTAR PUSTAKA

1. Dunbar SB, Khavjou OA, Bakas T, Hunt G, Kirch RA, Leib AR, et al. American heart association. Projected costs of informal caregiving for cardiovascular disease: 2015 to 2035: a policy statement from the american heart association. *Circulation*. 2018;137(19):e558-e577.
2. Higashi Y. Assessment of endothelial function. History, methodological aspects, and clinical perspectives. *Int Heart J*. 2015;56(2):125–134.
3. Chhabra N. Endothelial dysfunction: a predictor of atherosclerosis, *Int J Med Update*, 2009;4(1):33-41.
4. Celermajer DS, Sorensen KE, Gooch VM, Spiegelhalter DJ, Miller OI, Sullivan ID, et.al. Non-invasive detection of endothelial dysfunction in children and adults at risk of atherosclerosis. *Lancet*. 1992;340(8828): 1111–1115.
5. Kuvin JT, Patel AR, Sliney KA, Pandian NG, Rand WM, Udelson JE, et.al. Peripheral vascular endothelial function testing as a noninvasive indicator of coronary artery disease. *JACC*. 2001;38(7):1843–1849.
6. Cortes IA, Santos MRV, Pereira CL, Evaluation of endothelial function on atherosclerosis using perfusion index from pulse oximeter, *Arq Bras Cardiol*. 2014; 102(3):237-244
7. Okada H, Tanaka M, Yasuda T, Kamitani T, Norikae H, Fujita T, et.al. The perfusion index is a useful screening tool for peripheral artery disease, *Heart and Vessels*. 2019; 34, 583–589.
8. Park KH, Park WJ. Endothelial dysfunction: clinical implications in cardiovascular disease and therapeutic approaches, *J Korean Med Sci*. 2015; 30: 1213-1225.
9. Rajendran P, Rengarajan T, Thangavel J, Nishigaki Y, Sakthisekaran D, Sethi G, et.al. The vascular endothelium and human diseases. *Int J Biol Sci*. 2013; 9(10):1057-1069
10. Flammer AJ, Anderson T, Celermajer DS. The assessment of endothelial function: from research into clinical practice, *Circ*. 2012;126:753-767.
11. Widmer RJ, Lerman A. Endothelial dysfunction and cardiovascular disease, *Glob Card Sci Pract* 2014;43.
12. Lerman A, Zeiher AM. Endothelial function: cardiac events, *Circ*. 2005; 111: 363-368.
13. Tousoulis D, Antoniadis C, Stefanadis C. Evaluating endothelial function In humans: a guide to invasive and non-invasive techniques, *Heart* 2005;91:553–558
14. Perticone F, Ceravolo R, Pujia A, Prognostic significance of endothelial dysfunction in hypertensive patients. *Circ*. 2001; 104: 191-196.

15. Schächinger V, Britten MB, Zeiher AM. Prognostic impact of coronary vasodilator dysfunction on adverse long-term outcome of coronary heart disease. *Circ*. 2000; 101: 1899-1906.
16. Betik AC, Luckham VB, Hughson RL. Flow-mediated dilation in human brachial artery after different circulatory occlusion conditions. *Am J Physiol Heart Circ Physiol*. 2004; 286:442.
17. Thijssen DH, Black MA, Pyke KE, Padilla J, Atkinson G, Harris RA, et.al. Assessment of flow-mediated dilation in humans: a methodological and physiological guideline. *Am J Physiol Heart Circ Physiol*. 2011;300(1):2–12.
18. Jadhav UM, Sivaramakrishnan A, Kadam NN. Noninvasive assessment of endothelial dysfunction by brachial artery flow-mediated dilatation in prediction of coronary artery disease in Indian subjects. *Indian Heart J*. 2003;55(1):44–48.
19. Anderson TJ, Uehata A, Gerhard MD, Meredith IT, Knab S, Delagrangre D, et.al, Close relation of endothelial function in the human coronary and peripheral circulations. *J Am Coll Cardiol* 1995;26:1235–1241
20. Takase B, Uehata A, Akima T, Nagai T, Nishioka T, Hamabe A, et.al. Endothelium-dependent flow-mediated vasodilation in coronary and brachial arteries in suspected coronary artery disease. *Am J Cardiol* 1998;82:1535–1539, A1537–1538
21. Teragawa H, Ueda K, Matsuda K, Kimura M, Higashi Y, Oshima T, et.al. Relationship between endothelial function in the coronary and brachial Arteries. *Clin. Cardiol*. 2005;28, 460–466
22. Yeboah J, Folsom AR, Burke GL. Predictive value of brachial flow-mediated dilation for incident cardiovascular events in a population-based study: the multi-ethnic study of atherosclerosis. *Circ* 2009; 120:502.
23. Inaba Y, Chen JA, Bergmann SR. Prediction of future cardiovascular outcomes by flow-mediated vasodilatation of brachial artery: a meta-analysis. *Int J Cardiovasc Imaging* 2010; 26: 631.
24. Kumar A, Nadkarni AV. The variability of perfusion index as a new parameter in different types of anaesthesia techniques and its correlation with surgical stress and recovery from anesthesia: an observational clinical study. *J Med Sci Res* 2017;5(1): 15196-15265
25. Lima AP, Beelen P, Bakker J. Use of a peripheral perfusion index derived from the pulse oximetry signal as a noninvasive indicator of perfusion. *Crit Care Med*. 2002;30(6).
26. De Felice C, Latini G, Vacca P, Kopotic RJ. The pulse oximeter perfusion index as a predictor for high illness severity in neonates. *Euro J Ped Med*. 2002;161:561-562.

26. Hagar H, Church S, Mandadi G, Pulley D, Kurz A. The perfusion index measured by a pulse oximeter indicates pain stimuli in anesthetized volunteers. *Anesthesiology*. 2004;101:A514.
27. Kakazu CZ, Chen BJ, Kwan WF. Masimo set technology using perfusion index is a sensitive indicator for epidural onset. *Anesth*. 2005;103:A576.
28. Ginosar Y, Weiniger CF, Meroz Y, Kurz V, Abram TB, Babchenko A, et.al. Pulse oximeter perfusion index as an early indicator of sympathectomy after epidural anesthesia. *Acta Anaesthesiol Scand* 2009; 53: 1018–1026
29. Daoyuan S, Ni L, Wang Y, et.al. A new method for the assessment of endothelial function with peripheral arterial volume. *BMC Cardiovasc Dis*. 2018; 18:81
30. Piepoli MF, Hoes AW, Agewall S, Albus C, Brotons C, Catapano AL, et al. 2016 European Guidelines on cardiovascular disease prevention in clinical practice. *European Heart J*. 2016;37:2315–2381
31. Kang MJ, Oh YM, Lee JC, Kim DG, Park MJ, Lee MG, et al. Lung Matrix Metalloproteinase-9 Correlates with Cigarette Smoking and Obstruction of Airflow. *J of Kor Med Sci* 2003;18:821–827
32. Soelistijo SA, Novida H, Rudijanto A, Soewondo P, Suastika K, Manaf A, et al. Definisi, patogenesis, klasifikasi diabetes melitus tipe 2. Dalam: Rudijanto A, editor. *Konsensus Pengelolaan Diabetes Melitus Tipe 2 di Indonesia*. Jakarta: PB PERKENI; 2015. p. 6-11.
33. Purnell JQ. Definitions, Classification, and Epidemiology of Obesity. [Updated 2018 Apr 12]. In: Feingold KR, Anawalt B, Boyce A, et al., editors. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK279167/>
34. Koller A. Perspectives: Microvascular endothelial dysfunction and gender. *Eur Heart J Suppl* 2014;16(suppl A);16-19
35. Lilly LS. Acute Coronary Syndromes. In: *Pathophysiology of heart disease: a collaborative project of medical students and faculty*. Lippincott Williams & Wilkins 2012: 161-189
36. Puddu P, Puddu GM, Zacà F, Muscari A. Endothelial dysfunction in hypertension. *Acta Cardiol* 2000; 55: 221-232.
37. Seimetz M, Weissmann N. The pulmonary vasculature in chronic obstructive lung disease. *Vascular signaling in health and disease* Springer Verlag 2015;351-357.

38. Bakker SJ, Ijzerman RG, Teerlink T. Cytosolic triglycerides and oxidative stress in central obesity: the missing link between excessive atherosclerosis, endothelial dysfunction and beta-cell failure? *Atherosclerosis* 2000;148:17–21.
39. Hadi HA, Carr CS, Suwaidi JA. Endothelial dysfunction: cardiovascular risk factors, therapy, and outcome, *Vasc Health and Risk Management* 2005;1(3) 183–198.
40. Sasaki S, Higashi Y, Nakagawa K. A low-calorie diet improves endothelium-dependent vasodilation in obese patients with essential hypertension. *Am J Hypertens* 2002;15:302–309.
41. Stegenga M.E, van der Crabben S.N, Levi M., de Vos A.F, Tanck M.W, Sauerwein H.P, et al. Hyperglycemia stimulates coagulation, whereas hyperinsulinemia impairs fibrinolysis in healthy humans. *Diabetes*. 2006; **55**: 1807-1812.
42. Nerea H, Jean-Luc B. Low density lipoprotein cholesterol induced endothelial dysfunction and oxidative stress: the role of statins. *Antioxidants & Redox Signaling* 2014;20(8)1216-1237.
43. Masumoto A, Hirooka Y, Hironaga K. Effect of pravastatin on endothelial function in patients with coronary artery disease (cholesterol-independent effect of pravastatin). *Am J Cardiol* 2001;88: 1291–1294.
44. Jambrik Z, Venneri L, Varga A, Rigo F, Borges A, Picano E, et.al. Peripheral vascular endothelial function testing for the diagnosis of coronary artery disease. *Am Heart J* 2004;148(4): 685-689.
45. Hamburg NM, Palmisano J, Larson MG, Sullivan LM, Lehman BT, Ramachandran S, et.al. Relation of brachial and digital measures of vascular function in the community: the framingham heart study. *Hypertension*. 2011; **57**(3): 390–396.
46. Heffernan KS, Karas RH, Mooney PJ, Patel AR, Kuvin JT. Pulse wave amplitude is associated with brachial artery diameter: implications for gender differences in microvascular function. *Vasc Med*. 2010; **15**(1):39–45.
47. Kuvin JT, Patel AR, Sliney KA, Pandian NG, Sheffy J, Schnall RP, et.al, Assessment of peripheral vascular endothelial function with finger arterial pulse wave amplitude. *Am Heart J* 2003;146(1): 169-174.
48. Kuvin JT, Mammen A, Mooney P, Alsheikh-Ali AA, Karas RH. Assessment of peripheral vascular endothelial function in the ambulatory setting. *Vasc Med* 2007; **12**:13–16.
49. Allan RB, Delaney CL, Miller MD, Spark JI. A comparison of flow-mediated dilatation and peripheral artery tonometry for measurement of endothelial function in healthy individuals and patients with peripheral arterial disease. *Euro J of Vasc and Endovasc Surg* 2013; **45**(3):264-269.

50. Aizer J, Karlson EW, Chibnik LB, Costenbader KH, Post D, Liang MH, Gall V, Herman MDG. A controlled comparison of brachial artery flow mediated dilation (FMD) and digital pulse amplitude tonometry (PAT) in the assessment of endothelial function in systemic lupus erythematosus. *Lupus*. 2009; 18(3): 235–242.

