

DAFTAR PUSTAKA

- Abdul-Razak S, Daher AM, Ramli AS, Ariffin F, Mazapuspavina MY, Ambigga KS, et al. (2016). Prevalence, awareness, treatment, control and socio demographic determinants of hypertension in Malaysian adults. *BMC Public Health*, 16 (1) : 351.
- Abegaz, T. M., Abdela O. A., Bhagavathula A. S., Teni F. S. (2018). Magnitude and determinants of uncontrolled blood pressure among hypertensive patients in Ethiopia: hospital-based observational study. *Pharm Pract (Granada)*; 16:1173.
- A. Palmer & B. William. (2012). *Simple Guide Tekanan Darah Tinggi*. Jakarta: Erlangga.
- Benson, H, et al. (2012). *Menurunkan Tekanan Darah*. Jakarta: Gramedia.
- Black, J.M & Hawks, J.H. (2014). *Medical Surgical Nursing : Clinical Management For Positive Outcomes*, 8th Ed. USA : Elsevier Saunders.
- Bosworth, H. B., Dubard, C. A., Ruppenkamp, J., Trygstad, T., Hewson, D. L., & Jackson, G. L. (2011). Evaluation of a self-management implementation intervention to improve hypertension control among patients in Medicaid. *Transl Behav Med*, 191–199. <https://doi.org/10.1007/s13142-010-0007-x>
- Cordero, A., Bertomeu-Martinez, V., Mazon, P., Facila, L., Bertomeu-Gonzalez V, Cosin, J., et al. Factors associated with uncontrolled hypertension in patients with and without cardiovascular disease. *Rev Esp Cardiol*. 2011;64(7):587–93
- Dalimartha, S. (2008). *Care Your Self, Hipertensi*. Jakarta: Penebar Plus.
- Darmawan. (2012). *Waspada! Gejala Penyakit Mematikan*. Jakarta Selatan : PT. Suka Buku.
- Darussalam, M., & Warseno, A. (2017). Faktor yang Berhubungan dengan Pasien Hipertensi Tidak Terkontrol di Puskesmas. *Jurnal Keperawatan Klinis Dan Komunitas*, 1(2), 72–80.
- Decoste, M., Vanobberghen, R., Borgermans, L., & Devroey, D. (2013). Uncontrolled hypertension among black Africans in the city of Brussels : a case-control study. *European Review for Medical and Pharmacological Sciences*, 886–894.

- Denney, A. S., & Tewksbury, R. (2013). How to write a literature review. *Journal of criminal justice education*, 24(2), 218-234.
- Dina T, Elperin, et al. (2013). A Large Cohort Study Evaluating Risk Factors Assosiated With Uncontrolled Hypertension, *The Journal of Clinical Hypertension*, Vol. 16 No. 2 Februari 2014.
- El-aty, M. A. A., Meky, F. A., Morsi, M. M., Al-lawati, J. A., & El, M. K. (2015). Hypertension in the adult Omani population : predictors for unawareness and uncontrolled hypertension. *Journal of the Egyptian Public Health Association*, 125–132. <https://doi.org/10.1097/01.EPX.0000470547.32952.cf>
- Gebremichael, G. B., Berhe, K. K., & Zemichael, T.M. (2019). Uncontrolled hypertension and associated factors among adult hypertensive patients in Ayder comprehensive specialized hospital, Tigray, Ethiopia, 2018. *BMC Cardiovaskuler Disorders*, 6, 1–10. <https://doi.org/https://doi.org/10.1186/s12872-019-1091-6>
- Gunawan, L. (2005). *Hipertensi*. Yogyakarta: Kanisius.
- Gupta, R., Raghuvir S. K., Raja B. P. (2016). Strategies for Better Hypertension Control in India and Other Lower Middle Income Countries. *Journal of Association of Physicians India*, 64(9): 58-64.
- Hadiza, S., akasai, A. M., Yau, amila A., Adamu, F. I., & Mijinyawa, M. S. (2019). Factor analysis of knowledge, attitude and practice of life style modification measures among hypertensive patients in North – Western Nigeria. *The Journal of Medical Research*, 3(2), 74–78. <https://doi.org/10.31254/jmr.2017.3210>
- Hu, L., Huang X, You C, Li J, Hong K, Li P, et al. Prevalence and risk factors of prehypertension and hypertension in southern China. *PLoS ONE*. 2017;12(1):e0170238.
- JNC-7. (2003). *The Seventh Report Of The Joint National Committee Prevention, Detection, Evaluation, And Treatment Of HighBlood Pressure*. JAMA 289 hal: 2560-2571
- Joint National Committee VIII. (2014). Evidence-based guideline for management of adult hypertension. Diakses pada 20 Maret 2020. <https://jamanetwork.com/journals/jama/fullarticle/1791497>

- Kang, A. W., Dulin, A., Nadimpalli, S., & Risica, P. M. (2018). Stress, adherence, and blood pressure control: A baseline examination of Black women with hypertension participating in the SisterTalk II intervention. *Preventive Medicine Reports*, 12(April), 25–32. <https://doi.org/10.1016/j.pmedr.2018.08.002>
- Kario, K., Chen, C. H., Park, S., Park, C. G., Hoshide, S., Cheng, H. M., Huang, Q. F., & Wang, J. G. (2018). Consensus document on improving hypertension management in asian patients, taking into account asian characteristics. *Hypertension*, 71(3), 375–382. <https://doi.org/10.1161/HYPERTENSIONAHA.117.10238>
- Katsuya T., Ishikawa K, Sugimoto K, Rakugi H, Ogihara T. (2003). Salt sensitivity of Japanese from the viewpoint of gene polymorphism. *Hypertens Res*. 2003 Jul;26(7):521-5. doi: 10.1291/hypres.26.521. PMID: 12924618.
- Kementerian Kesehatan Republik Indonesia. (2018). Data dan informasi profil kesehatan Indonesia 2017. Jakarta: Kementerian Kesehatan RI.
- Khanama, M. A., Lindeboom, W., Razzaqued, A., Niessene, L., Smith, W., & Milton, A. H. (2015). Undiagnosed and uncontrolled hypertension among the adults in rural Bangladesh: findings from a community-based study. *Journal of Hypertension*, 2399–2406. <https://doi.org/10.1097/HJH.0000000000000712>
- Khosravi, A., B. Pourheidar, H. Roohafza et al. (2014). Evaluating factors associated with uncontrolled hypertension: isfahan cohort study, Iran. *ARYA Atherosclerosis*, vol. 10, no. 6, pp. 311–318, 2014.
- Kozier & Erb, et al. (2009). *Buku ajar Praktik Keperawatan Klinis Edisi 5*. Jakarta: EGC.
- Lestari, I. G., & Isnaini, N. (2018). Pengaruh Self Management Terhadap Tekanan Darah. *Indonesian Journal for Health Sciences*, 02(01), 7–18.
- Martins, T., et al. (2012). Blood pressure control in hypertensive patient within family health program versus at primary healthcare units : analytical cross-sectional study. *Sao Paulo Med Journal*. 130(3) : 145-50.
- Meinema, J. G., et al. (2015). Determinants of adherence to treatment in hypertensive patients of african descent and the role of culturally appropriate education. *Journal : Plos One*, 10(8): e013356

- Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., Antes, G., Atkins, D., Barbour, V., et al. (2014). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *Revista Espanola de Nutricion Humana y Dietetica*, 18(3), 172–181. <https://doi.org/10.14306/renhyd.18.3.114>
- Mondal, N., & Sen, J. (2010). Prevalence of stunting and thinness among rural adolescents of Darjeeling district, West Bengal, India. *Italian Journal of Public Health*, 7(1), 54–61. <https://doi.org/10.2427/5747>
- National Health and Nutrition Examination Survey (NHANES). 2018. Surveys and data collection systems. Diakses tanggal 27 Juni 2020, <http://www.cdc.gov/nchs/nhanes.htm>
- Noviyanti, (2015). *Kenali, cegah dan obat Hipertensi*. Yogyakarta : Notebook
- Nuraini, B. (2015). Risk factors of Hypertension. *Juke Unila*. 4(5):10–19.
- Oemiat, R. (2013). Riskesdas dalam angka provinsi lampung. Jakarta.
- Nursalam. (2020). *Pedoman Penyususan Skripsi- Literature Review dan Tesis- Systematic Review*. Fakultas Keperawatan, Universitas Andalas.
- Owolabi, E. O., Goon D. T., Adeniyi O. V., Seekoe E. (2017). Social epidemiology of hypertension in Buffalo City Metropolitan Municipality (BCMM): cross-sectional study of determinants of prevalence, awareness, treatment and control among South African adults. *BMJ*. 2017 Jun 8;7(6):e014349. doi: 10.1136/bmjopen-2016-014349. PMID: 28600362; PMCID: PMC5623394.
- Peltzer, K., & Pengpid, S. (2018). The Prevalence and Social Determinants of Hypertension among Adults in Indonesia : A Cross-Sectional Population-Based National Survey. *International Journal of Hypertension*, 2018, 9. <https://doi.org/https://doi.org/10.1155/2018/5610725>
- Pengpid, S., Vonglokhamb, M., Kounnavong, S., Sychareun, V., & Peltzer, K. (2019). The prevalence, awareness, treatment, and control of hypertension among adults: The first crosssectional national population-based survey in laos. *Vascular Health and Risk Management*, 15, 27–33. <https://doi.org/10.2147/VHRM.S199178>
- PERKI. (2015). *Pedoman Tata Laksana Hipertensi pada Penyakit Kardiovaskuler*. Edisi pertama: Jakarta.
- Pudiastuti, R. D. 2013. *Penyakit-Penyakit Mematikan*. Yogyakarta: Nuha Medika.

- Purwanto, H. (2006). *Pengantar Perilaku Manusia Untuk Perawat*. Jakarta: EGC.
- Riset Kesehatan Dasar. (2018). Hasil Utama Riskesdas 2018. Jakarta : Kementerian Kesehatan Republik Indonesia.
- Riyadina, W. (2019). *Hipertensi pada Wanita Menopause*. LIPI Press.
<http://penerbit.lipi.go.id/data/naskah1583984091.pdf>
- Sakboonyarat, B., Rangsin, R., Kantiwong, A., & Mungthin, M. (2019). Prevalence and associated factors of uncontrolled hypertension among hypertensive patients: a nation - wide survey in Thailand. *BMC Research Notes*, 1–8.
<https://doi.org/10.1186/s13104-019-4417-7>
- Sandberg, K., Hong Ji. (2012). Sex differences in primary hypertension. *Biol Sex Diff*, 3(1):7.
- Sherwood. (2010). *Human physiology from cells to systems*. Edisi ke-7. Singapore: Cengage Learning
- Sianturi, E. (2004). *Strategi Pencegahan Hipertensi Esensial*. Universitas Sumatra Utara, Medan.
- Sugiyono. (2017). Metode Penelitian Kombinasi (Mixed Methods). Bandung: Alfabeta.
- Sunita, A. (2010). *Penuntun Diet, Edisi Baru*. Jakarta: Gramedia.
- Suryono, S. (2001). *Buku Ajar Ilmu Penyakit Dalam, Jilid 2*. Jakarta: Balai Penerbit FKUI.
- Sutanto. (2010). *Cekal (Cegah Dan Tangkal) Penyakit Modern*. Yogyakarta: C.V Andi Offset.
- Tedjasukmana P. (2012). Tatalaksana Hipertensi. *CDK*. 39(4):251–255.
- Tesfaye, B., Haile, D., Lake, B., Belachew, T., Tesfaye, T., & Abera, H. (2017). Uncontrolled hypertension and associated factors among adult hypertensive patients on follow-up at Jimma University Teaching and Specialized Hospital : cross-sectional study. *Dovepress*, 21–29.
- Thomopoulos, C., Parati, G., & Zanchetti, A. (2018). Effects of blood pressure-lowering treatment on cardiovascular outcomes and mortality:14 ^ effects of different classes of antihypertensive drugs in older and younger patients:

- overview and meta-analysis. *Journal of Hypertension*, 1–11. <https://doi.org/10.1097/HJH.0000000000001777>
- Yanai, H., Tomono Y, Ito K, Furutani N, Yoshida H, Tada N. The underlying mechanisms for development of hypertension in the metabolic syndrome. *Nutr J*. 2008;7:10.
- Yang, L., Xu, X., Yan, J., Yu, W., Tang, X., Wu, H., & Parkin, C. L. (2014). Analysis on associated factors of uncontrolled hypertension among elderly hypertensive patients in Southern China : a community-based , cross-sectional survey. *BMC Public Health*, 1–8.
- Yogiantoro. (2014). *Pendekatan Klinis Hipertensi: Buku Ajar Ilmu Penyakit Dalam, Edisi Keenam Jilid II*. Jakarta: Interna Publishing.
- Youssef, G., Nagy, S., El-gengehe, A., Abdel, A., & Abdel, M. (2018). Masked uncontrolled hypertension : Prevalence and predictors. *The Egyptian Heart Journal*, 70(4), 369–373. <https://doi.org/10.1016/j.ehj.2018.10.001>
- Wang, J., Zhang L, Wang F, Liu L, Wang H. (2014). Prevalence, awareness, treatment, and control of hypertension in China: results from a national survey. *Am J Hypertens*, 27(11):1355–61.
- Wang, Z., Chen, Z., Zhang, L., & Wang, X. (2015). Status of Hypertension in China : Results from the China Hypertension Survey , 2012-2015. *Aha Journals*, 167, 2012–2015.
- Weber, M. A., Schiffrin, E. L., White, W. B., Mann, S., Lindholm, L. H., Kenerson, J. G., et al. (2014). Clinical Practice Guidelines for the Management of Hypertension in the Community: A Statement by the American Society of Hypertension and the International Society of Hypertension. *Journal of Clinical Hypertension*, 16(1), 14–26. <https://doi.org/10.1111/jch.12237>
- World Health Organization. (2013). A global brief on hypertension: silent killer, global public health crisis. Diakses tanggal 10 Juli 2020, https://ish-world.com/downloads/pdf/global_brief_hypertension.pdf.
- World Health Organization. 2019. Diakses tanggal 6 Maret 2020, <https://www.who.int/news-room/fact-sheets/detail/hypertension>.