

Daftar Pustaka

1. Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse DJ, Spong CY. Obstetri Williams. 23 ed. Yovita, Salim N, Setia R, Nalurita, Muliawan E, Rifky, et al., editor. Jakarta: EGC;2012. 16-31 hal.
2. Payne LA, Rapkin AJ, Seidman LC, Zeltzer LK, Tsao JCI. Experimental and procedural pain responses in primary dysmenorrhea: A systematic review. *J Pain Res*. 2017;10:2233–46.
3. Vlachou E, Owens DA, Lavdaniti M, Kalemikerakis J, Evangelou E, Margari N, et al. Prevalence, Wellbeing, and Symptoms of Dysmenorrhea among University Nursing Students in Greece. *Diseases*. 2019;7(1):5.
4. Hong J, Mark J, Gita M. The Prevalence and Risk Factors of Dysmenorrhea. *Epidemiologi Reviews*. 2014; 36: 104-113.
5. F.T, S.N, S.H, and N.R. Skipping Breakfast Adversely Affect Menstrual Disorders In Young College Student. Vol.60(6), pp. 23-31, 2009.
6. Glob. Impact Of Fast Food On Menstrual Health Of School Going Adolescent Girls In West Bengal, Eastern India. *Inst Rest Educ*. Vol.3(1),pp. 61-66, 2014.
7. Indahwati AN, Muftiana E, Purwaningroom DL. Hubungan Mengonsumsi Makanan Cepat Saji (Fast Food) dengan Kejadian Dismenore Pada Remaja Putri di SMP N 1 Ponorogo. *Indones J Heal Sci*. 2017;1(2):7.
8. Yudha Risman. Hubungan Kebiasaan Olahraga dengan Derajat Dismenorea pada Siswi Sma di Kota Padang. *Universitas Andalas*; 2019.
9. Tessa Amanda. Hubungan Status Gizi dengan Kejadian Dismenore pada Siswi SMA N 1 Padang. *Universitas Andalas*; 2018. 28-29.
10. H. Ju, M. Jones, and G. Mishra, “The prevalence and risk factors of dysmenorrhea,” *Epidemiologic Reviews Advance Access*, vol. 7, no. 3, pp. 1–10, 2013.
11. Gebeyehu MB, Mekuria AB, Tefera YG, Andarge DA, Debay YB, Bejiga GS, et al. Prevalence, Impact, and Management Practice of Dysmenorrhea among University of Gondar Students, Northwestern Ethiopia: A Cross-Sectional Study. *Int J Reprod Med*. 2017;2017:1–8.

- 
12. Bavil , Dina Abadi, Dolation, Mahrokh, Zohreh, Baghban, Alireza Akbarzadeh 2016. Comparison of lifestyles of young women with and without primary dysmenorrhea. Elecetronic Journal Physician.8(3):2017-14.
13. Fernández-Martínez E, Onieva-Zafra MD, Laura Parra-Fernández M. Lifestyle and prevalence of dysmenorrhea among Spanish female university students. PLoS One. 2018;13(8):1–11.
14. French L. Dysmenorrhea. Am Fam Physican. 2005;71(2):285-292.
15. Aktaş D. Prevalence and Factors Affecting Dysmenorrhea in Female University Students: Effect on General Comfort Level. Pain Manag Nurs. 2015; 16: 534–543.
16. Jang IA, Kim MY, Lee SR, Jeong KA, Chung HW. Factors related to dysmenorrhea among Vietnamese and Vietnamese marriage immigrant women in South Korea. Obstet Gynecol Sci. 2013;56(4):242.
17. Hillegas KB. Gangguan Sistem Reproduksi Perempuan dalam Patofisiologi Konsep Klinis, Proses-Proses Penyakit. 6th ed. Jakarta:EGC; 2014.1520.
18. Zhou H-G, Yang Z-W, Group S. Prevalence of dysmenorrhea in female students in a Chinese university: a prospective study. Health (Irvine Calif). 2010.
19. Simanjuntak, Pandapotan 2014. Gangguan Haid dan Siklusnya. Dalam: Prawirohardjo, Sarwono, Wiknjosastro, Hanifa. Ilmu Kandungan. Edisi Ketiga. Jakarta: Bina Pustaka Sarwono Prawirohardjo. Hlm.229-232.
20. Hailemeskel S, Demissie A, Assefa N: Primary dysmenorrhea magnitude, associated risk factors, and its effect on academic performance: evidence from female university students in Ethiopia. Int J Womens Health. 2016; 8: 489–96.
21. International Association for the Study of Pain (IASP) Taxonomy Working Group. Classification of chronic pain. 2nd (revised) ed. 2011.
22. Mansjoer A., Triyanti K., Savitri R, dkk. Kapita selekta kedokteran Vol.1. 3rd ed. Jakarta: Media Aesculapius FK-UI. 2001; 1(3):371.

23. Chen CX, Draucker CB, Carpenter JS. What women say about their dysmenorrhea: A qualitative thematic analysis. *BMC Womens Health.* 2018;18(1):1–8.
24. Hong J, Mark J, Gita M. The Prevalence and Risk Factors of Dysmenorrhea. *Epidemiologic Reviews.* 2014; 36: 104-113.
25. Chang SF, Chuang MH. Factors that affect self-care behaviour of female high school students with dysmenorrhoea: a cluster sampling study. *Int J Nurs Pract.* 2012;18(2):117–24.
26. Parker MA, Sneddon AE, Arbon P. The menstrual disorder of teenagers (MDOT) study: determining typical menstrual patterns and menstrual disturbance in a large population-based study of Australian teenagers. *BJOG.* 2010;117(2):185–92.
27. Al-Kindi R, Al- Bulush A. Prevalence and Impact of Dysmenorrhoea among Omani High School Students. 2011.485-491.
28. Dawood, M. Y. Primary dysmenorrhea: advances in pathogenesis and management. *Obstet Gynecol* 108, 428–441.
29. Vitale, S. G., La Rosa, V. L., Rapisarda, A. M. C. & Lagana, A. S. Impact of endometriosis on quality of life and psychological wellbeing. *J Psychosom Obstet Gynaecol.* 2017. 38, 317–319.
30. Petraglia F, Bernardi M, Lazzeri L, Perelli F, Reis FM. Dysmenorrhea and related disorders. *F1000Research.* 2017;6(0):1–7.
31. Osayande AS, Mehulic S, Southwestem T. Diagnosis and Initial Management of Dysmenorrhea. *American Family Physician.* 2014.
32. Sharghi M, Mansurkhani SM, Ashtary-Larky D, Kooti W, Niksefat M, Firoozbakht M, et al. An update and systematic review on the treatment of primary dysmenorrhea. *J Bras Reprod Assist.* 2019;23(1):51–7.
33. Marjoribanks J, Ayeleke RO, Farquhar C, Proctor M. Nonsteroidal anti-inflammatory drugs for dysmenorrhea. *Cochrane Database Syst Rev.* 2015;2015(7).
34. Chao MT, Wade CM, Abercrombie PD, Gomolak D. An innovative acupuncture treatment for primary dysmenorrhea: a randomized, crossover pilot study. *Altern Ther Health Med.* 2014;20:49-56.

35. Trevethan R. Deconstructing and Assessing Knowledge and Awareness in Public Health Research. *Front Public Heal.* 2017;5(August):16–9.
36. Jeelani S, Sabesan S, Subramanian S. Community knowledge, awareness and preventive practices regarding dengue fever in Puducherry—South India. *Public Health* (2015) 129:790–6. doi:10.1016/j.puhe.2015.02.026
37. Achmadi, Umar Fahmi. *Kesehatan Masyarakat : Teori dan Aplikasi*, Jakarta: Rajawali Pers, 2014.
38. Nakkeeran N. Knowledge, truth, and social reality: An introductory note on qualitative research. *Indian J Community Med.* 2010;35(3):379–81.
39. Hamzah B, Uno. *Orientasi Baru dalam Psikologi Pembelajaran*. Jakarta: Bumi Aksara. hlm 130.
40. A Wawan, Dewi M. *Teori dan Pengetahuan,Sikap, dan Perilaku Manusia*. Yogyakarta: Nuha Medika. 2010. Hlm 11-18.
41. He Z, Cheng Z, Shao T, Liu C, Shao P, Bishwajit G, et al. Factors influencing health knowledge and behaviors among the elderly in rural China. *Int J Environ Res Public Health.* 2016;13(10):1–16.
42. Potur DC, Bilgin NC, Komurcu N. Prevalence of dysmenorrhea in university students in Turkey: effect on daily activities and evaluation of different pain management methods. *Pain Manag Nurs.* 2014;15(4):768–77.
43. Azwar, S. *Sikap Manusia dan Teori Pengukurannya*. Edisi ke- 2.Jakarta: Pustaka Pelajar. (2003).
44. Syah M. *Psikologi Pendidikan dengan Pendekatan Baru*. Bandung: PT Remaja Rosdakarya. 2010. hlm 18.
45. Radeschi G, Urso F, Campagna S, Berchialla P, Borga S, Mina A, et al. Factors affecting attitudes and barriers to a medical emergency team among nurses and medical doctors: A multi-centre survey. 2015;88:92–8.
46. Travasso SM, Rajaraman D, Heymann SJ. A qualitative study of factors affecting mental health amongst low-income working mothers in Bangalore, India. *BMC Womens Health.* 2014;14(1).
47. Alemi Q, Stempel C, Koga PM, Montgomery S, Smith V, Sandhu G, et al. Risk and protective factors associated with the mental health of young adults in Kabul, Afghanistan. *BMC Psychiatry.* 2018;18(1):1–10.

48. Notoadmodjo, S. Pendidikan dan Perilaku Kesehatan. Jakarta: Rineka Cipta. 2003.
49. Notoadmodjo, S. Prinsip-prinsip Dasar Ilmu Kesehatan Masyarakat. Jakarta: Rineka Cipta. 2010.
50. SKRRI. Suurvei Kesehatan Reproduksi Remaja. Jakarta: Badan Koordinasi Keluarga Berencana Nasional(BKKBN). 2013.
51. Rohma Khoriati. Hubungan Antara Faktor Sosiodemografi dan Sikap Dalam Menghadapi Kejadian Dsimenorea Pada Remaja Putri Di SMA Negeri 1 Suboh Situbondo. Universitas Airlangga;2016
52. Sitepu, Syahputra E.& Faulina. 2011. Profesionalisme Public Relations. Medan: USU Press.
53. Lestari, H., Metusala, J., & Suryanto, D.Y. Gambaran Disemoreea pada Remaja Putri Sekolah Menengah Pertama di Manado. Sari Pediatri. 2016;12(2),99.
54. Prawirohardjo S. Ilmu Kandungan. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo. 2014:2(3):182
55. Mayasari, A. filonemena. Hubungan tingkat pengetahuan dengan tingkat kecemaan pada remaja awal dalam menghadapi menarche di SDN Nambangan lor madiun. Hilos Tensados, (2019). 1–476.
56. Nirmawati. Gambaran Sikap Remaja Putri Dalam Mengatasi Dismenoreea Primer Di SMP Mataram Kasihan Bantul Yogyakarta. Sekolah Tinggi Ilmu Kesehatan Jendral Achmad Yani Yogyakarta. 2017.
57. Pati, E., Purba, N., & Karundeng, M. *Penanganan Dismenore Di Sma Negeri 7 Manado.* (2013). 2.
58. Releghea, A.Y. Hubungan Antara Pengetahuan Tentang Dismenore Dengan Perilaku Penanganan Dalam Mengatasinya Pada Remaja Putri Di RSBI SMAN Mojoangung. (2012).
59. Fitriani, S. Promosi Kesehatan. Yogyakarta : Graha Ilmu. (2011).
60. Radiya Siti. Pengetahuan dan Sikap Siswi kelas IX SMP N 2 Barru Tentang Penangangan Dismenorhea. Universitas Islam Negeri Alauddin Makassar; 2012.

61. Kusumawati, A., Finurina, I., Studi, P., Dokter, P., Kedokteran, F., & Purwokerto, U. M. Pengaruh Frekuensi Konsumsi Kafein Terhadap Sindrom Premenstruasi Pada Mahasiswi Universitas Muhammadiyah Purwokerto (The Effect of Caffein Consumption Frequency to Pre-Menstruation Syndrome on. *Sainteks*, XIII(2), 7–10. (2016).

