

DAFTAR PUSTAKA

- Aalto, A. M., et al., 2006. Sociodemographic, disease status, and illness perceptions predictors of global self-ratings of health and quality of life among those with coronary heart disease: One year follow-up study. *Quality of Life Research*, 15(8), pp. 1307–22. doi:10.1007/s11136-006-0010-3
- Abbaszadeh Y, Allahbakhshian A, Seyyedrasooli A, et al. Effects of foot reflexology on anxiety and physiological parameters in patients undergoing coronary artery bypass graft surgery: a clinical trial. *Complement Ther Clin Pract* . 2018; 31:220–228.
- AHA. Pengertian jantung koroner: konsep penyakit jantung koroner. 2012;
- Akarsu K, Koç A, Ertug N. The effect of nature sounds and earplugs on anxiety in patients following percutaneous coronary intervention: a randomized controlled trial. *Eur J Cardiovasc Nurs*. 2019;18(8):651–657.
- Barakate, M., Hemli, J., Hughes, C., Bannon, P., & Horton, M. (2003). Coronary artery bypass grafting (CABG) after initially successful percutaneous transluminal coronary angioplasty (PTCA): A review of 17 years experience. *European journal of cardio-thoracic surgery*, 23, 179-186. [http://dx.doi.org/10.1016/S1010-7940\(02\)00764-9](http://dx.doi.org/10.1016/S1010-7940(02)00764-9)
- Barakate, M., Hemli, J., Hughes, C., Bannon, P., & Horton, M. (2003). Coronary artery bypass grafting (CABG) after initially successful percutaneous transluminal coronary angioplasty (PTCA): A review of 17 years experience. *European journal of cardio-thoracic surgery*, 23, 179-186. [http://dx.doi.org/10.1016/S1010-7940\(02\)00764-9](http://dx.doi.org/10.1016/S1010-7940(02)00764-9)
- Baumeister, H., et al., 2015. Inpatient and outpatient costs in patients with coronary artery disease and mental disorders: A systematic review. *BioPsychoSocial Medicine*, 9(1). doi: 10.1186/s13030-015-0039-z
- Chandrababu R, Rathinasamy EL, Suresh C, et al. Effectiveness of reflexology on anxiety of patients undergoing cardiovascular interventional procedures: a systematic review and meta-analysis of randomized controlled trials. *J Adv Nurs*. 2019;75(1):43–53.

- Chaudhury, S., & Srivastava, K., 2013. Relation of depression, anxiety, and quality of life with outcome after percutaneous transluminal coronary angioplasty. *The Scientific World Journal*, 2013, pp.465979. doi: 10.1155/2013/465979
- Choi MS, Lee EJ. Effects of foot-reflexology massage on fatigue, stress and postpartum depression in postpartum women. *J Korean Acad Nurs*. 2015;45(4):587–594.
- Dalir, Z., Vahdat Feizabadi, E., Mazlom, S., & Rajae Khorasani, A., 2013. [The effect of short-term cardiac rehabilitation program on anxiety and depression in patients after coronary artery bypass surgery (Persian)]. *Evidence Based Care*, 3(3), pp. 33-42.
- Delewi, R., Vlastra, W., Rohling, W. J., Wagenaar, T. C., Zwemstra, M., Meesterman, M. G., ... Henriques, J. P. S. (2017). Anxiety levels of patients undergoing coronary procedures in the catheterization laboratory. *International Journal of Cardiology*, 228, 926–930. <https://doi.org/10.1016/j.ijcard.2016.11.043>
- Djunaidi AR, Bahrun Indrawan. 2014 Hubungan Usia dan Merokok pada Penderita Penyakit Jantung Koroner di Poli Penyakit Dalam RS MHPalembang Periode Tahun 2012 . *Syifa'MEDIKA*, Vol. 5 (No.1), September 2014
- Dogru BV, SenuzunAykar F, Yildirim Y, Yavuzgil O, Sözmen E, Memmedov H. 2020. The Effect of Foot Reflexology Applied Before Coronary Angiography and Percutaneous Transluminal Coronary Angioplasty on Anxiety, Stress, and Cortisol Levels of Individuals A Randomized Controlled Trial. *Journal of Cardiovascular Nursing* Vol. 00, No. 0, pp. 00–00
- Durmaz, T., Keles, T., Erdogan, K. E., Ayhan, H., Bilen, E., Bayram, N. A., ... Bozkurt, E. (2014, May). Coronary Slow Flow is Associated with Depression and Anxiety. *Acta Cardiologica Sinica*.
- Ebadi A, Moradian ST, Feyzi F, Asiabi M. Comparison of hospital anxiety and depression among patients with coronary artery disease based on proposed treatment. *Iran J Crit Nurs*. 2011;4(2):97-102.
- Echteld, M. A., Vanelderren, T. M., & Leo, J. T. (2001). How goal disturbance, coping and chest pain relate to quality of life: A study among patients waiting for PTCA. *Quality of life research*, 10, 487-501.
- Fathi M, Alavi SM, Joudi M, Joudi M, Mahdikhani H, Ferasatkish R, et al. Preoperative anxiety in candidates for heart surgery. *Iran J Psych Behav Sci*. 2014;8(2):90.

- Fehder WP. Alterations in immune response associated with anxiety in surgical patients. *CRNA* 1999;**10**(3):124-129.
- Furuya, R. K., et al., 2013. [Anxiety and depression among men and women who underwent percutaneous coronary intervention (Portuguese)]. *Revista da Escola de Enfermagem da USP*, 47(6), pp.1333–7. doi: 10.1590/s0080-623420130000600012
- Gallagher, R., Trotter, R., & Donoghue, J. (2010). Preprocedural concerns and anxiety assessment in patients undergoing coronary angiography and percutaneous coronary interventions. *European Journal of Cardiovascular Nursing*, 9(1), 38–44. <https://doi.org/10.1016/j.ejcnurse.2009.09.001>
- Gu,G.,Zhou,Y.,Zhang,Y.,Chui,W. (2016). Increased Prevalence of Anxiety and Depression Symptoms in Patients with Coronary Artery Disease Before and After Percutaneous Coronary Intervention Treatment. *BMC Psychiatry*,16:259
- Gross C, Hen R. The developmental origins of anxiety. *Nat Rev Neurosci* 2004;**5**(7):545-552.
- Habur H, Basaran EBZ (2009) Introduction in reflexology. (2 edn), Kitap Dostu publish, Istanbul, Turkey, pp. 11-159. Rd
- Hajbaghery MA, Moradi T, Mohseni R (2014) Effects of a multimodal preparation package on vital signs of patients waiting for coronary angiography. *Nursing and Midwifery Studies* Apr 3(1): 1-5.
- Hasavari FE, Paryad M, Khorsandfard L, Kazemnejad (2018) The effect of foot reflexive massage on anxiety in patients undergoing coronary angiography. *Complementary Medicine Journal* 7(4): 25.
- Hendro dan Yustri, (2010). Ilmu Pijat Pengobatan Refleksi Relaksasi, Direktorat Pembinaan Kursus Dan Pelatihan. Jakarta
- Holt, R. I. G., et al., 2013. The relationship between depression, anxiety and cardiovascular disease: Findings from the Hertfordshire cohort study. *Journal of Affective Disorders*, 150(1), pp. 84–90. doi:10.1016/j.jad.2013.02.026

- Jamshidi N, Abaszade A, Najafi KM (2012) Stress, anxiety and depression of patients before coronary angiography. *Zahedan Journal of Research in Medical Sciences* 13(10): 29.
- Khaledifar A, Nasiri M, Khaledifar B, et al. The effect of reflexotherapy and massage therapy on vital signs and stress before coronary angiography: an open-label clinical trial. *ARYA Atheroscler*. 2017;13(2):50–55.
- Korkmaz, H., Korkmaz, S., Yildiz, S., Gündogan, B., & Atmaca, M. (2017). Determination of health anxiety, anxiety and somatosensory amplification levels in individuals with normal coronary angiography. *Psychiatry Research*, 252, 114–117. This article is protected by copyright. All rights reserved. <https://doi.org/10.1016/j.psychres.2017.02.057>
- Labrague, L.J. & Mcenroe-petite, D.M., 2016. Influence of Music on Preoperative Anxiety and Physiologic Parameters in Women Undergoing Gynecologic Surgery. *Clinical Nursing Research*, 25(2), pp.157–173.
- Lee, Y.-L. et al., 2011. A Systematic Review on the Anxiolytic Effects of Aromatherapy in People with Anxiety Symptoms. *Journal Of Alternative And Complementary Medicine*, 17(2), pp.101–108.
- Libby, P. (2012). Inflammation in atherosclerosis. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 32(9), 2045-2051.
- Libby, P., Ridker, P. M., & Hansson, G. K. (2011). Progress and challenges in translating the biology of atherosclerosis. *Nature*, 473(7347), 317-325.
- Mahmoudirad G, Moslo MG, Bahrami H (2014) Effect of foot reflexology on anxiety of patients undergoing coronary angiography. *Iran J Crit Care Nurs* 6(4): 235-242.
- Malik TF, Tivakaran VS. (2020) . Percutaneous Transluminal Coronary Angioplasty (PTCA). StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2018 Jan-.
- Mea, C.P.D., Bettinelli, L.A., Pasqualotti, A. (2018). Anxiety and Depression Symptoms in Post-Percutaneous Coronary Adults and Elderly Intervention. *Acta Colombia De Psicologia*, 20 (2) : 236-246
- Mirzaee F, Kaviani M, Jafari P. Effect of reflexology on anxiety level in nuliparous women. *Hayat*. 2010;16(1). [Persian]

- Moeini M, Kahangi LS, Valiani M, Heshmat R. The effect of reflexotherapy on patients' vital signs before coronary artery bypass graft surgery. *Iran J Nurs & Midwifery res.* 2011;16(1):8.
- Moghimi Hanjani S, Shoghy M, Mehdizadeh Torzani Z, Ahmadi G, Khodadvastan Shahraki M. The Effect of foot reflexology on anxiety during of labor on primiparous. *HBIJ.* 2012;10(3):219-24. [Persian]
- Mokhtari Nouri J, Sadeghi Shermeh M, Hajiamini Z. Effect of foot reflexology massage and Benson relaxation on anxiety. *J Behav Sci.* 2009;3(2):159-65.
- Moradi, T. & Hajbaghery, M.A., 2015. State and Trait Anxiety in Patients Undergoing Coronary Angiography. *Int J Hosp Res*, 4(3), pp.123–128.
- Moradi, T., & Hajbaghery, M. A (2015). The effect of a multi-modal preparation package on anxiety in patients undergoing coronary angiography. *International Cardiovascular Research Journal*, 9(1), 10–16
- Moreno, A. M., Castro, R. R., Sorares, P. P., Sant'Anna, M., Cravo, S. L., & Nóbrega, A. C. (2011). Longitudinal evaluation the pulmonary function of the pre- and postoperative periods in the coronary artery bypass graft surgery of patients treated with a physiotherapy protocol. *J Cardiothorac Surg*, 6, 62.
- Munk PS, Isaksen K, Bronnick K, Kurz MW, Butt N, Larsen AI. Symptoms of anxiety and depression after percutaneous coronary intervention are associated with decreased heart rate variability, impaired endothelial function and increased inflammation. *Int J Cardiol* 2012;158(1):173-176.
- Nasiri KH, Eyvanbagha R, Nazari N, Savadpoor M, Soleymanifard P, et al. (2016) Physiological and therapeutic effects of reflexology in iran. A Systematic Review. *Depiction of Health* 7(1): 49-61.
- Nasiri KH, Eyvanbagha R, Nazari N, Savadpoor M, Soleymanifard P, et al. (2016) Physiological and therapeutic effects of reflexology in iran. A Systematic Review. *Depiction of Health* 7(1): 49-61.
- Nedeljkovic I (2018). Assessment of depression and anxiety in patients before and after percutaneous coronary intervention: A step forward in cardiac rehabilitation?. *European Journal of Preventive Cardiology* 2018, Vol. 25(10) 1015–1016

- Nekouei ZK, Yousefy A, Manshaee G, Nikneshan S. Comparing anxiety in cardiac patients candidate for angiography with normal population. *ARYA Atherosclerosis*. 2011;7(3):93.
- Oztürk R, Sevil Ü (2013) The Effect of Reflexology on Women's Health. *Journal of International Sports. Health, Medicine Sciences* 8(3): 87-101.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. Pedoman Tatalaksana Gagal Jantung. Buku Pedoman Tatalaksana Gagal Jantung. 2015
- Potluri, R., et al., 2014. The role of angioplasty in patients with acute coronary syndrome and previous coronary artery bypass grafting. *International Journal of Cardiology*, 176(3), pp. 760–3. doi: 10.1016/j.ijcard.2014.07.097
- Pratiwi FW, Saragi JS, 2018. Pemantauan Kateterisasi Jantung Pada Tindakan Ptca Terhadap Pasien CAD. *Jurnal Arsip Kardiovaskular Indonesia (ARKAVI) | Volume 03, Nomor 01*
- Purbianto, Agustanti D. 2015. Analisis faktor risiko gagal jantung di rsud dr. H. Abdul moeloek provinsi lampung *Jurnal Keperawatan*, Volume XI, No. 2, Oktober 2015
- Putri NH, 2020. Kenali Titik Pijat Refleksi Kaki untuk Coba Sendiri di Rumah. Hidup Sehat. <https://www.sehatq.com/artikel/kenali-titik-pijat-refleksi-kaki-agar-bisa-dicoba-di-rumah>. diakses 8 September 2020
- Rahmani, M., & Mollashahi, L. (2013). Depressive symptoms and health-related quality of life: The Heart and Soul Study. *Zahedan Journal of Research in Medical Sciences*, 15, 34-37.
- Robbin. Kumar dan Cotran. 2007. *Buku Ajar Patologi* (Edisi ke-7 volume ke-2). Terjemahan oleh: Pendi, B.U., Jakarta: EGC Indonesia, hal. 356-443
- Roohafza, H., et al., 2014. [Psychological state in patients undergoing coronary artery bypass grafting surgery or percutaneous coronary intervention and their spouses (Persian)]. *International Journal of Nursing Practice*, 21(2), pp. 214–20. doi: 10.1111/ijn.12234
- Sayols-Baixeras, S., Lluís-Ganella, C., Lucas, G., & Elosua, R. (2014). Pathogenesis of coronary artery disease: focus on genetic risk factors and identification of genetic variants. *The application of clinical genetics*, 7, 15.

- Serruys, P. W., Uunger, F., Sousa, J. E., Jatene, A., Bonnier, H. J., Schonberger, J. P., ... Vanherwerden, L. A. (2001). Comparison of coronary-artery bypass surgery and stenting for the treatment of multivessel disease. *New England Journal of Medicine*, 344, 1117-1124. <http://dx.doi.org/10.1056/NEJM200104123441502>.
- Setyani, Rani, 2009. Faktor Resiko yang Berhubungan dengan Kejadian Penyakit Jantung Koroner Pada Usia Produktif (< 55 tahun) [Versi elektronik]. Airlangga University Digital Library
- Sharif, F., et al., 2014. The effects of discharge plan on stress, anxiety and depression in patients undergoing percutaneous transluminal coronary angioplasty: A randomized controlled trial. *International Journal of Community Based Nursing and Midwifery* 60. PMID: PMC4201194
- Sharif, F., et al., 2014. The effects of discharge plan on stress, anxiety and depression in patients undergoing percutaneous transluminal coronary angioplasty: A randomized controlled trial. *International Journal of Community Based Nursing and Midwifery*, 2(2), pp. 60. PMID: PMC4201194
- Shibeshi WA, Young-Xu Y, Blatt CM. Anxiety worsens prognosis in patients with coronary artery disease. *J Am Coll Cardiol* 2007;**49**(20):2021-2027.
- Spalding TW, Jeffers LS, Porges SW, Hatfield BD. Vagal and cardiac reactivity to psychological stressors in trained and untrained men. *Med Sci Sports Exerc* 2000;**32**(3):581-591.
- Stuart, G.W., 2007. Buku Saku Keperawatan Jiwa 5th ed., Jakarta: EGC
- Suherwin. 2018. Hubungan usia, jenis kelamin dan riwayat penyakit dengan kejadian penyakit jantung koroner di instalasi gawat darurat rumahsakit tk.ii dr. Ak. Gani Palembang tahun 2016. *Jurnal 'Aisyiyah Medika'* Volume 1, Nomor 1, Februari 2018
- Tang, S.K. & Tse, M.Y.M., 2014. Aromatherapy : Does It Help to Relieve Pain , Depression , Anxiety , and Stress in Community-Dwelling Older Persons ? *BioMed Research Internationa*, 2014, pp.1-12.
- Torabi M, Salavati M, Ghahri Sarabi A. Effects of reflexology foot massage and Benson relaxation on anxiety and physiological parameters of patients candidate for angiography. *Sci J Hamadan Nurs & Midwifery Faculty*. 2012;**20**(1):63-71.

- Vandgik, D., Nierich, A. P., Eefting, F. D., Buskens, E., Nathod, H. M., Jansen, E. W., ... De medina, E. O. R. (2000). The Octopus Study: rationale and design of two randomized trials on medical effectiveness, safety, and cost-effectiveness of bypass surgery on the beating heart. *Controlled clinical trials*, 21, 595-609. [http://dx.doi.org/10.1016/S0197-2456\(00\)00103-3](http://dx.doi.org/10.1016/S0197-2456(00)00103-3)
- Varcarolis, E., Carson, V. & Shoemaker, N., 2010. *Foundation of Psychiatric Nursing Mental Health Nursing*, Philadelphia: WB. Saunders Company.
- Vardanjani MM, Alavi NM, Razavi NS, Aghajani M, Esmail AF, et al. (2013) Randomized-controlled trial examining the effects of reflexology on anxiety of patients undergoing coronary angiography. *Nursing and Midwifery Studies* 2(3): 3-9.
- Wang G, Cui J, Wang Y, Deng B, Liang X, Bai J, Guo S, Yang Z, Huang L, Li C. Anxiety and adverse coronary artery disease outcomes in Chinese patients. *Psychosom Med* 2013;**75**(6):530-536
- Welsh RC, Granger CB, Westerhout CM, Blankenship JC, Holmes DR, O'Neill WW, Hamm CW, Van de Werf F, Armstrong PW. APEX AMI Investigators. Prior coronary artery bypass graft patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. *JACC Cardiovasc Interv*. 2010 Mar;**3**(3):343-51. [PubMed: 20298996]
- Winastuti TA, Andarini S, Heriansyah T. 2016. *Patofisiologi Dasar Keperawatan Penyakit Jantung Koroner ; Inflamasi Vaskular*. Malang ; UB Press
- Wisnubrata. 2017. Risiko Penyakit Jantung Dipengaruhi Tingkat Pendidikan?. Kompas.com: diakses melalui <https://lifestyle.kompas.com/read/2017/10/10/052800520/risiko-penyakit-jantung-dipengaruhi-tingkat-pendidikan-?page=all>
- Witztum, J. L., & Lichtman, A. H. (2013). The influence of innate and adaptive immune responses on atherosclerosis. *Annual review of pathology*, 9, 73-102.
- Yalvac, D., Ozturk, S., Sivri, N., Kiliç, Y., Bulut, E., Celik, A., ... Yetkin, E. (2017). Effects of patients anxiety and depression scores on coronary flow in patients with normal coronary arteries. *International Journal of Cardiology*, 180, 55-57. <https://doi.org/10.1016/j.ijcard.2014.11.153>

Zhang, P., 2015. Study of anxiety/depression in patients with coronary heart disease after percutaneous coronary intervention. *Cell Biochemistry and Biophysics*, 72(2), pp. 503–7. doi: 10.1007/s12013014-0495-2

