

## DAFTAR PUSTAKA

- Adeniji, A. A. 2007. Effect of replacing groundnut cake with maggot meal in the diet of broilers. *Int. J. Poult. Sci.* 6 (11): 822-825
- Adiwinarto, G. 2005. Penampilan dan Laju Pertumbuhan Relatif Karkas dan Komponen Karkas Dua Strain Ayam Broiler Fase Finisher (21-42 hari) dalam Berbagai Suhu Pemeliharaan. Tesis. Program Studi Magister Ilmu Ternak. Fakultas Peternakan. Universitas Diponegoro. Semarang.
- Aldi M., Farida F., Syahrio T., dan Erwanto. 2018. Pengaruh Berbagai Media Tumbuh Terhadap Kandungan Air, Protein Dan Lemak Maggot Yang Dihasilkan Sebagai Pakan. *Jurnal Riset dan Inovasi Peternakan Vol 2* (2):14-20.ISSN:2598-3067.
- Al-Qazzaz MFA, Ismail D, Akit H, Idris LH. 2016. Effect of using insect larvae meal as a complete protein source on quality and productivity characteristics of laying hens. *R Bras Zootec.* 45:518-523.
- Amrullah, I.K. 2006. Nutrisi Ayam Broiler. Lembaga Satu Gunung Budi. Bogor
- Analisa Laboratorium Gizi Non Ruminansia, 2020, Fakultas Peternakan, Universitas Andalas, Padang.
- Anggorodi H., 1994 . Ilmu Makanan Ternak Umum. Penerbit Gramedia. Jakarta.
- Cahyono, B. 2004. Cara Meningkatkan Budidaya Ayam Ras Pedaging (Broiler). Yayasan Pustaka Nusantara. Yogyakarta.
- Beski SSM, Swick RA, Iji PA. 2015. Specialised protein products in broiler chicken nutrition: A review. *Anim Nutr.* 1:47-53.
- Bullock, N., Chapin, E., Elder, B., Evans, A., Givens, M., Jeffay, N., Pierce, B., Robinson, W., and Mattox, J. (2013). Implementation of Black Soldier Fly Breeding and Chicken Feed Production at Pickard's Mountain Eco-Institute.
- Cahyono, Achmad B., 2004. Keselamatan Kerja Bahan Kimia di Industri. Gadjah Mada University Press. Yogyakarta
- Campbell, W. 1984. Principles of fermentation technology. Peragaman Press. New York.
- Charoen Pokphand Bulletin Service. 2006. Manual Broiler Manajemen CP 707. Charoen Pokphand Indonesia. Jakarta.
- Castro, G., N. Stoyan, & J. P. Nyers. 1989. Assimilation efficiency in birds, a function of taxon and food type?. *Comp. Biochem. Physiol.* 92:271-278.
- Choi SC, Ingale SL, Kim JS, Park YK, Kwon IK, Chae BJ. 2013. Antimicrobial peptide-A3: effects on growth performance, nutrient retention, intestinal and faecal microflora and intestinal morphology of broilers. *British Poultry Science.* 54 (6): 738-746.
- Cullere M, Tasoniero G, Giaccone V, Miotti-Scapin R, Claeys E, De-Smet S, Dalle-Zotte A. 2016. Black soldier fly as dietary protein source for

broiler quails: apparent digestibility, excreta microbial load, feed choice, performance, carcass and meat traits. *Ani.* 1-8.doi:10.1017/S1751731116001270.

- Dengah SP, J. F. Umboh, C.A. Rahasia dan Y.H.S. Kowel. 2016. Pengaruh penggantian tepung ikan dengan tepung maggot (*Hermetia Illucens*) dalam ransum terhadap performans broiler. *J. Zootek.* Vol 36, No 1 : 51-60
- Destama RS . 2016. Pengaruh Penambahan *Feed* Aditif Dalam Ransum Dengan Dosis , Yang Berbeda Terhadap Bobot Telur Dan Nilai *Haugh Unit* (Hu)Telur Ayam Ras, *Jurnal Ilmiah Peternakan Terpadu* Vol. 4(3): 230-236, Agustus 2016
- Elwert C, Knips I, Katz P. 2010. A novel protein source: Maggot meal of the Black Soldier Fly (*Hermetia illucens*) in broiler feed. In: Tagung Schweine-und Gefugelernahrung (Lutherstadt Witterberg, 23-25 Novemb 2010). Halle (Germany): Institut fur Agrar-und Ernahrungswissenschafte. Universitat Halle-Wittenberg. p. 140-142.
- Fahmi MR, Hem S, Subamia IW. 2007. Potensi maggot sebagai salah satu sumber protein pakan ikan. Dalam: Dukungan Teknologi untuk Meningkatkan Produk Pangan Hewan dalam Rangka Pemenuhan Gizi Masyarakat. Prosiding Seminar Nasional Hari Pangan Sedunia XXVII. Bogor (Indonesia): Puslitbangnak. hlm. 125-130.
- FAO, I. (2013). WFP, The State of Food Insecurity in the World 2013—The Multiple Dimensions of Food Security. FAO Rome.
- Gobbi P, Martínez-Sánchez A, Rojo S. 2013. The effects of larval diet on adult life-history traits of the Black Soldier Fly, *Hermetia illucens* (Diptera: Stratiomyidae). *Eur J Entomol.* 110:461-468.
- Harlystiarini. 2017. Pemanfaatan tepung larva *black soldier fly* (*hermetia illucens*) sebagai sumber protein pengganti tepung ikan pada ransum puyuh petelur (*Cortunix-cortunix japonica*) [tesis]. Bogor (ID): Institut Pertanian Bogor.
- Hem, S. 2011. Final Report: Maggot – Bioconversion Research Program in Indonesia, Concept of New Food Resources Result and Applications 2005-2011. Perancis: Institut de Recherche pour le Développement
- Hendriks, W. H., C. A. Butts, D. V. Thomas, K. A. C. James, P. C. A. Morel, and M. W. A. Verstegen. 2002. “Nutritional Quality and Variation of Meat and Bone Meal.” *Asian-Australasian Journal of Animal Sciences* 15(10):1507–16.
- Holmes, L.A., Vanlaerhoven, S.L., Tomberlin, J.K. 2012. Relative Humidity Effects on the Life History of *Hermetia illucens* (Diptera: Stratiomyidae). *Environmental Entomology*, 41(4): 971-978.
- Ichwan. 2005. Membuat Pakan Ayam Ras Pedaging, Cetakan II. PT. Agromedia Pustaka Utama, Jakarta.

- Irvan , H.J .2009. Performa dan Bobot Organ Pencernaan Ayam Broiler yang Diberi Pakan Limbah Udang Hasil Fermentasi *Bacillus* sp.DOI: 10.5398/medpet.v32i3.1135
- Jeuniaux, C. & C. Cornelius. 1978. Distribution and activity of chitinolytic enzymes in the digestion tract of birds and mammals. In: Proceeding of the 1st Inter. Conference on chitin/chitosan. R. A. A. Muzarelli & E. R. Periser (eds). MIT press, Cambridge, MA. P 542-549.
- Jubril A. Agunbiade, Olajide A. Adeyemi, Olukemi M. Ashiru, Hakeem A. Awojobi, Abiodun A. Taiwo,, Daniel B. Oke+ and Adebola A. Adekunmisi. 2007. Replacement of fish meal with maggot in cassava-based Layer's diets. *The Journal of Poultry Science*, 44:278-282
- Jull, M.A. 1979. *Poultry Husbandry*. 3rd Edition. Tata Mc. Graw Hill Publishing Co. Tld. New De.
- Kim SA, Rhee MS. 2016. Highly enhanced bactericidal effects of medium chainfatty acids (caprylic, capric, and lauric acid) combined with edible plantessential oils (carvacrol, eugenol, b-resorcylic acid, trans-cinnamaldehyde,thymol, and vanillin) against *Escherichia coli* O157:H7. *Food Control*60:447-454.doi: 10.1016/j.foodcont.2015.08.022.
- Kroeckel S, Harjes A-GE, Roth I, Katz H, Wuertz S, Susenbeth A and Schulz C2012. When a turbot catches a fly: evaluation of a pre-pupae meal of the Black Soldier Fly (*Hermetia illucens*)as fish meal substitute – growth performance and chitin degradation in juvenile turbot ( *Psetta maxima* ). *Aquaculture* 364–365,345–352.
- Lacy and L.R. Vest. 2000. Improving feed conversion in ayam pedaging : A guide for growers. <http://www.ces.uga.edu/pubcd.c:793-w.html>.
- Lemme, A., Ravindran, V. & Bryden, W., 2004. Ileal digestibility of amino acids in feed ingredients for broilers. *Worlds Poult. Sci. J.* 60(04): 423-438.
- Lesson, S. and J. D. Summers. 2001. *Nutrition of the chicken*, 4th Edition, pp,331-428 ( University Books, P. O. Box 1326, Guelph, Ontario, Canada NIH 6N8). NRC. 1994. *Nutrient Requirement of Poultry*. National Academy Press, Washington.
- Medion Bulletin Service. 2006. *Manual feed additive and feed supplement management*. PT. Medion Indonesia. Jakarta.
- Montesqrit, Mahata E.M dan Amizar R, 2019a. Pemanfaatan Bahan Pakan Sumber Protein Sebagai Media Tumbuh *Black Soldier Fly (Hermetia Illucens)* Guna Menghasilkan Tepung Maggot Kaya Protein. Prosiding Seminar Nasional Semirata BKS PTN wilayah Barat bidang Ilmu Pertanian. Jambi 27-29 Agustus 2019.

- Montesqrit, Mahata E.M, Amizar R, Adrizal dan Efrizon A. 2019b. Pengaruh Limbah Peternakan Sebagai Media Tumbuh Larva BSF (*Black Soldier Fly/Hermetia Illucens*) Terhadap Kandungan Bahan Kering, Protein Kasar Dan Lemak Kasar Tepung Maggot BSF. Prosiding Seminar Nasional Hasil Penelitian dan Pengabdian kepada Masyarakat. “Membangun Peternakan Berkelanjutan menuju Era Industri 4.0” Fakultas Peternakan Universitas
- National Research Council (NRC). 1994. Nutrient Requirement Of Poultry, 9<sup>th</sup> Revised Edition. National Academy Press, Washington DC.
- Nguyen HC. 2015, Direct transesterification of black soldier flylarvae ( *Hermetiaillucens* )for biodieselproduction, Journal of the Taiwan Institute of Chemical Engineers 0 0 0 (2018) 1–5.
- North and Bell. 1990. Commercial Chicken Production Manual, New York.
- Oliver, P.A. 2004. The bio-conversion of putrescent wasted. ESR LLC.Washington. P. 1-90
- Park SI, Chang BS, Yoe SM. 2014. Detection of antimicrobial substances from larvae of the black soldier fly, *Hermetia illucens* (Diptera:Stratiomyidae).*Ento Res.* 44 (2): 58-64.doi: 10.1111/1748-5967.12050.
- Popa, R. dan Green, T. 2012. DipTerra LCC e-Book ‘Biology and Ecology of the Black Soldier Fly’. DipTerra LCC.
- Rachmawati, Buchori D, Hidayat P, Hem S, Fahmi MR ,2010. Perkembangan dan kandungan nutrisi larva *Hermetia illucens* (Linnaeus) (Diptera: *Stratiomyidae*) pada bungkil kelapa sawit. J Entomol Indones. 7:28-41.
- Ravindran, V., 2013. Poultry feed availability and nutrition in developing countries. Poultry Dev. Review (FAO). 60-63.
- Rao, S.V.R.,D. Nagalakshmi and V.R. Reddy. 2002. Feeding to minimize heat stress. Poultry International Volume 41No.7
- Rasyaf, M. 2008. Panduan Beternak Ayam Pedaging. Penerbit PT. Swadaya, Jakarta.
- Rasyaf, M. 1995. Beternak Ayam Pedaging. PT. Penebar Swaday. Jakarta
- Rizal, Y. 2006. Ilmu Nutrisi Unggas. Penerbit Andalas University Press, Padang
- Santoso, U. 1987. Limbah Bahan Ransum Unggas Yang Rasional. PT Bhratara Karya Aksara dan Pemda DKI, Jakarta.
- Scott, M. L., M.C. Nesheim, dan R. J. Young. 1982. Nutrition of chicken. 3rd Ed. Publ. M.C. Scott Associates Ithaca, New York.
- SNI (Standar Nasional Indonesia). 2008. *Kumpulan SNI Bidang Pakan*. Direktorat Budidaya Ternak Non Ruminansia, Direktorat Jenderal Peternakan, Departemen Pertanian, Jakarta.

- Siregar. A. P. 1980. Tehnik Beternak Ayam Pedaging di Indonesia. Merdie Group. Jakarta.
- Soeharsono. 1976. Respon Broiler Terhadap Berbagai Kondisi Lingkungan. Disertasi. Bandung. Universitas Padjajaran. Sumedang Steel, R.G.D dan J.H. Torrie. 1995. Prinsip Dan Prosedur Statistika. Penerjemah Bambang Sumantri. Gramedia Pustaka, Jakarta.
- Steel, R. G. dan J. H. Torrie. 1995. Prinsip dan Prosedur Statistik Suatu Pendekatan Biometrik. Edisi Ke-2, Diterjemahkan oleh Bambang Sumatri. PT. Gramedia Pustaka Utama, Jakarta.
- Sugiono, N., Elindratiningrum dan Primandini, Y. 2015. Determinasi energi metabolis dan kandungan nutrisi hasil samping pasar sebagai potensi bahan pakan lokal ternak unggas. *Jurnal Agripet*. 15 (1) : 41-45.
- Su'i M, Sumaryati E. 2014. Isolat asam laurat dari endosperm kelapa dengan biokatalisator enzim lipase endogeneus buah kelapa. *Laporan Penelitian Hibah Bersaing DIKTI*. Malang (ID): Universitas Widyagama Malang.
- Syah, A. Skripsi. 2011. *Penambahan tepung daun katuk dalam ransum ayam broiler*. Makassar
- Syahrizal, Ediwarman, dan M. Ridwan. 2014. Kombinasi Limbah Kelapa Sawit Dan ampas Tahu Sebagai Media Budidaya Maggot (*Hermetia illucens*) Salah Satu Alternatif Pakan Ikan. *Jurnal Ilmiah Universitas Batanghari Jambi* Vol.14 No.4.
- Tomberlin, J. K., Sheppard, D. C., & Joyce, J.A. 2002. Selected life-history traits of Black Soldier Flies (Diptera: Stratiomyidae) reared on three artificial diets. *Ann Entomol Soc Am*. 95:379-386.
- Ushakova NA, Brodskiy ES, Kovalenko AA, Pavlov DS. 2016. Characteristics of lipid fractions of larvae of the black soldier fly *Hermetia illucens*. *Biochemistry and Biophysics*. 468 (1): 209-212.
- Uushona, Tulimo. 2015. "Black Soldier Fly (*Hermetia Illucens*) Pre-Pupae as a Protein Source for Broiler Production." (March):1-114.
- Veldkamp T, Bosch G. 2015. Insects: A protein-rich feed ingredient in pig and poultry diets. *Anim Front*. 5:45-50.
- Wahyu, J. 2004. Ilmu Nutrisi Unggas. Cetakan ke-5. Gadjah Mada University Press. Yogyakarta
- Wardhana AH. dan Muharsini S. 2004. Studi pupa lalat penyebab Myasis, *Chrysomya bezziana* di Indonesia. Dalam: Thalib A, Sendow I, Purwadaria T, Tarmudji, Darmono, Triwulanningsih E, Beriajaya, Natalia L, Nurhayati, Ketaren PP, et al., penyunting. Iptek sebagai Motor Penggerak Pembangunan Sistem dan Usaha Agribisnis Peternakan. Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner. Bogor, 4-5 Agustus 2004. Bogor (Indonesia): Puslitbangnak. hlm. 702-710.

Widjastuti, T., R. Wiradimadja dan D. Rusmana. 2014. The effect Of Substitution Of Fish Meal By Black Soldier Fly (*Hermetia Illucens*) Maggot Meal In The Diet On Production Performance Of Quail (*Coturnixcoturnix japonica*). Faculty of Animal Science Padjadjaran University. Bandung. Vol. LVII.

